VRF Controls and Accessories 45VM900055 - Shut-Off



Submittal Data

- Shut-off valve box model must be installed outdoors or in a mechanical room with ventilation
- Multiple indoor units can be connected to one box.

DIMENSIONAL DRAWING Shut-Off Valve 45VM900055



Model		45VM900055	
Dimensions (W / H / D)		22.24 (6) / 9.45 (240) / 61.14 (156)	
Maximum Capacity		Up to 61kBtu/h	
	Hz	60	
	Voltage (V)	208/230	
	Min. Voltage	198	
Electrical (Input Power)	Max. Voltage	264	
	MCA (A)	0.3	
	MFA (A)	5.0	
	Power (W)	69	

© 2025 Carrier. All rights reserved.

Edition Date: 03/25

WIRING DIAGRAM Shut-Off Valve 45VM900055

	Communication mode	Type of wire	Number of cores and wire diameter (mm²)	Total length of communication line (m)
_	HyperLink (M1 M2) communication	Ordinary PVC-sheathed flexible cable	2x0.75	L≤2000

HyperLink (M1 M2) communication

L1+La+Ln≤2000m,Communication wiring 2*0.75mm²



Manufacturer reserves the right to discontinue, or change at any time, specifications or designs without notice and without incurring obligations.