SMMSe / SHRMe VRF Indoor Unit MMC-AP0188HPUL—Underceiling



Submittal Data

Job Name ₋	 Location	
Tag		



SMMSe / SHRMe VRF Underceiling Features

- R-410A refrigerant
- Five sizes from 18,000 to 48,000 Btu/h
- · Quiet operation, as low as 32 dBA
- · Vertical airflow can be set to swing or fixed position
- · Auto or manually set three fan speeds
- · Easy to remove cleanable filter
- Five-year parts limited warranty

INDOOR UNIT MODEL	MMC-AP0188HPUL					
PERFORMANCE						
Cooling Rated Capacity	Btu/h	18,000				
Heating Rated Capacity	Btu/h	20,000				
Fan Type (Qty)	Centrifugal (2)					
Air Flow (H / M / L)	CFM	565 / 424 / 318				
Sound Pressure (H / M / L)	dBA	38 / 35 / 32				
FILTER (Included)						
Type	Washable					
Quantity	2					
MERV rating	5					
Dimensions (W x L x D)	in.	9-3/4 x 16-5/8 x 1/2				
ELECTRICAL						
Power Supply	V/Ph/Hz	208-230/1/60				
Power Consumption (Input)	kW	0.034				
Full Load Amps (FLA)	Α	0.42				
Minimum Circuit Amps (MCA)	Α	0.53				
Maximum Overcurrent Protection (MOCP)	А	15.0				

MOTOR						
Motor Type	DC					
Motor Watts	W	94				
PHYSICAL DATA						
Pipe Connection Size - Liquid (High Pressure)	in.	1/4 (Flare)				
Pipe Connection Size - Gas (Low Pressure)	in.	1/2 (Flare)				
Pipe Connection Size - Drain (OD)	in.	1				
Pipe Connection Size - Drain (ID)	in.	13/16				
Refrigerant		R-410A				
External Finish	Munsell N9.1					
Unit Width	in.	37-1/2				
Unit Height	in.	9-2/5				
Unit Depth	in.	27-2/5				
Net Weight	lb	58				

ACCESSORIES

□ V	Vired Remote	Controller	(7-Day	Programmable)	- RBC-AMS54E-UL
-----	--------------	------------	--------	---------------	-----------------

- ☐ Simple Wired Remote Control RBC-AS41UL
- ☐ Stand Alone Receiver with Wireless Remote TCB-AX32UL
- ☐ Integral Receiver with Wireless Remote RBC-AX33C-UL
- □ Remote Sensor TCB-TC41LUL
- ☐ Wired Remote Controller RBC-AMT32UL
- ☐ Elbow Piping Kit TCB-KP14CPE
- ☐ Condensate Drain Pump Kit TCB-DP31CE
- ☐ Auxiliary Outside Air Flange TCB-FF101URUL

DIMENSIONAL DRAWING INDOOR UNIT UNDERCEILING MMC-AP0188HPUL



