


RBM-SVB0611HUPEUL–Shut-Off Valve

TOSHIBA
Carrier

Submittal Data

Job Name _____ Location _____
Tag _____




Shut-Off Valve Features


- Single port shut-off valve is powered by its indoor unit. Power and control wiring included with unit.
- Multiple indoor units can be connected to one box.
- This model is an outdoor installation type.

MODEL NAME	RBM-SVB0611HUPEUL	
POWER SUPPLY	208-230/1/60	
MCA	A	0.5
MOCP	A	15
DIMENSIONS	Height (in)	11
	Width (in)	18.4
	Depth (in)	14
TOTAL WEIGHT	lbs	13
Connecting Port Diameter (Indoor Unit Side)	Liquid Side (in)	3/8
	Gas Side (in)	5/8
Connecting Port Diameter (Outdoor Unit Side)	Liquid Side (in)	3/8
	Suction Gas Side (in)	5/8


DIMENSIONS (RBM-SVB0611HUPEUL)





SHUT-OFF VALVE (RBM-SVB0611HUPEUL) REFRIGERANT PIPING



SHUT-OFF VALVE (RBM-SVB0611HUPEUL) COMMUNICATION WIRING



SHUT-OFF VALVE (RBM-SVB0611HUPEUL) SERVICE CLEARANCE



NOTE: Dimensions shown in inches.(mm)

