

SMMSu VRF u-Series Outdoor Unit MMY-MUP0721H1HT9P-UL—Heat Pump (Elite Heat)

TOSHIBA
Carrier

Submittal Data

Job Name _____ Location _____

Tag _____



A230327

SMMSu VRF Heat Pump (Elite Heat) Features

- Energy-efficient priority design
- Super-efficient heat exchanger
- Refrigerant cooling inverter system
- Intelligent VRF control
- Less refrigerant
- Space efficient design
- Configuration flexibility
- Wider Operating temperature range
- Comprehensive System construction solution
- Comprehensive Service solution

Header Unit Model	MMY-MUP0721H1HT9P-UL	
PERFORMANCE		
Nominal Cooling Capacity†	Btu/h	72,000
Nominal Heating Capacity†	Btu/h	81,000
Maximum number of indoor units		12
Total Connected Indoor Unit Capacity		144
COOLING EFFICIENCY†		
EER (Non-Ducted)	Btu/Wh	13.60
Power Consumption (Non-Ducted)	kW	4.70
EER (Ducted)	Btu/Wh	12.70
Power Consumption (Ducted)	kW	4.53
HEATING EFFICIENCY†		
COP (Non-Ducted)	Btu/Wh	4.52
Power Consumption (Non-Ducted)	kW	4.83
COP (Ducted)	Btu/Wh	4.23
Power Consumption (Ducted)	kW	4.68
FAN		
Fan Type		Propeller
Airflow	CFM	6340
Motor Output	kW	0.24 x 1
ELECTRICAL		
Power Supply	V/Ph/Hz	208-230/3/60
MCA	A	38.8
MOCP	A	45.0

COMPRESSORS		
Type (Number)	Hermetic Twin Rotary (1)	
Motor Output	kW	4.55
PHYSICAL DATA		
Pipe Connection Size - Liquid (High Pressure)	in.	1/2 (Brazeing)
Pipe Connection Size - Gas (Low Pressure)	in.	3/4 (Brazeing)
Refrigerant	R-410A	
Factory Charge††	lb	19.8
External Finish	Munsell 1Y8.5/0.5	
Unit Width	in.	51.4
Unit Height	in.	66.5
Unit Depth	in.	31.1
Unit Net Weight	LEGEND lb	597

EER — Energy Efficiency Ratio
COP — Coefficient of Performance
MCA — Minimum Circuit Amps
MOCP — Maximum Overcurrent Protection


†Rated per AHRI (Air-Conditioning, Heating and Refrigeration Institute) 1230 Standard.

Cooling: Indoor 80°F (27°C) db/67°F (20°C) wb; Outdoor 95°F (35°C) db

Heating: Indoor 70°F (21°C) db; Outdoor 47°F (8°C) db/43°F (6°C) wb

††Additional charge required.

OUTDOOR UNIT HEAT PUMP (ELITE HEAT) MMY-MUP0721H1HT9P-UL DIMENSIONAL DRAWING



A230326

