



CROSSOVER SOLUTIONS HEAT PUMPS

Versatility, Performance & Comfort



Featuring

R454B

Models: 37MUHAQ, 37MURAQ

WHY ARE SO MANY HOMEOWNERS CHOOSING CROSSOVER?

Payne® Crossover Solutions provide a system that maintains the characteristics of traditional ducted heating and cooling while leveraging elements of ductless technology. Our systems are compatible with residential fan coils and furnaces, ensuring a seamless integration with your existing HVAC setup. They're the perfect choice for spaces of all sizes, creating a whole-home solution that can't be matched.

Environment

Payne® is committed to providing our planet and people with a better future by offering the best refrigerant for each application. After years of research, development and field trials, we will be transitioning to the use of R-454B, with a 75% reduction in global warming potential.

Comfort Technology

Payne Crossover Solutions are powered by an inverter compressor that continually adjusts its speed as conditions change—for consistent comfort with lower energy usage. Plus, enjoy year-round comfort with a 37MUHAQ heat pump that offers dependable performance in temperatures from -22° F to 122° F.*

Performance

Our Mid-Tier Crossover Systems deliver up to 19.0 SEER2 and 10.8 HSPF2 ratings. Additionally, the Crossover heat pumps operate at sound levels as low as 55 dB(A), creating an ideal comfort without disrupting noise.

Hybrid Heat

The Crossover heat pump can be paired with oil or gas furnaces, automatically switching between the two fuel sources based on the outside temperature to provide efficient comfort year-round.

Payne Warranty

To the original owner, our Crossover System heat pumps are covered by a 10-year parts limited warranty upon timely registration.¹



¹Timely registration required for 10-year parts limited warranty. Limited warranty period is five years for parts if not registered within 90 days of installation except in jurisdictions where warranty benefits cannot be conditioned upon registration. Please see warranty certificate for further details and restrictions.


THE PAYNE DIFFERENCE

If you could look under the hood of a Payne Crossover System, you'd see the future of electric, inverter-driven heat pump technology as the solution for home heating and cooling upgrades. Systems designed to deliver unparalleled heating and cooling comfort, performance and ease of installation.

When the Mid-Tier heat pump is paired with the air handler from the same series, you get a system packed with high efficiency technology that qualifies as ENERGY STAR® certified.

Additionally, the horizontal design of the coils allows for more efficient heat transfer, which can lead to lower heating and cooling bills.

CROSSOVER AIR HANDLER



PICK YOUR PERFORMANCE

Experience the best of inverter heat pump technology and traditional HVAC systems.

	Mid-Tier Heat Pump + Mid-Tier Air Handler	Mid-Tier Heat Pump + Entry-Tier Air Handler	Entry-Tier Heat Pump + Entry-Tier Air Handler
SEER2	19.0	19.0	18.8
HSPF2	10.8	10.3	9.7
ENERGY STAR® Certified	All combinations	Select combinations	-
Continuous Operating Range	-22° F/122° F	-22° F/122° F	-13° F/122° F
Indoor Unit Sound Operation	As low as 33.0 dB(A)	As low as 25.5 dB(A)	As low as 25.5 dB(A)

A FULL SPECTRUM OF COMFORT

It's no secret that ductless and traditional HVAC systems each have their own set of advantages. So why not reap the benefits of both?



45MULA Evaporator Coil



Residential Gas & Oil Furnaces¹



Residential Fan Coils¹

SEE WHAT CROSSOVER CAN DO FOR YOU

With their efficient operation and flexible installation options, Payne Crossover Systems are the ideal choice for a variety of applications, including remodels, expansions and older, more historic homes.

FIND YOUR CROSSOVER SYSTEM TODAY

For more information, visit payne.com



A Carrier Company

©2025 Carrier. All Rights Reserved.



As an ENERGY STAR® partner, Carrier Corporation has determined that qualifying models meet ENERGY STAR® guidelines for energy efficiency. Ask your dealer for details or visit www.energystar.gov.

Manufacturer reserves the right to discontinue, or change at any time, specifications or designs without notice or without incurring obligations.
Third-party trademarks and logos are the property of their respective owners.

Wi-Fi® is a registered trademark of Wi-Fi Alliance.
ENERGY STAR® is a registered trademark of the U.S. EPA.

*Outdoor unit operating ranges may vary by model

¹Check AHRI ratings for full compatibility of residential furnaces and fan coils with the 37MUHA/37MURA heat pumps

01-DLS-048-PY-01 | 4/2025