



# COMPATIBILITY CHARTS

# DUCTLESS SYSTEMS

## TABLE OF CONTENTS

### SINGLE ZONE DUCTLESS

Compatibility Single Zone – Evolution™ System.....	2
Compatibility Single Zone – Preferred™ Series.....	3
Compatibility Single Zone Hybrid Solution - Preferred™ Series.....	4-5
Compatibility Single Zone – Legacy™ Line.....	6

### MULTI-ZONE DUCTLESS

Compatibility Multi-zone – Preferred™ Series.....	7
---	---

### CONTROLS DUCTLESS

Compatibility Controls.....	8
-----------------------------	---



Heating & Cooling Systems

# COMPATIBILITY CHARTS

## DUCTLESS SYSTEMS

### Compatibility Single Zone – Evolution™ System

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT			
		38MPRAQ09AA3	38MPRAQ12AA3	38MPRAQ18AA3	38MPRAQ24AA3
High Wall	619PHAQ09XA3	•			
	619PHAQ12XA3		•		
	619PHAQ18XA3			•	
	619PHAQ24XA3				•

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS

### Compatibility Single Zone – Preferred™ Series

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT											
		538PAQ009RBMA	538PAQ012RBMA		538PEQ009RBMA	538PEQ012RBMA	538PEQ018RBMA	538PEQ024RBMA	538PEQ030RBMA		538REQ036RBMA	538REQ048RBMA	
		38MAQB09R--1	38MAQB12R--1		38MAQB09R--3	38MAQB12R--3	38MAQB18R--3	38MAQB24R--3	38MAQB30R--3	38MAQB36R--3	38MBRQ36A--3	38MBRQ48A--3	38MBRQ58A--3
		38MARBQ12AA1	38MARBQ06AA3	38MARBQ09AA3	38MARBQ12AA3	38MARBQ18AA3	38MARBQ24AA3	38MARBQ30AA3	38MARBQ36AA3	38MBRBQ36AA3	38MBRBQ48AA3		
High Wall	619PAQ009BBMA												
	619PAQ012BBMA	619AHBQ12XA1											
		619AHBQ06XA3											
	619PEQ009BBMA	619AHBQ09XA3											
	619PEQ012BBMA	619AHBQ12XA3											
	619PEQ018BBMA	619AHBQ18XA3											
	619PEQ024BBMA	619AHBQ24XA3											
619PEQ030BBMA	619AHBQ30XA3												
619PEQ036BBMA	619AHBQ36XA3												
Cassette	619REQ009CBMA	40MBCQ09---3											
	619REQ012CBMA	40MBCQ12---3											
	619REQ018CBMA	40MBCQ18---3											
		40MBCQ24---3											
		40MBCQ36---3											
	40MBCQ48---3												
Ducted	619REQ009DBMA	40MBDQ09---3											
	619REQ012DBMA	40MBDQ12---3											
	619REQ018DBMA	40MBDQ18---3											
	619REQ024DBMA	40MBDQ24---3											
	619REQ036DBMA	40MBDQ36---3											
	619REQ048DBMA	40MBDQ48---3											
	40MBDQ58---3												
Console	619REQ009FBMA	40MBFQ09---3											
	619REQ012FBMA	40MBFQ12---3											
		40MBFQ18---3											
		40MBFQ24---3											
		40MBFQ36---3											
		40MBFQ48---3											
	40MBFQ58---3												
Air Handler	40MBAAQ24XA3												
	40MBAAQ36XA3												
	40MBAAQ48XA3												

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS

### Compatibility Single Zone Hybrid Solutions – Preferred™ Series with Fan Coils

INDOOR UNIT		OUTDOOR UNIT				
		38MARBQ12AA3	38MARBQ18AA3	38MARBQ24AA3	38MARBQ30AA3	38MARBQ36AA3
FB4C Fan Coil	FB4CNF018L	‡	‡			
	FB4CNP018L	‡	‡			
	FB4CNF024L			‡		
	FB4CNP024L			‡		
	FB4CNF030L				‡	
	FB4CNP030L				‡	
	FB4CNF036L					‡
FMA4 X Fan Coil	FMA4X18**AL*	‡	‡			
	FMA4X24**AL*			‡		
	FMA4X30**AL*				‡	
	FMA4X36**AL*					‡
FX4D Fan Coil	FX4DNF019L	‡	‡			
	FX4DNF025L			‡		
	FX4DNF031L				‡	
	FX4DN(B,F)037L					‡
FV4C Fan	FV4CNF002L	‡	‡	‡		
	FV4CN(B,F)003L				‡	‡
FMC - FMU Fan Coil	FM(C,U)4Z18**AL*	‡	‡			
	FM(C,U)4Z24**AL*			‡		
	FM(C,U)4Z30**AL*				‡	
	FM(C,U)4Z36**AL*					‡

Notes:

‡ Requires 24V interface KSAIC0301230. TXV on the indoor unit or cased coil shall be removed. 24V Transformer on the 24V interface shall be removed. Consult the Installation instructions manual.

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS

## Compatibility Single Zone Hybrid Solutions – Preferred™ Series with Furnace/Case Coils

INDOOR UNIT		OUTDOOR UNIT				
		38MARBQ12AA3	38MARBQ18AA3	38MARBQ24AA3	38MARBQ30AA3	38MARBQ36AA3
80% AFUE Furnace †	8(0,1)*SA36045E14***	B•‡	A, B, C, D•‡	B, E•‡	E•‡	I•‡
	8(0,1)*SA36045E17***	C•‡	A, C, D•‡	G•‡	F•‡	G, I, J•‡
	8(0,1)*SA36070E14***	B•‡	A, B, C, D•‡	B, E•‡	E•‡	G•‡
	8(0,1)*SA36070E17***		C•‡	C, F, G•‡		I, J•‡
	8(0,1)*SA48070E17***	C•‡			F•‡	
	8(0,1)*SA48070E21***	H•‡			H•‡	H, J•‡
	8(0,1)*SA42090E17***					G, H, I, J•‡
	8(0,1)*SA48090E21***	H•‡			H•‡	H, J•‡
	8(0,1)*SA60090E21***					H, J•‡
	8(0,1)*SA60110E21***					H, J•‡
	83*SA36040E17***	C•‡	A, C, D•‡	C, F, G•‡	F•‡	G, H, I, J•‡
	83*SA48060E17***			C, F, G•‡		G, H, I, J•‡
	83*SA60080E21***					H•‡
	83*SA60100E21***					H•‡
	82*TA36045V14***	B•‡	A, B, C, D•‡	B, E•‡	E•‡	G, I•‡
	82*TA36070V14***		A, B, C, D•‡			I•‡
	82*TA48070V17***		A, C, D•‡	C, F, G•‡		G, H, I•‡
	82*TA48090V17***		A, C, D•‡			G, H, I•‡
	82*TA60090V21***					H, J•‡
	90% AFUE Furnace †	912SD30040E14***	B•‡	A, B, C, D•‡	B, E•‡	E•‡
912SD36040E17***			A, C•‡			
912SD36060E14***		B•‡	A, B, C, D•‡	B, E•‡	E•‡	G, I•‡
912SD42060E17***		C•‡		B, E•‡	F•‡	G, H•‡
912SD48080E17***		C•‡	C•‡	C, F, G•‡	F•‡	G, H, I•‡
915SB30026E14***		C•‡	A, B, C, D•‡	B, E•‡		
915SB30040E14***		C•‡	A, B, C, D•‡	B, C, E, F, G, I•‡	E, G, I•‡	
915SB36040E17***		C•‡	A, C, D•‡	C, D, F, G, H, I, J•‡	F, G, H, I, K, L•‡	
915SB36060E14***		B•‡	B, C•‡	B, C, D, E, F, G, I•‡	E, F, G, I•‡	
915SB42060E17***			A, C, D•‡	C, D, F, G, H, I, J•‡	F, G, H, I, J, K, L•‡	
915SB48080E17***		C•‡			F•‡	
915SB60080E21***		H•‡			H•‡	
935SA36040E17***		C•‡	A, C, D•‡	C, F, G•‡	F•‡	
926TB30040V14***		B•‡	A, B, C, D•‡	B, E•‡	E•‡	
926TB36040V17***		C•‡	A, C, D•‡	C, F, G•‡	F•‡	
926TB36060V14***		B•‡	A, B, C, D•‡	B, E•‡	E•‡	
926TB42060V17***		C•‡	A, C, D•‡	C, F, G•‡	F•‡	G, H, I•‡
926TB48080V17***		C•‡	D•‡	C, F, G•‡	F•‡	H, I, J•‡
926TB60080V21***		H•‡			H•‡	H, J•‡
926TB60100V21***		H•‡			H•‡	H•‡
926TB66100V21***					H, J•‡	

Key	Multi-poise A Coil	Vertical N Coil
A	CAP**1917AL*	
B	CAP**2414AL*	CNPV*1814AL* CNPV*2414AL*
C	CAP**2417AL*	CNPV*2417AL*
D	CAP**2517AL*	CNPV*2417AL*
E	CAP**3014AL*	CNPV*3014AL*
F	CAP**3017AL*	CNPV*3017AL*
G	CAP**3617AL*	CNPV*3617AL*
H	CAP**3621AL*	CNPV*3621AL*
I	CAP**3717AL*	CNPV*4217AL*
J	CAP**3721AL*	CNPV*4221AL*
K	CAP**4221AL*	CNPV*4221AL*
L	CAP**4321AL*	CNPV*4221AL*

† Furnaces are available in 115V. ODU is only available in 230V. Consult the Installation instructions manual.

‡ Requires 24V interface KSAIC0301230. TXV on the indoor unit or cased coil shall be removed. 24V Transformer on the 24V interface shall be removed. Consult the Installation instructions manual. Letter indicates compatible cased coil for selected combinations.

### Compatibility Single Zone – Legacy™ Line

INDOOR UNIT		COOLING ONLY OUTDOOR UNIT					
		38MHRC09A--1	38MHRC12A--1	38MHRC09A--3	38MHRC12A--3	38MHRC18A--3	38MHRC24A--3
			38MHRBC12AA1		38MHRBC12AA3	38MHRBC18AA3	38MHRBC24AA3
High Wall	40MHHC09---1	•					
	40MHHC12---1		•				
	40MHHC12--A1		•				
	40MHHC09---3			•			
	40MHHC12---3				•		
	40MHHC12--A3				•		
	40MHHC18---3					•	
	40MHHC24---3						•

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT					
		38MHRQ09A--1	38MHRQ12A--1	38MHRQ09A--3	38MHRQ12A--3	38MHRQ18A--3	38MHRQ24A--3
			38MHRBQ12AA1	38MHRBQ09AA3	38MHRBQ12AA3	38MHRBQ18AA3	38MHRBQ24AA3
			38MHRCQ12AA1	38MHRCQ09AA3	38MHRCQ12AA3	38MHRCQ18AA3	38MHRCQ24AA3
High Wall	40MHHQ09---1	•					
	40MHHQ12---1		•				
	40MHHQ09---3			•			
	40MHHQ12---3				•		
	40MHHQ18---3					•	
	40MHHQ24---3						•

INDOOR UNIT		COOLING ONLY OUTDOOR UNIT				
		DACMA-S109-1AAA	DACMA-S112-1AAA	DACMA-S112-3AAA	DACMA-S118-3AAA	DACMA-S122-3AAA
High Wall	DHCMA-S109-1AAA	•				
	DHCMA-S112-1AAA		•			
	DHCMA-S112-3AAA			•		
	DHCMA-S118-3AAA				•	
	DHCMA-S122-3AAA					•

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT				
		DAQMA-S109-1AAA	DAQMA-S112-1AAA	DAQMA-S112-3AAA	DAQMA-S117-3AAA	DAQMA-S122-3AAA
High Wall	DHQMA-S109-1AAA	•				
	DHQMA-S112-1AAA		•			
	DHQMA-S112-3AAA			•		
	DHQMA-S117-3AAA				•	
	DHQMA-S122-3AAA					•

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS

### Compatibility Multi-zone – Preferred™ Series

INDOOR UNIT			HEAT PUMP OUTDOOR UNIT				
			538TEQ018RCMA	538TEQ027RDMA		538TEQ036RFMA	538TEQ048RFMA
			38MGRQ18B--3	38MGRQ24C--3	38MGRQ30D--3	38MGRQ36D--3	38MGRQ48E--3
High Wall Evolution	619PHAQ09XA3		•	•	•	•	•
	619PHAQ12XA3		•	•	•	•	•
	619PHAQ18XA3						
	619PHAQ24XA3						
High Wall Preferred		619AHBQ06XA3	•	•	•	•	•
	619PEQ009BBMA	619AHBQ09XA3	•	•	•	•	•
	619PEQ012BBMA	619AHBQ12XA3	•	•	•	•	•
	619PEQ018BBMA	619AHBQ18XA3		•	•	•	•
	619PEQ024BBMA	619AHBQ24XA3			•	•	•
High Wall Legacy		40MHHQ09---3	•	•	•	•	•
	40MHHQ12---3	40MHHQ12--A3	•	•	•	•	•
		40MHHQ18---3		•	•	•	•
		40MHHQ24---3			•	•	•
Cassette	619REQ009CBMA	40MBCQ09---3	•	•	•	•	•
	619REQ012CBMA	40MBCQ12---3	•	•	•	•	•
	619REQ018CBMA	40MBCQ18---3		•	•	•	•
		40MBCQ24---3			•	•	•
Ducted	619REQ009DBMA	40MBDQ09---3	•	•	•	•	•
	619REQ012DBMA	40MBDQ12---3	•	•	•	•	•
	619REQ018DBMA	40MBDQ18---3		•	•	•	•
	619REQ024DBMA	40MBDQ24---3			•	•	•
Console	619REQ009FBMA	40MBFQ09---3	•	•	•	•	•
	619REQ012FBMA	40MBFQ12---3	•	•	•	•	•
		40MBFQ18---3		•	•	•	•
		40MBFQ24---3			•	•	•
Air Handler	40MBAAQ24XA3			•	•	•	

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS

### Compatibility Controls

	Indoor unit type		HIGH WALL				CASSETTE		DUCTED		CONSOLE		AIR HANDLER
			Indoor Family Name	Single Zone / Multi-zone	619PHA	619P*B	619AHB	40MHH	619R*C	40MBCQ	619R*D	40MBDQ	619R*F
WIRED CONTROLLERS	KSACN0101AAA	Single Zone & Multi-zone		○	○	○	○	○	●	○	○	○	
	KSACN0401AAA	Single Zone & Multi-zone	○	○ †		○						○ 9 -12 ‡	
	KSACN0501AAA	Single Zone & Multi-zone					○	○	○	●		○ 18-58	
	KSACN0601AAA	Single Zone & Multi-zone	○	○ †		○						○ 9 -12 ‡	
	KSACN0701AAA	Single Zone & Multi-zone					○	○	○	●**		○ 18-58	
	KSACN0801AAA	Single Zone & Multi-zone			○								
24V INTERFACE	KSAIC0101115	Single Zone Only		○ 115V		○ 115V							
	KSAIC0101230	Single Zone Only	○	○ 230V		○ 230V	1	○	1	○	1	○ 12-58 †	
	KSAIC0201230	Single Zone Only											
	KSAIC0301230	Single Zone & Multi-zone	○	○ 230V	○ 230V	○ 230V	1	○	1	○	1	○ 12-58 †	BUILT-IN
WI-FI KITS	KSAIF0101AAA	Single Zone & Multi-zone				○ 9/12/24k							
	KSAIF0201AAA	Single Zone & Multi-zone				○ 18k							
	KSAIF0301AAA	Single Zone & Multi-zone	J	○	J	J							
	KSAIF0401AAA	Single Zone & Multi-zone					○	○	○	○	○ 18-58	○ 18-58	
	KSAIF0601AAA	Single Zone & Multi-zone	●		○								

○	Optional
●	Standard

**Notes:**

† 7 Day programmable compatible with indoor units starting with Serial Number 0216V10001.

‡ Compatible with indoor units starting with Serial Number 0117V10001.

\*\* Starting with Serial Number 2820V10001 (Week 28, Year 2020) the KSACN0701AAA became the standard controller but is backwards compatible with previous production units.

\*24V interface compatible with all indoor units starting with Serial Number 4216V10001 unless noted

† 24V Interface compatible with all the sizes except sizes 12 and 58 depending on serial number. Starting with Serial Number 1419V10001 the sizes 12 and 58 are shipped with the compatible control board.

Units built prior these serial number would require a Control Board Replacement on the Indoor unit in order to be compatible.

1 Require a Control Board Replacement on the Indoor unit for compatibility, consult EPIC for the latest product revision

J Indoor unit model comes with everything to be compatible with the USB WiFi Dongle Model 17310900000281 from the KSAIF0301AAA kit. If installed in a high wall unit other than the 40MAQ, install the USB WiFi Dongle 17310900000281 into the high wall unit's factory USB port only and discard all other components of the KSAIF0301AAA kit.

Board replacement for forward compatibility is not covered as a warranty claim

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS