

Compatibility Controls

	Indoor unit type		HIGH WALL						CASSETTE		DUCTED	CONSOLE	AIR HANDLER	
			Indoor Family Name	Single Zone / Multi-zone	619PHA	619PHB	619P*B	619AHB	40MHHA	40MHHC	40MBCQ	40MBCAQ	40MBDQ	40MBFQ
WIRED CONTROLLERS	KSACN0101AAA	Single Zone & Multi-zone		o 18k	o	o	o	o	o	o	o	o		
	KSACN0401AAA	Single Zone & Multi-zone	o		o †			o				o 9 -12 ‡		
	KSACN0501AAA	Single Zone & Multi-zone							o		•	o 18-58		
	KSACN0601AAA	Single Zone & Multi-zone	o	o 9-12k	o †			o				o 9 -12 ‡		
	KSACN0701AAA	Single Zone & Multi-zone							o	o	•**	o 18-58		
	KSACN0801AAA	Single Zone & Multi-zone		o 18k		o								
	KSACN0901AAA	Single Zone & Multi-zone					o							
	KSACN1001AAA	Single Zone & Multi-zone												•
24V INTERFACE*	KSAIC0101115	Single Zone Only			o 115V			o 115V						
	KSAIC0101230	Single Zone Only	o		o 230V			o 230V	o		o	o 12-58 †		
	KSAIC0301230	Single Zone & Multi-zone	o	o	o 230V	o 230V	o 230V	o 230V	o	o	o	o 12-58 †	BUILT-IN	BUILT-IN
WI-FI KITS	KSAIF0101AAA	Single Zone & Multi-zone						o 9/12/24k						
	KSAIF0201AAA	Single Zone & Multi-zone						o 18k						
	KSAIF0301AAA	Single Zone & Multi-zone	‡	‡	o	‡		‡						
	KSAIF0401AAA	Single Zone & Multi-zone							o		o	o 18-58		o
	KSAIF0601AAA	Single Zone & Multi-zone	•	•			o	o		o				

o	Optional
•	Standard

Notes:

† 7 Day programmable compatible with indoor units starting with Serial Number 0216V10001.

‡ Compatible with indoor units starting with Serial Number 0117V10001.

*** Only compatible with 40MHHAQ (Heat Pump High Wall)

** Starting with Serial Number 2820V10001 (Week 28, Year 2020) the KSACN0701AAA became the standard controller but is backwards compatible with previous production units.

*24V interface compatible with all indoor units starting with Serial Number 4216V10001 unless noted.

† 24V Interface compatible with all the sizes except sizes 12 and 58 depending on serial number. Starting with Serial Number 1419V10001 the sizes 12 and 58 are shipped with the compatible control board. Units built prior these serial number would require a Control Board Replacement on the Indoor unit in order to be compatible.

‡ Require a Control Board Replacement on the Indoor unit for compatibility, consult EPIC for the latest product revision.

‡ Indoor unit model comes with everything to be compatible with the USB WiFi Dongle Model 17310900000281 from the KSAIF0301AAA kit. If installed in a high wall unit other than the 40MAQ, install the USB WiFi Dongle 17310900000281 into the high wall unit's factory USB port only and discard all other components of the KSAIF0301AAA kit.

Board replacement for forward compatibility is not covered as a warranty claim

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS



COMPATIBILITY CHARTS

DUCTLESS SYSTEMS

TABLE OF CONTENTS

SINGLE ZONE DUCTLESS

Compatibility Single Zone – Evolution® System.....	2
Compatibility Single Zone – Preferred® Series.....	3
Compatibility Single Zone – Legacy® Line.....	4

MULTI-ZONE DUCTLESS

Compatibility Multi-zone – Preferred® Series.....	5
---	---

CONTROLS DUCTLESS

Compatibility Controls.....	6
-----------------------------	---



Heating & Cooling Systems

COMPATIBILITY CHARTS

DUCTLESS
SYSTEMS

Compatibility Single Zone – Evolution® System

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT				
		38MPRAQ09AA3	38MPRAQ12AA3	38MPRAQ18AA3	38MPRAQ24AA3	
High Wall	619PHAQ09XA3	619PHBQ09XA3	•			
	619PHAQ12XA3	619PHBQ12XA3		•		
		619PHBQ18XA3			•	
	619PHAQ18XA3					•
	619PHAQ24XA3					

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS

Compatibility Single Zone – Preferred® Series

INDOOR UNIT			HEAT PUMP OUTDOOR UNIT											
			38MAQB12---1		38MAQB09---3	38MAQB12---3	38MAQB18---3	38MAQB24---3	38MAQB30---3		38MBQB36---3	38MBQB48---3		
												38MBRQ36A--3	38MBRQ48A--3	
			38MAQB12R--1		38MAQB09R--3	38MAQB12R--3	38MAQB18R--3	38MAQB24R--3	38MAQB30R--3	38MAQB36R--3		38MBRQ36AA3	38MBRQ48AA3	38MBRQ58A--3
	38MARBQ12AA1	38MARBQ06AA3	38MARBQ09AA3	38MARBQ12AA3	38MARBQ18AA3	38MARBQ24AA3	38MARBQ30AA3	38MARBQ36AA3	38MARBQ36AB3	38MBRCQ36AA3	38MBRCQ48AA3	38MBRCQ58AA3		
High Wall	619PAQ012BBMA	619AHBQ12XA1	•											
		619AHBQ06XA3		•										
	619PEQ009BBMA	619AHBQ09XA3			•									
	619PEQ012BBMA	619AHBQ12XA3				•								
	619PEQ018BBMA	619AHBQ18XA3					•							
	619PEQ024BBMA	619AHBQ24XA3						•						
	619PEQ030BBMA	619AHBQ30XA3							•					
619PEQ036BBMA	619AHBQ36XA3								•					
Cassette	619REQ009CBMA	40MBCQ09---3			•									
	619REQ012CBMA	40MBCQ12---3				•								
	619REQ018CBMA	40MBCQ18---3					•							
	40MBCQ24---3	40MBCAQ24XA3						•						
	40MBCQ36---3	40MBCAQ36XA3								•				
	40MBCQ48---3	40MBCAQ48XA3									•			
1way-Cassette		40MCCAQ09XA3		•	•									
		40MCCAQ18XA3				•	•							
Ducted	619REQ009DBMA	40MBDQ09---3 40MBDAQ09XH3			•									
	619REQ012DBMA	40MBDQ12---3 40MBDAQ12XH3				•								
	619REQ018DBMA	40MBDQ18---3 40MBDAQ18XH3					•							
	619REQ024DBMA	40MBDQ24---3 40MBDAQ24XH3					•	•						
	619REQ036DBMA	40MBDQ36---3 40MBDAQ36XH3								•				
	619REQ048DBMA	40MBDQ48---3 40MBDAQ48XH3									•			
		40MBDQ58---3 40MBDAQ58XH3										•		
	619REQ012FBMA	40MBFAQ12XA3				•								
Console		40MBFQ18---3					•							
		40MBFQ24---3						•						
		40MBFQ36---3								•				
		40MBFQ48---3									•			
		40MBFQ58---3										•		
Air Handler		40MBABQ18XB3					•†							
	40MBAAQ24XA3	40MBABQ24XB3						•†						
		40MBABQ30XB3							•†					
		40MBABQ36XB3								•				
	40MBAAQ36XA3	40MBABQ36XA3									•†			
	40MBAAQ48XA3	40MBABQ48XA3										•†		
	40MBABQ60XA3											•†		

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS

† Notes:
Compatible with phased out outdoor unit models starting with serial number: 5122V10319, see TIC 2022-0021 for additional information

Compatibility Single Zone – Legacy® Line

INDOOR UNIT		COOLING ONLY OUTDOOR UNIT					
		38MHRC09A--1	38MHRC12A--1	38MHRC09A--3	38MHRC12A--3	38MHRC18A--3	38MHRC24A--3
			38MHRBC12AA1		38MHRBC12AA3	38MHRBC18AA3	38MHRBC24AA3
			38MHRCC12AA1		38MHRCC12AA3	38MHRCC18AA3	38MHRCC24AA3
High Wall	40MHHC09---1		•				
	40MHHC12---1			•			
		40MHHC12--A1		•			
	40MHHC09---3			•			
	40MHHC12---3				•		
		40MHHC12--A3				•	
	40MHHC18---3					•	
	40MHHC24---3						•

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT							
		38MHRQ09A--1	38MHRQ12A--1	38MHRQ09A--3	38MHRQ12A--3	38MHRQ18A--3	38MHRQ24A--3		
			38MHRBQ12AA1	38MHRBQ09AA3	38MHRBQ12AA3	38MHRBQ18AA3	38MHRBQ24AA3		
		38MHRQ09AA1	38MHRQ12AA1	38MHRQ09AA3	38MHRQ12AA3	38MHRQ18AA3	38MHRQ24AA3	38MHRQ30AA3	38MHRQ36AA3
High Wall	40MHHQ09---1	40MHHAQ09XA1	•						
	40MHHQ12---1	40MHHAQ12XA1		•					
	40MHHQ09---3	40MHHAQ09XA3			•				
	40MHHQ12---3	40MHHAQ12XA3				•			
	40MHHQ18---3	40MHHAQ18XA3					•		
	40MHHQ24---3	40MHHAQ24XA3						•	
		40MHHAQ30XA3							•
	40MHHAQ36XA3								•

INDOOR UNIT		COOLING ONLY OUTDOOR UNIT				
		DACMA-S109-1AAA	DACMA-S112-1AAA	DACMA-S112-3AAA	DACMA-S118-3AAA	DACMA-S122-3AAA
High Wall		DHCMA-S109-1AAA	•			
		DHCMA-S112-1AAA		•		
		DHCMA-S112-3AAA			•	
		DHCMA-S118-3AAA				•
		DHCMA-S122-3AAA				

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT				
		DAQMA-S109-1AAA	DAQMA-S112-1AAA	DAQMA-S112-3AAA	DAQMA-S117-3AAA	DAQMA-S122-3AAA
High Wall		DHQMA-S109-1AAA	•			
		DHQMA-S112-1AAA		•		
		DHQMA-S112-3AAA			•	
		DHQMA-S117-3AAA				•
		DHQMA-S122-3AAA				

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS

Compatibility Multi-zone – Preferred® Series

INDOOR UNIT		HEAT PUMP OUTDOOR UNIT							
		38MGQC18---3	38MGQD27---3			38MGQF36---3 †	38MGQF48---3 †		
		38MGRQ18B--3	38MGRQ24C--3	38MGRQ30D--3		38MGRQ36D--3 †	38MGRQ48E--3 †		
		38MGRBQ18BA3	38MGHBQ24CA3	38MGHBQ30DA3	38MGRBQ36DA3	38MGHBQ36DA3	38MGRBQ48EA3	38MGHBQ48EA3	
High Wall Infinity	619PHAQ09XA3	619PHBQ09XA3	•	•	•	•	•	•	
	619PHAQ12XA3	619PHBQ12XA3	•	•	•	•	•	•	
		619PHBQ18XA3			•	•	•	•	
	619PHAQ18XA3								
	619PHAQ24XA3								
High Wall Performance		619AHBQ12XA1	•	•	•	•	•	•	
		619AHBQ06XA3	•	•	•	•	•	•	
	619PEQ009BBMA	619AHBQ09XA3	•	•	•	•	•	•	
	619PEQ012BBMA	619AHBQ12XA3	•	•	•	•	•	•	
	619PEQ018BBMA	619AHBQ18XA3		•	•	•	•	•	
	619PEQ024BBMA	619AHBQ24XA3			•	•	•	•	
		619AHBQ30XA3					•†	•†	•
	619AHBQ36XA3					•†	•†	•	
High Wall Comfort	40MHHQ09---3	40MHHAQ09XA3	•	•	•	•	•	•	
	40MHHQ12---3	40MHHAQ12XA3	•	•	•	•	•	•	
	40MHHQ18---3	40MHHAQ18XA3		•	•	•	•	•	
	40MHHQ24---3	40MHHAQ24XA3			•	•	•	•	
		40MHHAQ30XA3					•†	•†	•
		40MHHAQ36XA3					•†	•†	•
Cassette		40MBCQ09---3	•	•	•	•	•	•	
		40MBCQ12---3	•	•	•	•	•	•	
		40MBCQ18---3		•	•	•	•	•	
	40MBCQ24---3	40MBCAQ24XA3			•	•	•	•	
1way-Cassette		40MCCAQ09XA3	•	•	•	•	•	•	
		40MCCAQ18XA3	•	•	•	•	•	•	
Ducted	619REQ009DBMA	40MBDQ09---3	•	•	•	•	•	•	
	619REQ012DBMA	40MBDQ12---3	•	•	•	•	•	•	
	619REQ018DBMA	40MBDQ18---3		•	•	•	•	•	
	619REQ024DBMA	40MBDQ24---3			•	•	•	•	
High Static Ducted		40MBDAQ09XH3	•	•	•	•	•	•	
		40MBDAQ12XH3	•	•	•	•	•	•	
		40MBDAQ18XH3		•	•	•	•	•	
		40MBDAQ24XH3			•	•	•	•	
		40MBDAQ36XH3					•†	•†	•
Console	619REQ012FBMA	40MBFAQ12XA3	•	•	•	•	•	•	
		40MBFQ18---3		•	•	•	•	•	
		40MBFQ24---3			•	•	•	•	
Air Handler †		40MBABQ18XB3		•	•	•	•	•	
	40MBAAQ24XA3	40MBABQ24XB3			•	•	•	•	
		40MBABQ30XB3					•†	•†	•†
		40MBABQ36XB3					•†	•†	•†

PHASED OUT
NOT AVAILABLE / COMPATIBLE
CURRENT MODELS

† Notes:

A maximum two (2) AHUs (40MBABs) can be added to a MZ system. Refer to the application tables in the product data for allowed combinations

Regardless of size, when two (2) AHUs (40MBABs) are connected to any MZ ODU, no other indoor units can be added to the system

If a 30k or 36k AHU (40MBAB) is connected to a any outdoor unit, 500g (17.6 Oz) of additional refrigerant charge has to be added to the system

30k or 36k indoor units (AHU and High Walls) are not compatible with phased out outdoor unit models