



# Sensor Selection Guide

## For Carrier Commercial Systems



R2  
Room




**DLP**  
Pressure Transmitter



DIFFERENTIAL LOW  
PRESSURE

**MLP2**  
Mini Pressure  
Transmitter



SUPPLY: 24 VAC / 12-36 VDC

DIFFERENTIAL LOW  
PRESSURE

ZERO

A/MLP2-D10-W-B-A-OP  
RANGE: -0.1 to +0.1 inWC  
OUTPUT: 4 to 20 mA

LOW

HIGH

**Outside Air**  
Temperature & RH



# TABLE OF CONTENTS

<b>Temperature Products.....</b>	<b>Page 1-6</b>
• 33 Part Numbers	
• Rooms (R).....	Page 1
• Ducts.....	Page 1
• Outside Air (NEMA 3R Enclosure).....	Page 1
• Pipe Strap.....	Page 1
• Enthalpy.....	Page 1
• NSA Part Numbers	
• Button Sensors.....	Page 2
• Rooms (R2).....	Page 2
• Room Accessories.....	Page 2
• Duct (Probe Only).....	Page 2
• Duct (Plastic Enclosure).....	Page 3
• Immersion (Plastic Enclosure).....	Page 3
• Immersion (NEMA 4X Enclosure).....	Page 3
• Strap (Galvanized Enclosure).....	Page 4
• Strap (Plastic Enclosure).....	Page 4
• Strap (NEMA 4X Enclosure).....	Page 4
• Copper Averaging (Plastic Enclosure).....	Page 4
• Copper Averaging Accessories).....	Page 4
• Rigid Averaging (Plastic Enclosure).....	Page 5
• Averaging Accessories (Plastic).....	Page 5
• Outside Air (Euro Enclosure).....	Page 5
• Bullet Probes.....	Page 5
• Freeze Stats).....	Page 5-6
• NSA-HH Part Numbers	
• Probe with Flange).....	Page 6
• Copper Averaging (Galvanized Enclosure).....	Page 6
<b>Humidity Products.....</b>	<b>Page 7-8</b>
• Rooms (R2)).....	Page 7
• Stainless Plates).....	Page 8
• Duct (Euro Enclosure)).....	Page 8
• Outside Air (Euro Enclosure)).....	Page 8-9

# TABLE OF CONTENTS

<b>Pressure Products.....</b>	<b>Page 9-13</b>
• Differential Pressure Transmitter (MLP2 - Mini).....	Page 9
• Differential Pressure Transmitter (DLP).....	Page 10
• Gage Pressure.....	Page 10-11
• Wet to Wet Transmitter (WPR2).....	Page 11
• Differential Pressure Switches.....	Page 12
• Differential Pressure Accessories.....	Page 12
• Pickup Ports.....	Page 12
• Pitot Tubes.....	Page 13
<b>Current Products.....</b>	<b>Page 14-16</b>
• Current Sensor (Mini, Fixed).....	Page 14
• Current Sensor (Mini, Adjustable).....	Page 14
• Current Sensor (Fixed).....	Page 14-15
• Current Sensor (Adjustable).....	Page 14-15
• Command Relay.....	Page 16
<b>Power Meters.....</b>	<b>Page 16-17</b>
• PowerScout 3037.....	Page 16
• PowerScout 12.....	Page 16
• PowerScout 48.....	Page 16
• Power Meter CTs.....	Page 17
<b>Gas Products.....</b>	<b>Page 18-19</b>
• CO2 Room Sensors (R2).....	Page 18
• CO2 Duct Sensors.....	Page 18
• CO2 Accessories.....	Page 18
• Q5 Smart Sensor.....	Page 19
• Q5 Smart Sensor Accessories.....	Page 19
<b>Misc. Devices.....</b>	<b>Page 19</b>
• Power Supply (24V).....	Page 19

# TEMPERATURE



	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Room</li> <li>• Override</li> <li>• Communication Jack</li> </ul>	<ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul> <b>33ZCT55SPT</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Room</li> <li>• Override</li> <li>• Setpoint</li> </ul>	<ul style="list-style-type: none"> <li>• Communication Jack</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul> <b>33ZCT56SPT</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Microprocessor Based LCD</li> <li>• 10K Type II Thermistor</li> <li>• Room</li> <li>• Override</li> </ul>	<ul style="list-style-type: none"> <li>• Setpoint</li> <li>• Communication Jack</li> <li>• STD Lead Time 5 Days</li> <li>• Warranty: 5 Years</li> </ul> <b>33ZCT59SPT</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Probe with Flange 4"</li> <li>• Plenum Cable</li> </ul>	<ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul> <b>33ZCSENSAT</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Duct 6" Probe Length</li> <li>• Galvanized Enclosure</li> </ul>	<ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul> <b>33ZCSENPAT</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Outside Air</li> <li>• NEMA 3R Enclosure</li> </ul>	<ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul> <b>33ZCSENOAT</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• 0 to 5" Pipe Strap</li> </ul>	<ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul> <b>33ZCENCHG</b>	<a href="#">No Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Enthalpy Switch</li> <li>• SPDT Relay</li> </ul>	<ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul> <b>33CSENTHSW</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 4 to 20mA Loop</li> <li>• Enthalpy</li> <li>• 0 to 50 BTU</li> </ul>	<ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul> <b>33CSENTSEN</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Enthalpy</li> <li>• Switch</li> <li>• 24BTU</li> <li>• SPDT</li> </ul>	<ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul> <b>HH57ZC005</b>	<a href="#">No Data Sheet</a>

# TEMPERATURE



	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Plastic Button</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CP-PBS</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Stainless Steel Button</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CP-SBS</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Room</li> <li>• White</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-R2-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 50K Thermistor</li> <li>• Room</li> <li>• CARRIER LOGO</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/50K-R2L-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Microprocessor Based LCD</li> <li>• 10K Type II Thermistor</li> <li>• Setpoint</li> </ul> <ul style="list-style-type: none"> <li>• Override</li> <li>• Communication Jack</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-RSO-RJ6-TUC2-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Wall Sensor Clear Lock Cover</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-Locking Cover</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Foam Insulation Pad</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/Room-Foam-Pad</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Stainless Plate</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-SP-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Probe with Flange</li> <li>• 4" Probe Length</li> <li>• 10ft Leads</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CP-DO-4"-10'CL2P</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Probe with Flange</li> <li>• 8" Probe Length</li> <li>• 10ft Leads</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CP-DO-8"-10'CL2P</b>	<a href="#">Data Sheet</a>

# TEMPERATURE

	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Duct</li> <li>• 4" Probe Length</li> <li>• Plastic Box</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-D-4"-PB-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 50K Thermistor</li> <li>• Duct</li> <li>• 4" Probe Length</li> <li>• Plastic Box</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/50K-D-4"-PB-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Duct</li> <li>• 8" Probe Length</li> <li>• Plastic Box</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-D-8"-PB-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Duct</li> <li>• 12" Probe Length</li> <li>• Plastic Box</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-D-12"-PB-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Immersion</li> <li>• 2.5" Well</li> <li>• Plastic Box</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-I-2.5"-PB-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Immersion</li> <li>• 4" Well</li> <li>• Plastic Box</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-I-4"-PB-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Immersion</li> <li>• 6" Well</li> <li>• Plastic Box</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-I-6"-PB-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Immersion</li> <li>• 2.5" Well</li> <li>• NEMA 4X Enclosure</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CP-I-2.5"-4X</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Immersion</li> <li>• 4" Well</li> <li>• NEMA 4X Enclosure</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CP-I-4"-4X</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Immersion</li> <li>• 6" Well</li> <li>• NEMA 4X Enclosure</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CP-I-6"-4X</b>	<a href="#">Data Sheet</a>

# TEMPERATURE

	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• 50K Thermistor</li> <li>• Strap</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/50K-S-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Strap</li> <li>• 2-10"</li> <li>• Galvanized Enclosure</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-S10-GD-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Strap</li> <li>• 2-5"</li> <li>• Plastic Box Enclosure</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-S-PB-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Strap</li> <li>• 2-10"</li> <li>• NEMA 4X Enclosure</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CP-S10-4X</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Strap</li> <li>• 2-5"</li> <li>• NEMA 4X Enclosure</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CP-S-4X</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Copper Avg</li> <li>• 12ft Coil Length</li> <li>• Plastic Box Enclosure</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-A-12'-PB-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Copper Avg</li> <li>• 24ft Coil Length</li> <li>• Plastic Box Enclosure</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-A-24'-PB-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Copper Avg</li> <li>• 50ft Coil Length</li> <li>• Plastic Box Enclosure</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-A-50'-PB-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Copper Avg</li> <li>• 8ft Coil Length</li> <li>• Plastic Box Enclosure</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-A-8'-PB-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Copper Averaging Sensor Mounting Clip</li> <li>• Bag of 50</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CAPILLARY CLIP QTY: 50/BAG</b>	<a href="#">Data Sheet</a>

# TEMPERATURE

	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Rigid Averaging</li> <li>• 18" Probe Length</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-RA-18"-PB-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Rigid Averaging</li> <li>• 24" Probe Length</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-RA-24"-PB-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Rigid Averaging</li> <li>• 36" Probe Length</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-RA-36"-PB-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Plastic Averaging Sensor Mounting Clip</li> <li>• Bag of 50</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-Universal Clip</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Outside Air</li> <li>• Euro Enclosure</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CP-O-EH-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• 1" Probe</li> <li>• 14" Leads</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CP-BP</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• 1" Probe</li> <li>• 10ft Plenum Cable</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CP-BP-10'CL2P</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• 1" Probe</li> <li>• 20ft Plenum Cable</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CP-BP-20'CL2P</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Freeze Stat</li> <li>• 4 Wire</li> <li>• Two Circuits</li> <li>• Auto Reset</li> </ul> <ul style="list-style-type: none"> <li>• 6' Capillary Bulb</li> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-FLS-06-A</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Freeze Stat</li> <li>• 4 Wire</li> <li>• Two Circuits</li> <li>• Manual Reset</li> </ul> <ul style="list-style-type: none"> <li>• 6' Capillary Bulb</li> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-FLS-06-M</b>	<a href="#">Data Sheet</a>

# TEMPERATURE



	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• Freeze Stat</li> <li>• 4 Wire</li> <li>• Two Circuits</li> <li>• Auto Reset</li> </ul> <ul style="list-style-type: none"> <li>• 10' Capillary Bulb</li> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-FLS-10-A</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Freeze Stat</li> <li>• 4 Wire</li> <li>• Two Circuits</li> <li>• Manual Reset</li> </ul> <ul style="list-style-type: none"> <li>• 10' Capillary Bulb</li> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-FLS-10-M</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Freeze Stat</li> <li>• 4 Wire</li> <li>• Two Circuits</li> <li>• Auto Reset</li> </ul> <ul style="list-style-type: none"> <li>• 20' Capillary Bulb</li> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-FLS-20-A</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Freeze Stat</li> <li>• 4 Wire</li> <li>• Two Circuits</li> <li>• Manual Reset</li> </ul> <ul style="list-style-type: none"> <li>• 20' Capillary Bulb</li> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-FLS-20-M</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Freeze Stat</li> <li>• 4 Wire</li> <li>• Two Circuits</li> <li>• Auto Reset</li> </ul> <ul style="list-style-type: none"> <li>• 50' Capillary Bulb</li> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-FLS-50-A</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Freeze Stat</li> <li>• 4 Wire</li> <li>• Two Circuits</li> <li>• Manual Reset</li> </ul> <ul style="list-style-type: none"> <li>• 50' Capillary Bulb</li> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-FLS-50-M</b>	<a href="#">Data Sheet</a>

	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Probe with Flange</li> <li>• 6" Probe Length</li> <li>• 10ft Plenum Cable</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>HH79NZ074</b>	<i>No Data Sheet</i>
	<ul style="list-style-type: none"> <li>• 10K Type II Thermistor</li> <li>• Copper Avgeraging</li> <li>• 24ft Coil Length</li> <li>• Galvanized Enclosure</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>HH79NZ041</b>	<i>No Data Sheet</i>

# RELATIVE HUMIDITY



	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• Relative Humidity</li> <li>• 2%</li> <li>• 10K Type II Thermistor</li> <li>• Room</li> </ul> <ul style="list-style-type: none"> <li>• White</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/RH2-CP-R2-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Relative Humidity</li> <li>• 3%</li> <li>• 10K Type II Thermistor</li> <li>• Room</li> </ul> <ul style="list-style-type: none"> <li>• White</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/RH3-CP-R2-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Relative Humidity 3%</li> <li>• Space Transmitter</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>33ZCSENSRH-02</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Relative Humidity 3%,</li> <li>• 10K Type II Thermistor</li> <li>• Setpoint, Override, Communication Jack</li> </ul> <ul style="list-style-type: none"> <li>• LCD</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/Relative Humidity3-CP-RSO-RJ6-TUCH2-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Relative Humidity</li> <li>• 2%</li> <li>• 10K Type II Thermistor</li> <li>• Stainless Plate</li> </ul> <ul style="list-style-type: none"> <li>• 0-10V</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/RH2-CP-SP-010-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Relative Humidity</li> <li>• 3%</li> <li>• 10K Type II Thermistor</li> <li>• Stainless Plate</li> </ul> <ul style="list-style-type: none"> <li>• 0-10V</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/RH3-CP-SP-010-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Relative Humidity</li> <li>• 2%</li> <li>• 10K Type II Thermistor</li> <li>• Duct</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/RH2-CP-D-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Relative Humidity 3%</li> <li>• Duct Transmitter</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>33ZCSENDRH-02</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Relative Humidity</li> <li>• 3%</li> <li>• 10K Type II Thermistor</li> <li>• Duct</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/RH3-CP-D-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Relative Humidity</li> <li>• 2%</li> <li>• 10K Type II Thermistor</li> <li>• Outside Air</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/RH2-CP-O-C</b>	<a href="#">Data Sheet</a>

# RELATIVE HUMIDITY



	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"><li>• Relative Humidity 3%</li><li>• 10K Type II Thermistor</li><li>• Outside Air</li></ul> <ul style="list-style-type: none"><li>• STD Lead Time: 5 Days</li><li>• Warranty: 5 Years</li></ul>	<b>NSA-HH/RH3-CP-O-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"><li>• Relative Humidity 3% Outside Air Transmitter</li></ul> <ul style="list-style-type: none"><li>• STD Lead Time: 5 Days</li><li>• Warranty: 5 Years</li></ul>	<b>33ZCSENORH-02</b>	<a href="#">Data Sheet</a>

# PRESSURE



	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• Differential Pressure</li> <li>• Panel Mount</li> <li>• 0 to 0.1"</li> <li>• 4-20mA</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/MLP2-D10-W-U-A-A-0P-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure</li> <li>• Panel Mount</li> <li>• 0 to 0.25"</li> <li>• 4-20mA</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/MLP2-D25-W-U-A-A-0P-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure</li> <li>• Panel Mount</li> <li>• 0 to 2.5"</li> <li>• 4-20mA</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/MLP2-2D5-W-U-A-A-0P-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure</li> <li>• Panel Mount</li> <li>• 0 to 0.5"</li> <li>• 4-20mA</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/MLP2-D50-W-U-A-A-0P-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure</li> <li>• Panel Mount</li> <li>• 0 to 1"</li> <li>• 4-20mA</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/MLP2-001-W-U-A-A-0P-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure</li> <li>• Panel Mount</li> <li>• 0 to 2"</li> <li>• 4-20mA</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/MLP2-002-W-U-A-A-0P-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure</li> <li>• Panel Mount</li> <li>• 0 to 3"</li> <li>• 4-20mA</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/MLP2-003-W-U-A-A-0P-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure</li> <li>• Panel Mount</li> <li>• 0 to 4"</li> <li>• 4-20mA</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/MLP2-004-W-U-A-A-0P-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure</li> <li>• Panel Mount</li> <li>• 0 to 5"</li> <li>• 4-20mA</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/MLP2-005-W-U-A-A-0P-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure</li> <li>• Panel Mount</li> <li>• 0 to 10"</li> <li>• 4-20mA</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/MLP2-010-W-U-A-A-0P-C</b>	<a href="#">Data Sheet</a>

# PRESSURE



	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• Differential Pressure</li> <li>• 0-0.1", 0-0.2", 0-0.5", 0-1"</li> <li>• LCD</li> <li>• Pitot Tube</li> </ul> <ul style="list-style-type: none"> <li>• Din Rail</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/DLP-001-W-U-D-A-3-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure</li> <li>• 0-0.1", 0-0.2", 0-0.5", 0-1"</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/DLP-001-W-U-N-A-0-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure</li> <li>• 0-1", 0-2.5", 0-5", 0-10"</li> <li>• LCD</li> <li>• Pitot Tube</li> </ul> <ul style="list-style-type: none"> <li>• Din Rail</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/DLP-010-W-U-D-A-3-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure</li> <li>• 0-1", 0-2.5", 0-5", 0-10"</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/DLP-010-W-U-N-A-0-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure</li> <li>• 0-10", 0-20", 0-30", 0-40"</li> <li>• LCD</li> <li>• Pitot Tube</li> </ul> <ul style="list-style-type: none"> <li>• Din Rail</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/DLP-040-W-U-D-A-3-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure</li> <li>• 0-10", 0-20", 0-30", 0-40"</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/DLP-040-W-U-N-A-0-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Gage Pressure</li> <li>• 0 to 15 PSIG</li> <li>• 4-20mA</li> <li>• Packard</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-GP(0-15G)-20-P</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Gage Pressure</li> <li>• 0 to 50 PSIG</li> <li>• 4-20mA</li> <li>• Packard</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-GP(0-50G)-20-P</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Gage Pressure</li> <li>• 0 to 100 PSIG</li> <li>• 4-20mA</li> <li>• Packard</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-GP(0-100G)-20-P</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Gage Pressure</li> <li>• 0 to 200 PSIG</li> <li>• 4-20mA</li> <li>• Packard</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-GP(0-200G)-20-P</b>	<a href="#">Data Sheet</a>

# PRESSURE



	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• Gage Pressure</li> <li>• 0 to 300 PSIG</li> <li>• 4-20mA</li> <li>• Packard</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-GP(0-300G)-20-P</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Gage Pressure</li> <li>• 0 to 500 PSIG</li> <li>• 4-20mA</li> <li>• Packard</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-GP(0-500S)-20-P</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 2ft Gage Pressure Packard Harness</li> <li>• 2ft Lead Length</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/GP 2'Harness</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 10ft Gage Pressure Packard Harness</li> <li>• 10ft Lead Length</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/GP 10'Harness</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Wet to Wet Differential Pressure</li> <li>• 0 to 30PSI</li> <li>• 10ft Leads</li> </ul> <ul style="list-style-type: none"> <li>• LCD</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/WPR2-30-10-LCD-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Wet to Wet Differential Pressure</li> <li>• 0 to 30PSI</li> <li>• 10ft Leads</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/WPR2-30-10-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Wet to Wet Differential Pressure</li> <li>• 0 to 100PSI</li> <li>• 10ft Leads</li> </ul> <ul style="list-style-type: none"> <li>• LCD</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/WPR2-100-10-LCD-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Wet to Wet Differential Pressure</li> <li>• 0 to 100PSI</li> <li>• 10ft Leads</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/WPR2-100-10-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Wet to Wet Differential Pressure</li> <li>• 0 to 300PSI</li> <li>• 10ft Leads</li> </ul> <ul style="list-style-type: none"> <li>• LCD</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/WPR2-300-10-LCD-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Wet to Wet Differential Pressure</li> <li>• 0 to 300PSI</li> <li>• 10ft Leads</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/WPR2-300-10-C</b>	<a href="#">Data Sheet</a>

# PRESSURE



	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• Differential Pressure Switch</li> <li>• 0.2 to 2" Range</li> <li>• SPDT</li> </ul> <ul style="list-style-type: none"> <li>• NEMA 3 Enclosure</li> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-DBL-205B</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure Switch</li> <li>• 0.8 to 4" Range</li> <li>• SPDT</li> </ul> <ul style="list-style-type: none"> <li>• NEMA 3 Enclosure</li> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-DBL-205D</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure Switch</li> <li>• 2 to 10" Range</li> <li>• SPDT</li> </ul> <ul style="list-style-type: none"> <li>• NEMA 3 Enclosure</li> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-DBL-205E</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure Switch</li> <li>• 0.08 to 0.8" Range</li> <li>• SPDT</li> </ul> <ul style="list-style-type: none"> <li>• NEMA 3 Enclosure</li> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-DBL-205L</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure Switch</li> <li>• 0.05 to 12"</li> <li>• SPDT</li> </ul> <ul style="list-style-type: none"> <li>• Auto Reset</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-AFS-222</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure Switch</li> <li>• 0.05 to 2"</li> <li>• SPDT</li> </ul> <ul style="list-style-type: none"> <li>• Auto Reset</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-AFS-262</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Differential Pressure Switch</li> <li>• 0.4 to 2"</li> <li>• SPST-N/C</li> </ul> <ul style="list-style-type: none"> <li>• Manual Reset</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-AFS-460</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• DBL Series Duct Mount Kit</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-DBZ-06</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Static Outdoor Pickup Port</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/O-PUP-V-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Static SS Plate Pickup Port</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/SP-PUP-C</b>	<a href="#">Data Sheet</a>

# PRESSURE



	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• Pitot Tube</li> <li>• 3"</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-PT 3"</b>	<b>Data Sheet</b>
	<ul style="list-style-type: none"> <li>• Pitot Tube</li> <li>• 5.2"</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-PT 5.2"</b>	<b>Data Sheet</b>
	<ul style="list-style-type: none"> <li>• Pitot Tube</li> <li>• 7.5"</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-PT 7.5"</b>	<b>Data Sheet</b>
	<ul style="list-style-type: none"> <li>• Pitot Tube</li> <li>• 9.7"</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-PT 9.7"</b>	<b>Data Sheet</b>
	<ul style="list-style-type: none"> <li>• Static Pressure Probe</li> <li>• 3.5"</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-SPT-3.5"</b>	<b>Data Sheet</b>
	<ul style="list-style-type: none"> <li>• Static Pressure Probe</li> <li>• 8"</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 15 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-SPT-8.0"</b>	<b>Data Sheet</b>
	<ul style="list-style-type: none"> <li>• Velocity Pitot Tube</li> <li>• Aluminum</li> <li>• 3.5"</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 15 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-VPT</b>	<b>Data Sheet</b>

# CURRENT

	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• Fixed Current Switch</li> <li>• Mini</li> <li>• Solid Core</li> <li>• Normally Open</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> <li>• 0-150 Amp</li> <li>• &lt; 0.2A or Less</li> </ul>	<b>NSA-A/MCS</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Adjustable Current Switch</li> <li>• Mini</li> <li>• Solid Core</li> </ul> <ul style="list-style-type: none"> <li>• Normally Open</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> <li>• 0.32 to 150 Amp</li> </ul>	<b>NSA-A/MCS-A</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Fixed Current Switch</li> <li>• Mini</li> <li>• Split Core</li> <li>• Normally Open</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> <li>• 0.55 to 150 Amp</li> </ul>	<b>NSA-A/MSCS</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Adjustable Current Switch</li> <li>• Mini</li> <li>• Split Core</li> </ul> <ul style="list-style-type: none"> <li>• Normally Open</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> <li>• 0.70 to 150 Amp</li> </ul>	<b>NSA-A/MSCS-A</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Fixed Current Switch</li> <li>• Din Rail, Solid Core</li> <li>• Normally Open</li> <li>• &lt;0.25A Trip Point</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CS2</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Adjustable Current Switch</li> <li>• Din Rail</li> <li>• Solid Core</li> </ul> <ul style="list-style-type: none"> <li>• Normally Open, 0.5 to 220A Trip Point</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/ACS2</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Fixed Current Switch</li> <li>• Din Rail</li> <li>• Split Core</li> <li>• Normally Open</li> </ul> <ul style="list-style-type: none"> <li>• &lt;1.5A Trip Point</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/SCS2</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Fixed Current Switch</li> <li>• Din Rail</li> <li>• Split Core</li> <li>• Normally Open</li> </ul> <ul style="list-style-type: none"> <li>• Low Trip</li> <li>• &lt;0.5A Trip Point</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/SCS2-L</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Adjustable Current Switch</li> <li>• Din Rail</li> <li>• Split Core</li> </ul> <ul style="list-style-type: none"> <li>• Normally Open</li> <li>• 1.5 to 220A Trip Point</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/ASCS2</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Adjustable Current Switch</li> <li>• Din Rail</li> <li>• Split Core</li> </ul> <ul style="list-style-type: none"> <li>• Normally Open</li> <li>• 0.6 to 180A Trip Point</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/ASCS2-L</b>	<a href="#">Data Sheet</a>

# CURRENT

	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• Analog Current Sensor</li> <li>• 4-20mA</li> <li>• Din Rail</li> <li>• Solid Core</li> </ul> <ul style="list-style-type: none"> <li>• 0-5 Amp</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CTA2-5</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Analog Current Sensor</li> <li>• 4-20mA</li> <li>• Din Rail</li> <li>• Solid Core</li> </ul> <ul style="list-style-type: none"> <li>• 0-10, 0-20, 0-50 Amp (Default)</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CTA2-50</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Analog Current Sensor</li> <li>• 4-20mA</li> <li>• Din Rail</li> <li>• Solid Core</li> </ul> <ul style="list-style-type: none"> <li>• 0-100, 0-200, 0-250 Amp (Default)</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CTA2-250</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Analog Current Sensor</li> <li>• 4-20mA</li> <li>• Din Rail</li> <li>• Split Core</li> </ul> <ul style="list-style-type: none"> <li>• RMS</li> <li>• 0-10, 0-20, 0-50 Amp</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/SCTA2-50-RMS</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Analog Current Sensor</li> <li>• 0-5 VDC</li> <li>• Din Rail</li> <li>• Split Core</li> </ul> <ul style="list-style-type: none"> <li>• 0-10, 0-20, 0-50 Amp (Default)</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/SCTE2-50</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Analog Current Sensor</li> <li>• 0-5 VDC</li> <li>• Din Rail</li> <li>• Split Core</li> </ul> <ul style="list-style-type: none"> <li>• 0-50, 0-100, 0-150 Amp (Default)</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/SCTE2-150</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Analog Current Sensor</li> <li>• 0-5 VDC</li> <li>• Din Rail</li> <li>• Split Core</li> </ul> <ul style="list-style-type: none"> <li>• 250 Amp Max</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/SCTE2-250</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Analog Current Sensor</li> <li>• 0-10 VDC</li> <li>• Din Rail</li> <li>• Split Core</li> </ul> <ul style="list-style-type: none"> <li>• 0-10, 0-20, 0-50 Amp (Default)</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/SCTV2-50</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Analog Current Sensor</li> <li>• 0-10 VDC</li> <li>• Din Rail</li> <li>• Split Core</li> </ul> <ul style="list-style-type: none"> <li>• 150 Amp Max</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/SCTV2-150</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Analog Current Sensor</li> <li>• 0-10 VDC</li> <li>• Din Rail</li> <li>• Split Core</li> </ul> <ul style="list-style-type: none"> <li>• 0-100, 0-200, 0-250 Amp (Default)</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/SCTV2-250</b>	<a href="#">Data Sheet</a>

# CURRENT

	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• Command Relay</li> <li>• 12VDC Coil</li> <li>• SPDT</li> <li>• 12A</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CR-12DC-12A</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Command Relay</li> <li>• 24VAC Coil</li> <li>• SPDT</li> <li>• 10A</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CR-24AC-10A</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Command Relay</li> <li>• 24VAC Coil</li> <li>• SPDT</li> <li>• 12A</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CR-DC-12A</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Command Relay</li> <li>• 24VAC Coil</li> <li>• SPDT</li> <li>• 5A</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CR-DC-5A</b>	<a href="#">Data Sheet</a>

# POWER METERS

	<ul style="list-style-type: none"> <li>• Powerscout 3037 (3 Channel Power Meter)</li> <li>• Ethernet &amp; Serial</li> <li>• Display</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-PS3037-E-D</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Powerscout 3037 (3 Channel Power Meter)</li> <li>• Serial</li> <li>• Display</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-PS3037-S-D</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Powerscout 3037 (3 Channel Power Meter)</li> <li>• Serial</li> <li>• No Display</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-PS3037-S-N</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Powerscout 12 (12 Channel Power Meter)</li> <li>• Ethernet &amp; Serial, Enclosure</li> </ul> <ul style="list-style-type: none"> <li>• Display</li> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-PS12HD-C-D-N</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Powerscout 48 (48 Channel Power Meter)</li> <li>• Ethernet &amp; Serial</li> <li>• Enclosure</li> </ul> <ul style="list-style-type: none"> <li>• Display</li> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-PS48HD-C-D-N</b>	<a href="#">Data Sheet</a>

# POWER METERS

	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• 20A</li> <li>• Split Core</li> <li>• Power Meter CT</li> <li>• 0 to 4" ID</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-CT-HSC-020-U</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 50A</li> <li>• Split Core</li> <li>• Power Meter CT</li> <li>• 0 to 4" ID</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-CT-HSC-050-U</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 100A</li> <li>• Split Core</li> <li>• Power Meter CT</li> <li>• 1" ID</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-CT-HMC-0100-U</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 200A</li> <li>• Split Core</li> <li>• Power Meter CT</li> <li>• 1" ID</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-CT-HMC-0200-U</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• 200A</li> <li>• Split Core</li> <li>• Power Meter CT</li> <li>• 1" ID</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-CT-SCM-0400-U</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Flexible Rocoil</li> <li>• 4 to 5" ID</li> <li>• 0 to 4000A</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-CT-R16-A4-U</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Flexible Rocoil</li> <li>• 7" ID</li> <li>• 0 to 4000A</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-CT-R24-A4-U</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Flexible Rocoil</li> <li>• 10 to 8" ID</li> <li>• 0 to 4000A</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-CT-R36-A4-U</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Flexible Rocoil</li> <li>• 14 to 6" ID</li> <li>• 0 to 4000A</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-CT-R47-A4-U</b>	<a href="#">Data Sheet</a>

# GAS C

	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• CO2 Room Sensor</li> <li>• 0 to 2,000 ppm</li> <li>• 10K Type II Thermistor</li> <li>• 0-5, 0-10VDC, 4-20mA</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CO2-R2-CP -C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• CO2 Room Sensor</li> <li>• 0 to 2,000 ppm</li> <li>• 10K Type II Thermistor</li> <li>• Override</li> <li>• 0-5, 0-10VDC, 4-20mA</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CO2-R2O-CP-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• CO2 Room Sensor</li> <li>• 0 to 2,000 ppm</li> <li>• 10K Type II Thermistor</li> <li>• Setpoint</li> <li>• Override</li> <li>• 0-5, 0-10VDC, 4-20mA</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-HH/CO2-R2SO-CP-C</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• CO2, Temperature</li> <li>• Relay</li> <li>• Space</li> <li>• LCD</li> <li>• 0-10, 2-10VDC, 4-20, 1-20mA</li> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-ASENSE-R-LCD-REL</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• CO2, Temperature</li> <li>• Space</li> <li>• LCD</li> <li>• 0-10, 2-10VDC, 4-20, 1-20mA</li> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-ASENSE-R-LCD</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• CO2 Duct</li> <li>• 0 to 2,000 ppm</li> <li>• 0-5, 0-10VDC, 4-20mA</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 5 Years</li> </ul>	<b>NSA-A/CO2-DUCT</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• CO2</li> <li>• Relay, Duct</li> <li>• 0 to 2K ppm (std)</li> <li>• 10K ppm (max)</li> <li>• 0-10, 2-10VDC, 4-20, 1-20mA</li> <li>• STD Lead Time: 20 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-ASENSE-D-REL</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• CO2</li> <li>• Relay</li> <li>• Duct</li> <li>• LCD</li> <li>• 0 to 2K ppm (std)</li> <li>• 10K ppm (max)</li> <li>• STD Lead Time: 20 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-ASENSE-D-LCD-REL</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Aspiration Box (use with 33ZCSPTCO2-01 or 33ZCSPTCO2LCD-01 for duct mounting)</li> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-ASPIRATION BOX</b>	<a href="#">No Data Sheet</a>
	<ul style="list-style-type: none"> <li>• ASENSE CO2 USB CAL CABLE</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-TTL-232R-3V3</b>	<a href="#">No Data Sheet</a>

# GAS

	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• Smart Sensor w/ 3 SPDT Relays</li> <li>• NEMA 4X</li> <li>• 4-20mA Modbus RTU</li> <li>• Carbon Monoxide</li> </ul> <ul style="list-style-type: none"> <li>• 0-250 ppm</li> <li>• ETL</li> <li>• NEMA 4X</li> <li>• STD Lead Time: 20 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-Q5C-CO-250P-O-X</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Smart Sensor w/ 3 SPDT Relays</li> <li>• NEMA 4X</li> <li>• 4-20mA Modbus RTU</li> <li>• Nitrogen Dioxide</li> </ul> <ul style="list-style-type: none"> <li>• 0-10 ppm</li> <li>• NEMA 4X</li> <li>• STD Lead Time: 20 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-Q5-NO2-10P-O-X</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Q5/B5 PUMP KIT/CAL ADAPTER</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 5 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-85930-006-000</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• Q5/B5 Duct Mount Kit</li> <li>• STD Lead Time: 5 Days</li> </ul> <ul style="list-style-type: none"> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-85930-040-000</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• B5 to Q5 CO Replacement Sensor Module 0-250ppm</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-85930-018-001</b>	<a href="#">Data Sheet</a>
	<ul style="list-style-type: none"> <li>• B5 to Q5 NO2 Replacement Sensor Module 0-10ppm</li> </ul> <ul style="list-style-type: none"> <li>• STD Lead Time: 10 Days</li> <li>• Warranty: 2 Years</li> </ul>	<b>NSA-85930-018-005</b>	<a href="#">Data Sheet</a>

# MISC. DEVICES

	<b>Product Description</b>	<b>Carrier Part #</b>	<b>Carrier Data Sheet</b>
	<ul style="list-style-type: none"> <li>• 24V Power Supply</li> <li>• STD Lead Time: 5 Days</li> <li>• Warranty 5 Years</li> </ul>	<b>NSA-A/PS24-24V-S</b>	<a href="#">Data Sheet</a>



©2020 Carrier. All Rights Reserved.