

Outdoor Unit Single Zone Cooling Only Ductless System

Outdoor Model:

40MHHC18---3

Submittal Data

Job Data:

Location:

Buyer: Buyer P.O. #:

Carrier #:

Unit Number:

Model Number:

Performance Data Certified By:

Date:



STANDARD FEATURES

- Up-Down Louver control (fixed or swing)
- Remove filter from the top
- Improved serviceability with easy access to fan and electrical connections
- Four fan speeds
- Sleep Mode
- Follow Me (senses temperature at handheld remote)
- Quiet operation
- Aluminum Blue Hydrophilic pre-coated fins

Controls:

- Wireless Remote Controller included with indoor unit
- Optional Wired Remote Controller KSACN0401AAA

LIMITED WARRANTY*

- 10 year limited to original purchaser on compressor and parts upon timely registration, otherwise 5 years

*For residential applications. See warranty for full details.

Specifications




System	Size	18
	Indoor Model	40MHHC18---3
Electrical	Voltage, Phase, Cycle	V/Ph/Hz 208/230-1-60
	Power Supply	Powered from outdoor unit
	Rated Current	A. 0.27
Controls	Wireless Remote Controller (°F/°C Convertible)	Standard
	Wired Remote Controller (°F/°C Convertible)	Optional
Operating Range	Cooling Indoor DB Min -Max	° F (° C) 62~90 (17~32)
Piping	Pipe Connection Size - Liquid	in (mm) 1/4 (6.35)
	Pipe Connection Size - Suction	in (mm) 1/2 (12.7)

Indoor Coil	Face Area (sq. ft.)	Sq. Ft.	2.71
	No. Rows		2
	Fins per inch		21
	Circuits		4
Indoor	Unit Width	in (mm)	38.36 (974)
	Unit Height	in (mm)	12.8 (325)
	Unit Depth	in (mm)	8.87 (225)
	Net Weight	lbs (kg)	25.35 (11.5)
	Number of Fan Speeds		4
	Airflow (lowest to highest)	CFM	344/422/505/505
	Sound Pressure (lowest to highest)	dB(A)	36/40/44/45
	Air throw Data	ft (m)	24 (7.3)
	Moisture removal	Pint/h (L/h)	4.38 (2.07)
	Field Drain Pipe Size O.D.	in (mm)	5/8 (16)

Performance may vary based on the outdoor unit matched to. See compatible outdoor units pages for Performance Data.

Refer to compatibility chart for compatible outdoor units.

Construction View



Unit Width	in (mm)	38.36 (974)
Unit Height	in (mm)	12.8 (325)
Unit Depth	in (mm)	8.87 (225)

