CARRIER DUCTLESS

Helping Dealers Exceed Customer Expectations Every Time





PRODUCT FAMILY BROCHURE



















WHY CARRIER?

Our ductless solutions allow you to provide efficiency, performance and innovation—all in a feature-rich system.

HIGH EFFICIENCY



With efficiency ratings of up to 28.5 SEER2 and 18.0 HSPF2 and ENERGY STAR® certifications on several ductless models, our Carrier® ductless systems provide improved temperature regulation and increased energy and cost savings.

QUALITY PERFORMANCE




Our solutions deliver quality performance across a broad range of temperatures for year-round comfort control. Our ductless systems can heat in temperatures as low as -22° F and cool in those as high as 122° F.

COOL INNOVATION



Our constant innovation allows us to create high-performing ductless solutions that keep all users in mind. Customers can enjoy personalized control and reliability with individual remote controls and the Carrier CliMate Wi-Fi® App for a full home or single room.





The Carrier CliMate App is available from the App Store® and Google Play.™ Features are intuitive and easy to navigate.

We're Here to Support You and Your Customers

At Carrier, we understand that your customers expect more comfort, control and performance from their HVAC system. We are committed to providing you with what you need to be successful and exceed these expectations, every time.

No matter the challenge, no matter the space, Carrier ductless is the HVAC solution your customers have been looking for.

Visit the <u>Carrier Rebate Center</u> to see eligible products and incentives for your area.


PROVIDE MORE VALUE WITH DUCTLESS

To help you stay competitive and successful, Carrier offers a family of flexible ductless solutions that fit a range of needs. Extremely efficient and high-performing, these systems help solve your customers' biggest heating and cooling challenges.

Versatile HVAC Systems for Endless Comfort Possibilities

Ductless systems are unique, generating climate-controlled air without the use of traditional ductwork. Compact and sleek, they can be used in single or multiple zones to create endless possibilities for personalized HVAC systems.

Ductless indoor units integrate neatly into a space. They're installed in the least obtrusive but most effective area to quietly direct air to every corner of the room. And the indoor unit(s) simply connects to the outdoor unit with a hidden conduit.



SINGLE ZONE RESIDENTIAL




9-18k BTUh

Up to **28.5 SEER2**


Up to **18.0 HSPF2**



38MPRB Outdoor Unit SIZES: 09/12/18



40MPHB High Wall SIZES: 09/12



40MPHB High Wall SIZE: 18





KEY FEATURES

- + All systems with ENERGY STAR® certification
- + Built-in occupancy sensor
- + Built-in Wi-Fi® for smart phone control
- + Humidity control
- + High-heating capability
- + Built-in basepan heater
- + 24V Interface Kit compatibility

Comfort S E R I E S

9-36k BTUh

Up to **21.7 SEER2**

Up to **9.4 HSPF2**



38MHRCQ Outdoor Unit Heat Pump SIZES: 09/12/18/24/30/36



40MHHAQ High Wall *Heat Pump*SIZES: 09/12/18/24/30/36



38MHRDC Outdoor Unit Cooling Only SIZES: 09/12/18/24



40MHHAC High Wall Cooling Only SIZES: 09/12/18/24



KEY FEATURES

- + Cooling only and heat pump
- + Simplified maintenance
- Optional Wi-Fi® for smart phone control
- + Advanced service features
- Built-in basepan heater
- (+) 24V Interface Kit compatibility

SINGLE ZONE RESIDENTIAL



6-36k BTUh

Up to **28.1 SEER2**

Up to **13.6 HSPF2**



38MARB Outdoor Unit SIZES: 06/09/12/18/24/30/36



40MBDQ Ducted SIZES: 09/12/18/24




40MBDAQ High Static Slim Ducted SIZES: 09/12/18/24



40MBCQ Cassette SIZES: 09/12/18



40MBCAQ Cassette SIZE: 24



40MAHB High Wall SIZES: 06/09/12/18/24/30/36



40MCCAQ One-Way Cassette SIZES: 06/09 OR 12/18



40MBFAQ Floor Console SIZE: 12



40MBFQ Console SIZES: 18/24



40MBAB Air Handler SIZES: 18/24/30/36



- + Select systems with ENERGY STAR® certification
- + Select systems with built-in occupancy sensor
- + Select systems with humidity control
- + Low ambient cooling
- Optional Wi-Fi® for smart phone control
- + High-heating capability
- (+) Single and multi-zone outdoor unit compatibility
- + Built-in basepan heater
- 24V Interface Kit compatibility*

MULTI-ZONE RESIDENTIAL



18-48k BTUh

Up to **26.0 SEER2**

Up to **10.5 HSPF2**




38MGRB Outdoor Unit SIZE: 48R 38MGHB High Heat Outdoor Unit SIZES: 36HH/48H



38MGRB Outdoor Unit SIZE: 18R



38MGRB Outdoor Unit SIZE: 36R 38MGHB High Heat Outdoor Unit SIZES: 24HH/30HH



LIGHT COMMERCIAL

Performance Series

36-58k BTUh

Up to 19.8 **SEER2**

Up to **10.2 HSPF2**



38MBRC Outdoor Unit SIZES: 48/58



38MBRC Outdoor Unit SIZE: 36





40MBCAQ Cassette SIZES: 36/48



40MBDAQ High Static Slim Ducted SIZES: 36/48




40MBDAQ High Static Slim Ducted SIZE: 58



KEY FEATURES

- Broad product lineup that includes bigger and stronger commercial products
- + Low ambient cooling
- + Optional Wi-Fi® for smart phone control
- + Longer piping length
- Multiple unit options for a wide range of applications
- + Flexible installation
- (+) Competitive pricing
- 24V Interface Kit compatibility*



40MBDQ Ducted SIZES: 36/48



40MBDQ Ducted SIZE: 58



40MBFQ Console SIZES: 36/48/58



40MBAB Air Handler SIZES: 36/48/60



