

ARCOAIRE® RESIDENTIAL HEATING & COOLING PRODUCTS

Arcoaire®
Air Conditioning & Heating



PRODUCT AT-A-GLANCE FOLDOUT

NO **hassle** **REPLACEMENT™** **LIMITED WARRANTY**

see warranty certificate for details



No Hassle Replacement™ limited warranty:

Your huge competitive advantage

When you're talking to a homeowner about a new heating and cooling system, you have a huge advantage over most competitors—the Arcoaire® No Hassle Replacement™ limited warranty. Make the most of every sales opportunity by making sure you understand this important warranty and how to use it to get the sale. Here are the basics:

How does it work?

The No Hassle Replacement limited warranty offers a one-time new equivalent replacement unit should the compressor, covered outdoor coil or heat exchanger fail due to defect during the No Hassle Replacement period. The No Hassle Replacement limited warranty applies to deluxe products and varies in length of limited coverage —up to 10 years to the original purchaser.

What does that mean to your customers?

Simply this: If a covered major component fails during the No Hassle Replacement limited warranty period, the customer has the option to:

1. Replace the unit.
2. Repair the unit.

It's a powerful selling tool that offers homeowners peace of mind. Use this superior warranty to build value in the products you sell. Mention it on every sales call.

How do you use it to close the sale?

Follow these three steps:


1. **Advertise it.** Include the No Hassle Replacement limited warranty in all of your ads, on your website, and in every marketing tool you use. Check the "Business Building Tools" section of the Dealer Resource Center at www.GoArcoaire.com to find logos and ads that mention the warranty and graphics to help you promote it.
2. **Mention it.** Tell EVERY customer about the No Hassle Replacement limited warranty and explain how it works.
3. **Offer it.** Always offer at least one product covered by the No Hassle Replacement limited warranty. There are plenty of covered products available. All Arcoaire deluxe products include a No Hassle Replacement limited warranty.

Read the warranty certificate for details. Make sure you understand this important warranty before your next sales call. This warranty offers extra coverage in addition to the standard product limited warranty. Restrictions apply. See the most current and complete warranty certificate for further details.



COMPREHENSIVE ONLINE PRODUCT GUIDES!

With these online Product Guides, it's easy to access detailed information about the complete line of Arcoaire® products via the Internet on your laptop, tablet or smartphone. Plus, if you need a hard copy of the Residential Condensed Product Catalog, you can always order one or download a pdf version and print it yourself.



Access Instructions:

- Go to www.GoArcoaire.com.
- Click on "Product Information" at the top of the screen.
- Scroll down to "Residential Product Guide" or "Commercial Product Guide" and you're there.

Or... Scan this QR code with your smartphone.

These online Product Guides include:

Photos and Specifications for the complete product line, including air conditioners, heat pumps, oil furnaces, small packaged products, fan coils, modular blowers, evaporator coils, ductless splits, gas furnaces, controls and IAQ (indoor air quality) products. Just click on a product category to view all of the models within that category.

Comprehensive Details.

Then, you can click on a specific model to view more comprehensive details, including:

- Product features
- Efficiency ratings
- Capacities
- Warranty information
- Unit performance data
- Certifications

CHECK IT OUT!

See the online Product Guides as soon as you get a chance. These online product databases have an easy-to-use interface with the most up-to-date information on all the Arcoaire residential and commercial products and accessories. Plus, the Guides are simple to access via the Internet and your laptop, tablet or smartphone when you are on the go.

It's Easier to Find Split-System Matches... with Our Online Database!




The process of matching split systems can be time-consuming and lead to information overload. Now you can search for Arcoaire® equipment using our online database for split system air conditioning and heat pump combination ratings.

How to find it: Look on www.GoArcoaire.com under Product Information.

It's Easy to Use!

Specific to Arcoaire systems, the database incorporates these user-friendly features:

- Drop-down lists showing all model numbers, so there's no need to type in part of a model number
- Option to specify indoor (coil) model, or search all indoor models
- Option to specify furnace model, or search all furnaces
- Option to search with a minimum SEER
- Export an **unlimited** number of results to an Excel file for even easier sorting and comparing
- Includes combinations that are "archived" in the AHRI database
- AHRI reference numbers are included for every combination



The database pulls data directly from AHRI but simplifies the user interface and makes it easier to find what you're looking for. When a given model is no longer in production, the combinations are still retained in the database. If you have New Old Stock—new (unused) equipment that's been in inventory so long that AHRI has dropped the combination—this new database makes it easy to find.

Best of all, using the database allows you to make the results as broad or as narrow as you wish and makes it easy to drill-down on the specific equipment you're looking for without wading through every brand in the industry.

Try it today!

Arcoaire
Air Conditioning & Heating

AHRI Ratings & Tax Credit Certification

Res. Pkg AC Res. Pkg HP Geo Water to Air Geo Water to Water
 Business AC Business HP

Active Discontinued Archived

Terminate: All
 Phase: 1
 Outdoor Model: N4H436CHD**
 Indoor Coil Series: EA*K3BL17A*
 Indoor Coil Model: All
 Furnace Series: All
 Furnace Model: All
 Minimum SEER: 14.0

AHRI Directory of Certified Product Performance

To obtain an AHRI Certificate:

1. Copy Reference Number
2. Press button below to go to the AHRI website
3. Paste Reference Number in Reference Text box and press (Search) (enter note in picture if needed)
4. Double click calling line.

[AHRI Website Search](#)

Note: Discontinued combinations may no longer appear on AHRI - email AHRI for a letter instead.

Electrical Data (W440C...)
 MCA - 21.6 amps
 MSCP - 33 amps

Higher SEER
 Combinations
 Information

Data was current with AHRI as of Sunday, December 17, 2017. Values are subject to change without notice.

	AHRI Ref #	Status	Outdoor Model	Indoor Model	Furnace	Cap	SEER	Cap A2*	HSPF	Cap E3*		
Print	Copy	0612627	Active	N4H436CHD**	EA*K3BL17A*	*8M5*0701716*	14000	12	14	14000	8.2	20000
Print	Copy	0612477	Active	N4H436CHD**	EA*K3BL17A*	*8M5*0701712A	14000	11.5	14	14000	8.2	20000
Print	Copy	0612478	Active	N4H436CHD**	EA*K3BL17A*	*8M5*0701716A	14000	12	14	14000	8.2	20400
Print	Copy	0612479	Active	N4H436CHD**	EA*K3BL17A*	*8M5*0901714A	14000	12	14.5	14000	8.2	20000



AIR CONDITIONERS (ALL R-410A REFRIGERANT)



- HVA9**
- Inverter Variable-Speed compressor
 - Communicating and self-configuring capabilities
 - Up to 19 SEER with ECM indoor section motor
 - 2 - 5 tons



- HCA7**
- Communicating and self-configuring capabilities
 - 2-stage scroll compressor
 - Up to 17 SEER with ECM indoor section motor*
 - 2 - 5 tons

- HSA6**
- Communicating and self-configuring capabilities
 - Up to 16 SEER with ECM indoor section motor*
 - 1½ - 5 tons
 - Scroll compressor

- HSA5**
- Up to 15.5 SEER depending on indoor combination*
 - 1½ - 5 tons
 - Scroll compressor

- H4A3**
- 13-14 SEER depending on indoor combination*
 - 1½ - 5 tons
 - Two-speed fan motor on some models
 - Scroll compressor

Limited Warranties:**

- Parts - 10Yrs.
- No Hassle Replacement™ - 10Yrs.

Limited Warranties:**

- Parts - 10Yrs.
- No Hassle Replacement - 10Yrs.

Limited Warranties:**

- Parts - 10Yrs.
- No Hassle Replacement - 5Yrs.

Limited Warranties:**

- Parts - 10Yrs.
- No Hassle Replacement - 3Yrs.

Limited Warranties:**

- Parts - 10Yrs.
- No Hassle Replacement - 1Yr.



- N4A7**
- Up to 17 SEER depending on indoor combination*
 - Hail guard tight-wire grille
 - 2 - 5 tons
 - 2-stage scroll compressor

- NXA6/N4A6**
- Up to 17 SEER with ECM indoor section motor*
 - Up to 15 SEER with PSC indoor section motor*
 - Hail guard tight-wire grille
 - 1½ - 5 tons
 - Scroll compressor

- NXA4/N4A5**
- 14-15 SEER depending on indoor combination*
 - Hail guard tight-wire grille
 - 1½ - 5 tons
 - Scroll compressor

- N4A4**C**
- Coastal model
 - 14 SEER depending on indoor combination*
 - 1½ - 5 tons
 - Scroll compressor

- NH4A4**
- Horizontal discharge with narrow footprint
 - 14-15 SEER depending on indoor combination*
 - 1½ - 5 tons
 - Scroll compressor

- N4A3**
- 13-14 SEER depending on indoor combination*
 - Scroll Compressor
 - Coastal model available

- R4A4/R4A5**
- 14-15 SEER depending on indoor combination*
 - 1½ - 5 tons
 - Scroll compressor
- R4A3**
- 13-14 SEER depending on indoor combination*
 - Scroll compressor



Limited Warranty: Parts - 10Years**



Proper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR® specifications. Ask your distributor for details or visit www.energystar.gov.

HEAT PUMPS (ALL R-410A REFRIGERANT)



- HVH8**
- Inverter Variable-Speed compressor
 - Communicating and self-configuring capabilities
 - Up to 19 SEER with ECM indoor section motor
 - Up to 11 HSPF with ECM indoor section motor
 - 2 - 5 tons



- HCH6**
- Communicating and self-configuring capabilities
 - 2-stage scroll compressor
 - Up to 17 SEER and up to 9.5 HSPF with ECM indoor section motor*
 - 2 - 5 tons

- HSH6**
- Communicating and self-configuring capabilities
 - Up to 16 SEER and up to 9 HSPF with ECM indoor section motor*
 - 1½ - 5 tons
 - Scroll compressor

- HSH5**
- Communicating and self-configuring capabilities
 - Up to 15 SEER with ECM indoor section motor*
 - 1½ - 5 tons
 - Scroll compressor

- HSH4**
- 14-15 SEER depending on indoor combination*
 - 1½ - 5 tons
 - Scroll compressor

Limited Warranties:**

- Parts - 10Yrs.
- No Hassle Replacement™ - 10Yrs.

Limited Warranties:**

- Parts - 10Yrs.
- No Hassle Replacement - 10Yrs.

Limited Warranties:**

- Parts - 10Yrs.
- No Hassle Replacement - 5Yrs.

Limited Warranties:**

- Parts - 10Yrs.
- No Hassle Replacement - 5Yrs.

Limited Warranties:**

- Parts - 10Yrs.
- No Hassle Replacement - 3Yrs.



- N4H6**
- Up to 17.5 SEER depending on indoor combination*
 - Hail guard tight-wire grille
 - 2 - 5 tons
 - 2-stage scroll compressor

- NXH6**
- Up to 16 SEER with ECM indoor section motor*
 - Hail guard tight-wire grille
 - 1½ - 5 tons
 - Scroll compressor

- NXH5**
- Up to 15.5 SEER with ECM indoor section motor*
 - Up to 14 SEER with PSC indoor section motor*
 - Hail guard tight-wire grille
 - 1½ - 5 tons
 - Scroll compressor

- N4H4**
- 14-15 SEER depending on indoor combination*
 - Hail guard tight-wire grille
 - 1½ - 5 tons
 - Scroll compressor
 - Coastal model available
 - 3-phase model available

- NH4H4**
- Horizontal discharge with narrow footprint
 - 14-15 SEER depending on indoor combination*
 - 1½ - 5 tons
 - Scroll compressor

- R4H4**
- 14-15 SEER depending on indoor combination*
 - 1½ - 5 tons
 - Scroll compressor




Limited Warranty: - Parts - 10Years**

* For information regarding furnace or fan coil options that can increase the energy efficiency of selected Arcoaire air conditioners (SEER and EER) and heat pumps (SEER, EER and HSPF), refer to www.GoArcoaire.com/Product Information/Higher SEER and HSPF




** Maximum Strength Warranties include: - Arcoaire® gas and oil furnaces, and R-410A based air conditioners, heat pumps, coils, and small packaged products carry a ten (10) year limited warranty on parts (including compressor and coil) to original owner when installed exchanger warranty to original owner (registration is not required for 10 year or 15 year limited heat exchanger warranty). Limited warranty period is 5 years for parts and twenty (20) years for heat exchanger to original owner if not registered within 90 days of installation should the compressor, covered coil or heat exchanger fail due to defect during the No Hassle Replacement period. Split system units must be matched with an approved indoor coil or fan coil with TXV or piston metering device. Written authorization from your Arcoaire

PRODUCTS


GEOTHERMAL HEAT PUMPS

	HP Series	HB Series	HS Split Series
	HP - Up to 24.5 EER, 4.0 COP (closed loop) - Up to 30 EER, 4.6 COP (open loop) - 2-stage scroll compressor - ECM blower - Vertical upflow, downflow, horizontal - 2 - 6 tons	HB - Up to 21.7 EER, 4.3 COP (closed loop) - Up to 28.1 EER, 5.2 COP (open loop) - Scroll compressor (rotary in 018 size) - Constant torque blower motor - Vertical upflow, horizontal - 1½ - 5 tons	HS - Up to 28.8 EER, 4.6 COP (closed loop) - Up to 29.1 EER, 5.2 COP (open loop) - 2-stage scroll compressor - Use with furnace or fan coil - 2 - 5 tons
	Limited Warranties:** - Parts & Labor – 10 years, No Hassle Replacement™ - 5Years (HP, HS) - 10Years Parts, 5Years Labor (HB)		



UP TO 98% CONDENSING GAS FURNACES

	F97CMN - Up to 98% AFUE - 60 - 120 MBTUh - Modulating gas valve - Communicating and self- configuring capabilities - Variable-Speed Constant Airflow ECM blower motor - 5-stage cooling compatible		F96CTN - Up to 96.7% AFUE - 60 - 120 MBTUh - 2-stage heat - Communicating and self- configuring capabilities - Variable-Speed Constant Airflow ECM blower motor - 5-stage cooling compatible		F96VTN - Up to 96% AFUE - 40 - 120 MBTUh - 2-stage heat - Variable-Speed Constant Torque ECM blower motor - 2-stage cooling compatible
	Limited Warranties:** - Heat exchanger - Lifetime - Parts - 10 Years - No Hassle Replacement™ - 10 Years				Limited Warranties:** - Heat exchanger - Lifetime - Parts - 10Yrs. - No Hassle Replacement - 5 Yrs.



	N95ESN - Up to 96% AFUE - 26 - 140 MBTUh - Single-stage heat - Fixed-Speeds Constant Torque ECM blower motor - Low NOx	N92ESN - Up to 92.1% AFUE - 40 - 120 MBTUh - Single-stage heat - Fixed-Speeds Constant Torque ECM blower motor - Low NOx	R95ESN - Up to 96% AFUE - 26 - 120 MBTUh - Single-stage heat - Fixed-Speeds Constant Torque ECM blower motor - Low NOx	R92ESN - Up to 92.1% AFUE - 40 - 120 MBTUh - Single-stage heat - Fixed-Speeds Constant Torque ECM blower motor - Low NOx
	Limited Warranties:** - Heat exchanger - Lifetime - Parts - 10 Yrs.			

80% GAS FURNACES

	F80CTL - 45 - 135 MBTUh - Variable-Speed Constant Airflow ECM blower motor - Communicating and self- configuring capabilities - 33.3-inches tall - 2-stage heat - 5-stage cooling compatible - Low NOx		N80VSL - 45 - 110 MBTUh - Variable-Speed Constant Torque ECM blower motor - 33.3-inches tall - Single-stage heat - 2-stage cooling compatible - Low NOx	N80ES - 45 - 155 MBTUh - Fixed-Speeds Constant Torque ECM blower motor - 33.3-inches tall - Single-stage heat - Low NOx (N80ESL) - Ultra-low NOx (N80ESU)	R80ES - 45 - 135 MBTUh - Fixed-Speeds Constant Torque ECM blower motor - 33.3-inches tall - Single-stage heat - Low NOx (R80ESL) - Ultra-low NOx (R80ESU) - Sold as Maratherm brand
	Limited Warranties:** - Heat exchanger - Lifetime - Parts - 10 Yrs. - No Hassle Replacement™ - 10 Yrs.				Limited Warranties:** - Heat exchanger - 20 Years - Parts - 10 Years

OIL FURNACES



OUF

- PSC blower motor
- Canada only



OLF

- PSC blower motor
- Canada only



OMF

- PSC blower motor

OMV

- ECM variable-speed blower motor



OLR

- PSC blower motor

OLV

- ECM variable-speed blower motor



Limited Warranties** on OMV, OLV:

- Heat exchanger - Lifetime
- Parts - 10 Years
- No Hassle Replacement™ - 10 Years

Limited Warranties** on all other oil furnaces:

- Heat exchanger - Lifetime
- Parts - 10 Years

BLOWERS

Modular Blowers



MB/MV/MF Modular Blowers

- Only 24" high - Multi-position
- Fits flush with cased coils
- Direct drive slide-out blower assembly
- MB: 120 volts
- MV: Variable-speed
- MF/MV: - 208/240 volts
- Downflow with sub-base accessory
- 5 - 30 kW slip-in heat available

Limited Warranty:

- Parts - 5Yrs.

FAN COILS

4-Way Multi-Position



FCM4X

- Communicating and self-configuring capabilities
- 2 - 5 tons
- TXV
- ECM variable-speed blower motor



FVM4X

- 2 - 5 tons
- TXV
- ECM variable-speed blower motor

FXM4X

- 1½ - 5 tons
- TXV
- High-efficiency ECM blower motor

FEM4P (Piston)

- FEM4X (TXV)
- 1½ - 4 tons (piston)
- 1½ - 5 tons (TXV)
- High-efficiency ECM blower motor

Limited Warranties:**

- Parts - 10 Years - No Hassle Replacement™ - 10 Years

Limited Warranties:**

- Parts - 10Yrs.
- No Hassle Replacement - 5Yrs.

Limited Warranties:**

- Parts - 10Yrs.
- No Hassle Replacement - 1Yr.

Apartment Fan Coils



FMA4P

- 1½ - 3 tons
- Piston
- PSC blower motor
- Free return air - front or bottom
- Straight cool combinations

FMA4X

- 1½ - 3 tons
- TXV
- ECM blower motor
- Free return air - front or bottom
- 14 SEER combinations



Ceiling Fan Coils

FMC4Z, FMU4Z

- 1½ - 3 tons
- TXV
- ECM blower motor
- Ceiling mount
- Cased & uncased available
- Accessory Louver Panel/ Filter Rack available
- Accessory Access Panel available
- Straight cool combinations
- Up to 15 SEER combinations

FMC4X, FMU4X

- 1½ - 2½ tons
- TXV
- PSC blower motor
- Ceiling mount
- Cased & uncased available
- Accessory Louver Panel/ Filter Rack available
- Accessory Access Panel available
- 14 SEER combinations

Limited Warranty:** - Parts - 10 Years

COILS




EAM4

- 1½ - 5 tons
- A-coil
- Multi-position

EAD4

- 1½ - 5 tons
- A-coil
- Vertical, upflow or downflow



EAA4

- 1½ - 5 tons
- Uncased A-coil
- Multi-position, upflow or downflow



END4 (1½ - 5 tons)

- ENW4 (3 - 5 tons)
- N-coil
- Upflow or downflow
- ENW4 fits one size narrower furnace



ENH4

- 2 - 5 tons
- N-coil
- Horizontal

Limited Warranty:** - Parts - 10 Years



EDM4

- 1½ - 5 tons
- A-coil
- Multi-position
- For use with legacy gas furnaces
- Warranty/service applications



ENA4

- 1½ - 5 tons
- Uncased N-coil
- Upflow or downflow

EMA4

- 2 - 4 tons
- Uncased N-coil
- For manufactured housing applications
- Downflow








EHD4

- 2 - 5 tons
- Horizontal







Limited Warranty:** - Parts - 10 Years

DUCTLESS SYSTEMS

P High Wall Single Zone System Heat Pump with Basepan Heater	M Multi-Zone System High Wall, Cassette, Ducted & Console Heat Pump with Basepan Heater	S Single Zone System High Wall, Cassette, Ducted & Console Heat Pump with Basepan Heater	E High Wall Single Zone System Cooling Only, Heat Pump with Basepan Heater	L Single Zone System Cassette, Ducted & Console Heat Pump with Basepan Heater
 <ul style="list-style-type: none"> - Variable Speed (Inverter) Compressor - Up to 40.0 SEER - Up to 14.5 HSPF - Sizes: 09, 12 - All systems are ENERGY STAR® certified - Operating ranges: <ul style="list-style-type: none"> • Cooling -22° ~ 122° F (-30° ~ 50° C) • Heating -22° ~ 86° F (-30° ~ 30° C) 	 <ul style="list-style-type: none"> - Variable Speed (Inverter) Compressor - Up to 21.4 SEER - Up to 10.8 HSPF - Sizes: 18, 27, 36, 48 - Connect 2 ~ 5 indoor units - Operating ranges: <ul style="list-style-type: none"> • Cooling -13° ~ 122° F (-25° ~ 50° C) • Heating -22° ~ 86° F (-30° ~ 30° C) 	 <ul style="list-style-type: none"> - Variable Speed (Inverter) Compressor - Up to 24.7 SEER - Up to 11.0 HSPF - Sizes: 09, 12, 18, 24, 30, 36 - Select systems are ENERGY STAR® certified - Operating ranges: <ul style="list-style-type: none"> • Cooling -13° ~ 122° F (-25° ~ 50° C) • Heating -22° ~ 86° F (-30° ~ 30° C) 	 <ul style="list-style-type: none"> - Variable Speed (Inverter) Compressor - Up to 17.6 SEER - Up to 10.6 HSPF - Sizes: 09, 12, 18, 24 - Operating ranges: <ul style="list-style-type: none"> • Cooling 0° ~ 122° F (-17° ~ 50° C) • Heating 0° ~ 86° F (-17° ~ 30° C) 	 <ul style="list-style-type: none"> - Variable Speed (Inverter) Compressor - Up to 18.0 SEER - Up to 11.5 HSPF - Sizes: 09, 48, 58 - Operating ranges: <ul style="list-style-type: none"> • Cooling -13° ~ 122° F (-25° ~ 50° C) • Heating -22° ~ 86° F (-30° ~ 30° C)
<p>Limited Warranty:**</p> <ul style="list-style-type: none"> - Parts & compressor - 10 Years 				

SMALL PACKAGED PRODUCTS (ALL R-410A REFRIGERANT)

— FOOTPRINT ON ALL CONVERTIBLE SMALL PACKAGED PRODUCTS LESS THAN 48" WIDE!

Packaged Gas/Electric	Packaged Gas/Electric	Packaged Dual Fuel	Packaged Dual Fuel	Packaged Air Conditioners (PA) & Packaged Heat Pumps (PH) – with tin-coated evap coil and hail guard grilles	Packaged AC (PA) & Packaged HP (PH) – Dedicated Horizontal
 <p>PGR5</p> <ul style="list-style-type: none"> - Up to 16 SEER - 81% AFUE - 2-stage scroll compressor - 2-stage gas heat - Stainless steel heat exchanger - High-efficiency ECM blower motor - Tin-coated copper evaporator coil - Hail guard tight-wire grille - Optional Low Cabinet Air Leakage model available - 2 - 5 ton capacities <p>Limited Warranties:**</p> <ul style="list-style-type: none"> - Heat exchanger - Lifetime - Parts - 10 Yrs. - No Hassle Replacement™ - 5 Yrs. 	 <p>PGS4</p> <ul style="list-style-type: none"> - Up to 14 SEER - 81% AFUE - Stainless steel heat exchanger - High-efficiency ECM blower motor - Tin-coated copper evaporator coil - Dehumidification mode - Optional Low Cabinet Air Leakage model available - 2 - 5 ton capacities <p>Limited Warranties:**</p> <ul style="list-style-type: none"> - Heat exchanger - Lifetime - Parts - 10 Yrs. - No Hassle Replacement - 3 Yrs. 	 <p>PDD4</p> <ul style="list-style-type: none"> - Up to 14.5 SEER - 81% AFUE - Dual fuel - gas heat and electric heat pump - Scroll compressor - Stainless steel heat exchanger - High-efficiency ECM blower motor - Tin-coated copper evaporator coil - Dehumidification mode - Optional Low Cabinet Air Leakage model available - 2 - 5 ton capacities <p>Limited Warranties:**</p> <ul style="list-style-type: none"> - Heat exchanger - Lifetime - Parts - 10 Yrs. - No Hassle Replacement - 3 Yrs. 	 <p>PGR5, PHR5</p> <ul style="list-style-type: none"> - Up to 16 SEER - 2-stage scroll compressor - High-efficiency ECM blower motor - Tin-coated copper evaporator coil - Hail guard tight-wire grille - Optional Low Cabinet Air Leakage model available - 2 - 5 ton capacities - PHR5 - optional dehumidification model available <p>Limited Warranties:**</p> <ul style="list-style-type: none"> - Parts - 10 Yrs. - No Hassle Replacement - 5 Yrs. 	 <p>PAD4, PHD4</p> <ul style="list-style-type: none"> - Up to 14 SEER - High-efficiency ECM blower motor - Available with tin-coated copper evaporator coil - Dehumidification mode - Optional Low Cabinet Air Leakage model available - 2 - 5 ton capacities <p>Limited Warranties:**</p> <ul style="list-style-type: none"> - Parts - 10 Yrs. - No Hassle Replacement - with tin-coated coil models - 3 Yrs. 	 <p>PAJ4, PHJ4</p> <ul style="list-style-type: none"> - Up to 14.5 SEER - High-efficiency ECM blower motor - Round ducts (rectangle return on 42 - 60) - Tin-coated copper evaporator coil - 2 - 5 ton capacities - All models 2% Air Leakage compliant <p>Limited Warranty:**</p> <ul style="list-style-type: none"> - Parts - 10 Yrs.