



N4A3**C

Performance Series Product Specifications

EFFICIENT 13 SEER AIR CONDITIONER ENVIRONMENTALLY SOUND R-410A REFRIGERANT FOR COASTAL APPLICATIONS 1-1/2 THRU 5 TONS SPLIT SYSTEM 208 / 230 Volt, 1-phase, 60 Hz

REFRIGERATION CIRCUIT

- Copeland Scroll™ compressors on all models
- Filter-Drier supplied with every unit for field installation
- Copper tube / aluminum fin coil

EASY TO INSTALL AND SERVICE

- Easy Access service valves on all models
- External high and low refrigerant service ports
- Only two screws to access control panel
- Factory charged with R-410A refrigerant

BUILT TO LAST

- All chassis panels powder coat painted on both sides
- Pre-painted, epoxy-phenolic fins
- Coated, weather-resistant cabinet screws
- Coated inlet grille with 3/8" (10mm) grille spacing for extra protection

WARRANTY*

- 5 year compressor limited warranty
- 5 year parts limited warranty (including compressor and coil)
 - With timely registration, an additional 5 year parts limited warranty (including compressor and coil)

* Applies to original purchaser/homeowner, some limitations may apply. See Warranty certificate for complete details.




Use of the AHRI Certified TM Mark indicates a manufacturer's participation in the program. For verification of certification for individual products, go to www.ahridirectory.org.



Model Number	Size (tons)	Nominal BTU/hr	Min. Circuit Ampacity	Max. Fuse or Breaker	Operating Dimensions height x width x depth in. (mm)	Ship / Operating Weight lbs. (kg)
N4A318CKA	1-1/2	18,000	11.7	20	31-13/16 x 25-3/4 x 25-3/4 (809 x 654 x 654)	159 / 128 (72 / 58)
N4A324CKA	2	24,000	17.6	30	35-1/4 x 25-3/4 x 25-3/4 (895 x 654 x 654)	167 / 133 (76 / 60)
N4A330CKA	2-1/2	30,000	18.7	30	32-5/16 x 31-3/16 x 31-3/16 (821 x 793 x 793)	193 / 155 (88 / 70)
N4A336CKA	3	36,000	21.9	35	39-1/8 x 31-3/16 x 31-3/16 (994 x 793 x 793)	205 / 167 (93 / 76)
N4A342CKA	3-1/2	42,000	26.0	40	28-15/16 x 35 x 35 (735 x 889 x 889)	225 / 188 (102 / 85)
N4A348CKA	4	48,000	28.4	40	32-5/16 x 35 x 35 (821 x 889 x 889)	235 / 197 (107 / 89)
N4A360CKA	5	60,000	34.1	50	28-15/16 x 35 x 35 (735 x 889 x 889)	267 / 227 (121 / 103)


OUTDOOR UNIT MODEL NUMBER IDENTIFICATION GUIDE (single phase)											
Digit Position:	1	2	3	4	5, 6	7	8	9	10	11	12
Example Part Number:	N	4	A	3	18	C	K	A	1	0	0
C = Day & Night Mainline											
N = Day & Night Entry BRANDING											
4 = R-410A REFRIGERANT											
A = Air Conditioner											
H = Heat Pump TYPE											
3 = 13 SEER											
4 = 14 SEER NOMINAL EFFICIENCY											
18 = 18,000 BTUH = 1-1/2 tons											
24 = 24,000 BTUH = 2 tons											
30 = 30,000 BTUH = 2-1/2 tons											
36 = 36,000 BTUH = 3 tons											
42 = 42,000 BTUH = 3-1/2 tons											
48 = 48,000 BTUH = 4 tons											
60 = 60,000 BTUH = 5 tons NOMINAL CAPACITY											
A = Standard Grille											
G = Coil Guard Grille											
C = Coastal FEATURES											
K = 208/230-1-60 VOLTAGE											
Sales Code											
Engineering Revision											
Extra Digit											
Extra Digit											

ACCESSORIES PART NUMBER IDENTIFICATION GUIDE									
Digit Position:	1	2	3	4	5	6, 7	8, 9	10, 11	
Example Part Number:	N	A	S	A	0	01	01	CH	
N = Non-Branded BRANDING									
A = Accessory PRODUCT GROUP									
S = Split System (AC & HP) KIT USAGE									
A = Original									
B = 2nd Generation MAJOR SERIES									
0 = Generic or Not Applicable									
2 = R-22									
4 = R-410A REFRIGERANT									
Product Identifier Number									
Package Quantity									
Type of Kit (Example: CH = Crankcase Heater)									



Dimensions Inches (English)

Model	A	B	C	D	E	F	G	K	L	M	N	P	Minimum Mounting Pad Size	Crated Dimensions H x W x D
N4A318CKA	25-3/4	31-13/16	3-3/4	5/8	4-7/16	21-1/4	9-1/8	2-13/16	1/2	15-3/8	12-1/2	14-3/4	26 x 26	35-15/16 x 31-1/16 x 26-7/8
N4A324CKA	25-3/4	35-1/4	3-3/4	5/8	4-7/16	21-1/4	9-1/8	2-13/16	1/2	13	14-1/4	15-7/8	26 x 26	39-3/8 x 30-1/16 x 26-7/8
N4A330CKA	31-3/16	32-5/16	3-3/4	3/4	6-9/16	24-11/16	9-1/8	2-13/16	1/2	16-1/8	15	15-7/8	31-1/2 x 31-1/2	35-15/16 x 35-1/2 x 32-3/8
N4A336CKA	31-3/16	39-1/8	3-3/4	3/4	6-9/16	24-11/16	9-1/8	2-13/16	1/2	13-5/8	15-3/4	18-1/2	31-1/2 x 31-1/2	42-3/4 x 35-1/2 x 32-3/8
N4A342CKA	35	28-15/16	3-7/8	7/8	6-9/16	28-7/16	9-1/8	2-15/16	5/8	15-3/4	15	12-3/8	35 x 35	32-9/16 x 39-5/16 x 36-1/8
N4A348CKA	35	32-5/16	3-7/8	7/8	6-9/16	28-7/16	9-1/8	2-15/16	5/8	16-1/4	16-3/8	14-1/4	35 x 35	35-15/16 x 39-5/16 x 36-1/8
N4A360CKA	35	28-15/16	3-7/8	7/8	6-9/16	28-7/16	9-1/8	2-15/16	5/8	16-3/8	16-5/8	12-1/4	35 x 35	32-9/16 x 39-5/16 x 36-1/8



Dimensions mm (SI Metric)

Model	A	B	C	D	E	F	G	K	L	M	N	P	Minimum Mounting Pad Size	Crated Dimensions H x W x D
N4A318CKA	654	809	95	16	113	540	232	71	13	391	318	375	660 x 660	913 x 763 x 683
N4A324CKA	654	895	95	16	113	540	232	71	13	330	362	403	660 x 660	1000 x 763 x 683
N4A330CKA	793	821	95	19	167	626	232	71	13	410	381	403	800 x 800	913 x 901 x 821
N4A336CKA	793	994	95	19	167	626	232	71	13	346	400	470	800 x 800	1086 x 901 x 821
N4A342CKA	889	735	98	22	167	722	232	75	16	400	381	314	889 x 889	827 x 998 x 918
N4A348CKA	889	821	98	22	167	722	232	75	16	413	416	362	889 x 889	913 x 998 x 918
N4A360CKA	889	735	98	22	167	722	232	75	16	416	422	311	889 x 889	827 x 998 x 918

PHYSICAL DATA							
Model Size	18	24	30	36	42	48	60
Nominal Cooling Capacity (BTU/hr)	18,000	24,000	30,000	36,000	42,000	48,000	60,000
Nominal SEER	13.0	13.0	13.0	13.0	13.0	13.0	13.0
Sound Rating (dBA)**	75	75	77	77	77	80	80
PSC Fan Motor HP	1/12	1/10	1/5	1/5	1/5	1/5	1/4
Fan RPM (single speed)	1100	1100	1100	1100	800	800	800
Fan CFM	1881	2196	3167	3167	3810	3810	4046
Coil Face Area ft ² (m ²)	13.13 (1.2)	14.77 (1.4)	17.25 (1.6)	21.56 (2.0)	17.60 (1.6)	20.12 (1.9)	17.60 (1.6)
Coil Rows – fins per inch	1 – 20	1 – 20	1 – 20	1 – 20	1 – 20	1 – 20	2 – 20
Liquid Line Connection Size in. (mm)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)
Vapor Line Connection Size in. (mm)	5/8 (16)	5/8 (16)	3/4 (19)	3/4 (19)	7/8 (22)	7/8 (22)	7/8 (22)
Recommended Line Set Liquid Tube Diameter in. (mm)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)	3/8 (10)
Recommended Line Set Vapor Tube Diameter in. (mm)	5/8 (16)*	5/8 (16)*	3/4 (19)*	3/4 (19)*	7/8 (22)*	7/8 (22)*	1–1/8 (29)*
* Recommended Vapor Tube Line size is for standard installations. These recommendations may not apply to “Long Line” installations. When the total equivalent line length exceeds 80 feet (24.4m) or there is more than 20 feet (6.1m) vertical separation between indoor and outdoor units, consult the Long Line Application Guideline document before purchasing/installing line sets.							
Factory Charge R-410A lbs. (kg)	4.10 (1.86)	5.10 (2.31)	5.80 (2.63)	6.80 (3.08)	6.20 (2.81)	7.30 (3.31)	9.90 (4.49)
Required Subcooling ° F (° C)	8 (4)	11 (6)	9 (5)	10 (6)	11 (6)	12 (7)	11 (6)
Weight, shipping lbs. (kg)	159 (72)	167 (76)	193 (88)	205 (93)	225 (102)	235 (107)	267 (121)
Weight, operating lbs. (kg)	128 (58)	133 (60)	155 (70)	167 (76)	188 (85)	197 (89)	227 (103)

ELECTRICAL DATA (208/230–1–60, voltage range 197V – 253V)							
Model Size	18	24	30	36	42	48	60
Minimum Circuit Ampacity – MCA (amps)	11.7	17.6	18.7	21.9	26.0	28.4	34.1
Maximum OverCurrent Protective device – MOCP (amps)	20	30	30	35	40	40	50
Compressor RLA (Rated Load Amps)	9.0	13.5	14.1	16.7	19.9	21.8	26.3
LRA (Locked Rotor Amps)	48.0	58.3	73.0	79.0	109.0	117.0	134.0
Fan Motor FLA (Full Load Amps)	.5	.77	1.1	1.1	1.2	1.2	1.2

**Sound Rating tested in accordance with ARI Standard 270–95 (not listed with AHRI).

R-410A COOLING CAPACITY LOSS FOR VARIOUS LINE LENGTHS & TUBE DIAMETERS															
Model Size	Liquid Line in.(mm)	Acceptable Vapor Line Sizes in. (mm)	Cooling Capacity Loss (%) at Total Equivalent Line Length, feet (m) Refer to Long Line Application Guideline to calculate equivalent length												
			Standard Application			Long Line Application (Requires Accessories)									
			25' (7.6)	50' (15.2)	80' (24.4)	81' (24.7)	100' (30.5)	125' (38.1)	150' (45.7)	175' (53.3)	200' (61)	225' (68.6)	250' (76.2)		
18	3/8 (10)	1/2 (13)	1	2	3	3	4	6	7	8	9	10	12		
		5/8 (16)	0	0	1	1	1	1	2	2	3	3	3		
		3/4 (19)	0	0	0	0	0	1	1	1	1	1	1		
24		5/8 (16)	0	1	1	1	2	3	3	4	4	5	6		
		3/4 (19)	0	0	0	0	0	1	1	1	1	1	2		
		7/8 (22)	0	0	0	0	0	0	0	0	0	0	1		
30		5/8 (16)	1	2	3	3	3	4	5	6	7	8	9		
		3/4 (19)	0	0	1	1	1	1	2	2	2	3	3		
		7/8 (22)	0	0	0	0	0	1	1	1	1	1	1		
36		5/8 (16)	1	2	4	4	5	6	7	9	10	11	13		
		3/4 (19)	0	0	1	1	1	2	2	3	3	4	4		
		7/8 (22)	0	0	0	0	0	1	1	1	1	2	2		
42	3/4 (19)	0	1	2	2	2	3	4	4	5	6	6			
	7/8 (22)	0	0	1	1	1	1	2	2	2	3	3			
	1-1/8 (29)	0	0	0	0	0	0	0	0	0	0	1			
48	3/4 (19)	0	1	2	2	3	4	5	5	6	7	8			
	7/8 (22)	0	0	1	1	1	2	2	2	3	3	4			
	1-1/8 (29)	0	0	0	0	0	0	0	0	1	1	1			
60	3/4 (19)	1	2	4	4	5	6	7	9	10	11	12			
	7/8 (22)	0	1	2	2	2	3	4	4	5	5	6			
	1-1/8(29)	0	0	0	0	1	1	1	1	1	1	2			

* Applications are considered “Long Line” if the total equivalent tubing length exceeds 80 feet (24.4m) or there is more than 20 foot (6.1m) vertical separation between indoor and outdoor units. These applications require additional accessories and system modifications for reliable system operation.

Applications in shaded area may have height restrictions that limit allowable total equivalent length when outdoor unit is below indoor unit.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
 New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A318CKA	*ED*4X18B**		17700	TXV		13		11
	FEA4X18**A*		18000	TDR&TXV	14			12
	FEA4X24**A*		18000	TDR&TXV	15			12.5
	FEA4X30**A*		18000	TDR&TXV	14.5			12.2
	FEA4X36**A*		18000	TDR&TXV	14.5			12.2
	FEM4P18**A*		17500	TDR			13	11
	FEM4P18**A*		17500	TDR	13			11
	FEM4P24**A*		17500	TDR			13	11
	FEM4P24**A*		17500	TDR	13			11
	FEM4P30**A*		18000	TDR			13.5	11.5
	FEM4X18****		18000	TDR&TXV	14.5			12.2
	FEM4X24****		18000	TDR&TXV	14.5			12.2
	FS(M,U)4P18**A*		18000	TDR			13.5	11.5
	FS(M,U)4P24**A*		18000	TDR			13.5	11.5
	FS(M,U)4X18****		17700	TDR&TXV	13			11
	FS(M,U)4X24****		17800	TDR&TXV	13.1			11
	FSA4X18**A*		17700	TDR&TXV	13			11
	FSA4X24**A*		17900	TDR&TXV	13			11
	FVM4X24****		18000	TDR&TXV	15			12.5
	FXM4X18**A*		18000	TDR&TXV	15			12.5
	FXM4X24**A*		18000	TDR&TXV	15			12.5
	FXM4X30**A*		18000	TDR&TXV	14.5			12.2
	EA*4X18*14A*	*8MX*0451408**	17800	TDR&TXV	14.5			12
	EA*4X18*14A*	*8MV*0701412**	17500	TDR&TXV	14			12
	EA*4X18*14A*	*9MX*0401410A**	17400	TDR&TXV	14.2			11.8
	EA*4X18*14A*	*9MV*0401410A**	17600	TDR&TXV	14.15			11.8
	EA*4X18*14A*		17600	TXV		13		11
	EA*4X24*14A*	*8MX*0451408**	18000	TDR&TXV	14.5			12.2
	EA*4X24*14A*	*8MV*0701412**	17800	TDR&TXV	14.5			12.2
	EA*4X24*14A*	*9MX*0401410A**	17800	TDR&TXV	14.5			12
	EA*4X24*14A*	*9MV*0401410A**	18000	TDR&TXV	14.5			12
	EA*4X24*14A*		18000	TXV		13		11.2
	EA*4X24*17A*	*8MX*0451408**	18000	TDR&TXV	14.5			12.2
	EA*4X24*17A*	*8MV*0701412**	17800	TDR&TXV	14.5			12.2
	EA*4X24*17A*	*8MV*0901716**	17900	TDR&TXV	14.5			12.2
	EA*4X24*17A*	*9MX*0401410A**	17900	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MV*0401410A**	18000	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MV*0601714A**	18000	TDR&TXV	15			12.5
	EA*4X24*17A*	*9MV*0801716A**	18000	TDR&TXV	15.2			12.5
	EA*4X24*17A*	*9MA*0601714A**	17900	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MA*0801714A**	17800	TDR&TXV	15			12.5
	EA*4X24*17A*		18000	TXV		13		11.2
	ED*4X18B**	*9MX*0401410A**	17400	TDR&TXV	14.2			11.8
	ED*4X18B**	*9MV*0401410A**	17600	TDR&TXV	14.15			11.8
	ED*4X18B**	*8MPV050	18000	TDR&TXV	14			12
	ED*4X18B**	MV08B15**B*	17700	TDR&TXV	14.5			12.2
	ED*4X24B**	*9MX*0401410A**	17800	TDR&TXV	14.5			12
	ED*4X24B**	*9MV*0401410A**	18000	TDR&TXV	14.5			12

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35° C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A318CKA	ED*4X24B**		18000	TXV		13		11.2
	ED*4X24B**	*8MPV050	18000	TDR&TXV	14.5			12.2
	ED*4X24B**	MV08B15**B*	18000	TDR&TXV	15			12.5
	ED*4X24F**	*9MV*0601714A**	18000	TDR&TXV	15			12.5
	ED*4X24F**	*9MV*0801716A**	18000	TDR&TXV	15.2			12.5
	ED*4X24F**	*9MV*0802120A**	18600	TDR&TXV	15			12.5
	ED*4X24F**	*9MV*1002120A**	18600	TDR&TXV	15			12.5
	ED*4X24F**	*9MA*0601714A**	17900	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*0801714A**	17800	TDR&TXV	15			12.5
	ED*4X24F**	*9MA*0602120A**	18000	TDR&TXV	14.5			12.2
	ED*4X24F**	*9MVX040	18600	TDR&TXV	14.5			12.2
	ED*4X24F**	*9MVX060	18600	TDR&TXV	14.5			12.2
	ED*4X24F**	*9MV*1002116A**	18000	TDR&TXV	15.2			12.5
	ED*4X24F**		18000	TXV			13	11.2
	ED*4X24F**	*9MPV050	18600	TDR&TXV	14.5			12.2
	ED*4X24F**	*9MPV075	18600	TDR&TXV	14.5			12.2
	EHD4X24A**	*8MX*0451408**	18000	TDR&TXV	14.5			12
	EHD4X24A**	*8MV*0701412**	18000	TDR&TXV	14.5			12
	EHD4X24A**	*8MV*0901716**	18000	TDR&TXV	14.5			12
	EHD4X24A**	*9MX*0401410A**	17800	TDR&TXV	14.5			12
	EHD4X24A**	*9MV*0401410A**	18000	TDR&TXV	14.5			12
	EHD4X24A**	*9MV*0601714A**	18000	TDR&TXV	14.5			12
	EHD4X24A**	*9MV*0801716A**	18000	TDR&TXV	15			12.5
	EHD4X24A**	*9MV*0802120A**	18400	TDR&TXV	15			12.5
	EHD4X24A**	*9MV*1002120A**	18400	TDR&TXV	15			12.5
	EHD4X24A**	*9MV*1202422A**	18000	TDR&TXV	15			12.5
	EHD4X24A**	*9MA*0601714A**	18000	TDR&TXV	14.5			12
	EHD4X24A**	*9MA*0801714A**	18000	TDR&TXV	15			12.5
	EHD4X24A**	*9MA*0602120A**	18000	TDR&TXV	14.5			12.2
	EHD4X24A**	NOMV106D12*	18000	TDR&TXV	14.5			12
	EHD4X24A**	*9MVX040	18000	TDR&TXV	14.5			12.2
	EHD4X24A**	*9MVX060	18000	TDR&TXV	14.5			12.2
	EHD4X24A**	*9MV*1002116A**	18000	TDR&TXV	15			12.5
	EHD4X24A**		18000	TXV			13	11.2
	EHD4X24A**	*8MPV050	18000	TDR&TXV	14.5			12.2
	EHD4X24A**	*9MPV050	18000	TDR&TXV	14.5			12.2
	EHD4X24A**	*9MPV075	18000	TDR&TXV	14.5			12.2
	EHD4X24A**	MV08B15**B*	18000	TDR&TXV	15			12.5
	EHD4X24A**		18000	TXV			13	11.2
	EHD4X24A**	*8MPV050	18000	TDR&TXV	14.5			12.2
	EHD4X24A**	MV08B15**B*	18000	TDR&TXV	15			12.5
	EMA4X24D**		18000	TXV			13	11.2
	EMA4X24D**		18000	TXV			13	11.2
	EN(A,D)4X18*14**	*8MX*0451408**	18000	TDR&TXV	14.5			12
	EN(A,D)4X18*14**	*8MV*0701412**	17800	TDR&TXV	14.5			12
EN(A,D)4X18*14**	*9MX*0401410A**	17600	TDR&TXV	14.2			11.8	
EN(A,D)4X18*14**	*9MV*0401410A**	17700	TDR&TXV	14.2			11.8	
EN(A,D)4X18*14**		18000	TXV			13	11	
EN(A,D)4X18*14**		18000	TXV			13	11	
EN(A,D)4X19*17**	*8MX*0451408**	18000	TDR&TXV	14.5			12	
EN(A,D)4X19*17**	*8MV*0701412**	18000	TDR&TXV	14.5			12	
EN(A,D)4X19*17**	*8MV*0901716**	18000	TDR&TXV	14.5			12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A318CKA	EN(A,D)4X19*17**	*9MX*0401410A**	18000	TDR&TXV	14.5			12
	EN(A,D)4X19*17**	*9MV*0401410A**	18000	TDR&TXV	14.5			12
	EN(A,D)4X19*17**	*9MV*0601714A**	18000	TDR&TXV	15.2			12.5
	EN(A,D)4X19*17**	*9MV*0801716A**	18000	TDR&TXV	15.2			12.5
	EN(A,D)4X19*17**	*9MA*0601714A**	18000	TDR&TXV	15			12.5
	EN(A,D)4X19*17**	*9MA*0801714A**	18000	TDR&TXV	15			12.5
	EN(A,D)4X19*17**	NOMV106D12*	18000	TDR&TXV	14.5			12
	EN(A,D)4X19*17**		18000	TXV		13		11
	EN(A,D)4X19*17**	*8MPV050	18000	TDR&TXV	14.5			12
	EN(A,D)4X19*17**	MV08B15**B*	18000	TDR&TXV	14.5			12
	EN(A,D)4X19*17**		18000	TXV		13		11
	EN(A,D)4X24*14**	*8MX*0451408**	18000	TDR&TXV	14.5			12
	EN(A,D)4X24*14**	*8MV*0701412**	18000	TDR&TXV	14.5			12
	EN(A,D)4X24*14**	*9MX*0401410A**	17800	TDR&TXV	14.5			12
	EN(A,D)4X24*14**	*9MV*0401410A**	18000	TDR&TXV	14.5			12
	EN(A,D)4X24*14**		18000	TXV		13		11
	EN(A,D)4X24*14**		18000	TXV		13		11
	EN(A,D)4X24*17**	*8MX*0451408**	18000	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	*8MV*0701412**	18000	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	*8MV*0901716**	18000	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	*9MX*0401410A**	17800	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	*9MV*0401410A**	18000	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	*9MV*0601714A**	18000	TDR&TXV	15			12.5
	EN(A,D)4X24*17**	*9MV*0801716A**	18000	TDR&TXV	15			12.5
	EN(A,D)4X24*17**	*9MA*0601714A**	17900	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	*9MA*0801714A**	17800	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	NOMV106D12*	18000	TDR&TXV	14.5			12
	EN(A,D)4X24*17**		18000	TXV		13		11
	EN(A,D)4X24*17**	*8MPV050	18000	TDR&TXV	14.5			12
	EN(A,D)4X24*17**	MV08B15**B*	18000	TDR&TXV	14.5			12
	EN(A,D)4X24*17**		18000	TXV		13		11
	ENH4X24*17**	*8MX*0451408**	18000	TDR&TXV	14.5			12
	ENH4X24*17**	*8MV*0701412**	18000	TDR&TXV	14.5			12
	ENH4X24*17**	*8MV*0901716**	18000	TDR&TXV	14.5			12
	ENH4X24*17**	*9MX*0401410A**	17800	TDR&TXV	14.5			12
	ENH4X24*17**	*9MV*0401410A**	18000	TDR&TXV	14.5			12
	ENH4X24*17**	*9MV*0601714A**	18000	TDR&TXV	15			12.5
	ENH4X24*17**	*9MV*0801716A**	18000	TDR&TXV	15			12.5
	ENH4X24*17**	*9MV*1202422A**	18000	TDR&TXV	15			12.5
	ENH4X24*17**	*9MA*0601714A**	17900	TDR&TXV	14.5			12
	ENH4X24*17**	*9MA*0801714A**	17800	TDR&TXV	14.5			12
	ENH4X24*17**	NOMV106D12*	18000	TDR&TXV	14.5			12
ENH4X24*17**	*9MV*1002116A**	18000	TDR&TXV	15			12.5	
ENH4X24*17**		18000	TXV		13		11	
ENH4X24*17**	*8MPV050	18000	TDR&TXV	14.5			12	
ENH4X24*17**	MV08B15**B*	18000	TDR&TXV	14.5			12	
ENH4X24*17**		18000	TXV		13		11	

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.
 † For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A324CKA	*ED*4X24B**		22600	TXV		13		10.7
	FEA4X24**A*		23000	TDR&TXV	14			11.5
	FEA4X30**A*		23000	TDR&TXV	14			11.5
	FEA4X36**A*		23200	TDR&TXV	14			11.5
	FEM4P24**A*		22400	TDR			13	11
	FEM4P24**A*		22400	TDR	13			11
	FEM4P30**A*		23000	TDR			13	11
	FEM4P30**A*		23000	TDR	13			11
	FEM4P36**A*		22600	TDR			12.7	10.5
	FEM4X24****		22800	TDR&TXV	14			11.5
	FEM4X30****		23200	TDR&TXV	14			12
	FS(M,U)4P24**A*		22400	TDR			13	11
	FS(M,U)4P24**A*		22400	TDR	13			11
	FS(M,U)4P30**A*		23000	TDR			13	11
	FS(M,U)4P30**A*		23000	TDR	13			11
	FS(M,U)4X24****		22600	TDR&TXV	13			10.7
	FS(M,U)4X30****		22800	TDR&TXV	13			11
	FSA4X24**A*		22400	TDR&TXV	13			11
	FSA4X30**A*		22600	TDR&TXV	12.95			10.7
	FVM4X24****		23000	TDR&TXV	14.5			12.2
	FVM4X36****		23000	TDR&TXV	14.5			12.2
	FXM4X24**A*		23200	TDR&TXV	14			12
	FXM4X30**A*		23200	TDR&TXV	14			11.5
	FXM4X36**A*		23600	TDR&TXV	14.5			12.2
	EA*4X24*14A*	*8MX*0451408**	22800	TDR&TXV	14			11.7
	EA*4X24*14A*	*8MV*0701412**	22600	TDR&TXV	14			11.7
	EA*4X24*14A*	*9MX*0401410A**	22600	TDR&TXV	13.3			11
	EA*4X24*14A*	*9MV*0401410A**	22400	TDR&TXV	13.5			11.2
	EA*4X24*14A*		22600	TXV		13		10.8
	EA*4X24*17A*	*8MX*0451408**	22800	TDR&TXV	14			11.7
	EA*4X24*17A*	*8MV*0701412**	22600	TDR&TXV	14.5			12
	EA*4X24*17A*	*8MV*0901716**	22600	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MX*0401410A**	22800	TDR&TXV	13.3			11
	EA*4X24*17A*	*9MX*0601714A**	22600	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MV*0401410A**	22600	TDR&TXV	13.5			11.2
	EA*4X24*17A*	*9MV*0601714A**	22600	TDR&TXV	14.2			11.8
	EA*4X24*17A*	*9MV*0801716A**	22600	TDR&TXV	14.5			12
	EA*4X24*17A*	*9MA*0601714A**	22600	TDR&TXV	14.2			11.8
	EA*4X24*17A*	*9MA*0801714A**	22400	TDR&TXV	14.5			12
	EA*4X24*17A*		22600	TXV		13		10.8
	EA*4X30*14A*	*8MX*0451408**	22800	TDR&TXV	14.5			12
	EA*4X30*14A*	*8MV*0701412**	22600	TDR&TXV	14.5			12
	EA*4X30*14A*	*9MX*0401410A**	22800	TDR&TXV	13.3			11
	EA*4X30*14A*	*9MV*0401410A**	22600	TDR&TXV	13.7			11.4
	EA*4X30*14A*		22800	TXV		13		11
	EA*4X30*17A*	*8MX*0451408**	23000	TDR&TXV	14.5			12
	EA*4X30*17A*	*8MV*0701412**	22600	TDR&TXV	14.5			12
	EA*4X30*17A*	*8MV*0901716**	22800	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MX*0401410A**	23000	TDR&TXV	13.3			11

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A324CKA	EA*4X30*17A*	*9MX*0601714A**	22800	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MV*0401410A**	22600	TDR&TXV	13.7			11.4
	EA*4X30*17A*	*9MV*0601714A**	22800	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MV*0801716A**	23000	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MA*0601714A**	22600	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MA*0801714A**	22600	TDR&TXV	14.5			12
	EA*4X30*17A*		22800	TXV		13		11
	ED*4X24B**	*9MX*0401410A**	22600	TDR&TXV	13.3			11
	ED*4X24B**	*9MV*0401410A**	22400	TDR&TXV	13.5			11.2
	ED*4X24B**	*8MPV050	23000	TDR&TXV	13.5			11.5
	ED*4X24B**	MV08B15**B*	22800	TDR&TXV	14.5			12.2
	ED*4X24F**	*9MX*0601714A**	22600	TDR&TXV	14.5			12
	ED*4X24F**	*9MV*0601714A**	22600	TDR&TXV	14.2			11.8
	ED*4X24F**	*9MV*0801716A**	22600	TDR&TXV	14.5			12
	ED*4X24F**	*9MV*0802120A**	22800	TDR&TXV	14.5			12
	ED*4X24F**	*9MV*1002120A**	23000	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*0601714A**	22600	TDR&TXV	14.2			11.8
	ED*4X24F**	*9MA*0801714A**	22400	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*0802120A**	22800	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*1002122A**	22800	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*0602120A**	22600	TDR&TXV	14.2			11.8
	ED*4X24F**	*9MVX040	22800	TDR&TXV	14			11.5
	ED*4X24F**	*9MVX060	23000	TDR&TXV	14			11.5
	ED*4X24F**	*9MV*1002116A**	22600	TDR&TXV	14.5			12
	ED*4X24F**	*9MA*1002120A**	22800	TDR&TXV	14.5			12
	ED*4X24F**		22600	TXV		13		10.7
	ED*4X24F**	*8MPV075	23200	TDR&TXV	14			12
	ED*4X24F**	*9MPV050	22800	TDR&TXV	14			11.5
	ED*4X24F**	*9MPV075	22800	TDR&TXV	14			11.5
	ED*4X24F**	MV12F19**B*	22800	TDR&TXV	14.5			12.2
	ED*4X30B**	*9MX*0401410A**	22800	TDR&TXV	13.3			11
	ED*4X30B**	*9MV*0401410A**	22600	TDR&TXV	13.7			11.4
	ED*4X30B**		22800	TXV		13		11
	ED*4X30B**	*8MPV050	23200	TDR&TXV	13.5			11.5
	ED*4X30B**	MV08B15**B*	23000	TDR&TXV	14.5			12.2
	ED*4X30F**	*9MX*0601714A**	22800	TDR&TXV	14.5			12
	ED*4X30F**	*9MV*0601714A**	22800	TDR&TXV	14.5			12
	ED*4X30F**	*9MV*0801716A**	23000	TDR&TXV	14.5			12
	ED*4X30F**	*9MV*0802120A**	23000	TDR&TXV	14.5			12
	ED*4X30F**	*9MV*1002120A**	23200	TDR&TXV	14.5			12
	ED*4X30F**	*9MA*0601714A**	22600	TDR&TXV	14.5			12
	ED*4X30F**	*9MA*0801714A**	22600	TDR&TXV	14.5			12
	ED*4X30F**	*9MA*0802120A**	23000	TDR&TXV	14.5			12
	ED*4X30F**	*9MA*1002122A**	23000	TDR&TXV	14.5			12
	ED*4X30F**	*9MA*0602120A**	22800	TDR&TXV	14.5			12
ED*4X30F**	*9MVX040	23000	TDR&TXV	14			11.5	
ED*4X30F**	*9MVX060	23200	TDR&TXV	14			11.5	
ED*4X30F**	*9MV*1002116A**	22800	TDR&TXV	14.5			12	
ED*4X30F**	*9MA*1002120A**	23000	TDR&TXV	14.5			12	
ED*4X30F**		22800	TXV		13		11	
ED*4X30F**	*8MPV075	23400	TDR&TXV	14			12	
ED*4X30F**	*9MPV050	23000	TDR&TXV	14			11.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A324CKA	ED*4X30F**	*9MPV075	23000	TDR&TXV	14			11.5
	ED*4X30F**	MV12F19**B*	23000	TDR&TXV	14.5			12.2
	EHD4X24A**	*8MX*0451408**	22600	TDR&TXV	14			11.5
	EHD4X24A**	*8MV*0701412**	22600	TDR&TXV	14.5			12
	EHD4X24A**	*8MV*0901716**	22600	TDR&TXV	14.5			12
	EHD4X24A**	*8MV*1102120**	22600	TDR&TXV	14			11.5
	EHD4X24A**	*8MV*1352422**	22600	TDR&TXV	14.5			12
	EHD4X24A**	*9MX*0401410A**	22800	TDR&TXV	13.3			11
	EHD4X24A**	*9MX*0601714A**	22600	TDR&TXV	14.2			11.8
	EHD4X24A**	*9MV*0401410A**	22600	TDR&TXV	13.5			11.2
	EHD4X24A**	*9MV*0601714A**	22600	TDR&TXV	14.2			11.8
	EHD4X24A**	*9MV*0801716A**	22800	TDR&TXV	14.5			12
	EHD4X24A**	*9MV*0802120A**	22600	TDR&TXV	14.5			12
	EHD4X24A**	*9MV*1002120A**	22600	TDR&TXV	14.5			12
	EHD4X24A**	*9MV*1202422A**	22600	TDR&TXV	14.5			12
	EHD4X24A**	*9MA*0601714A**	22800	TDR&TXV	14.2			11.8
	EHD4X24A**	*9MA*0801714A**	22800	TDR&TXV	14.5			12
	EHD4X24A**	*9MA*0802120A**	23000	TDR&TXV	14.5			12
	EHD4X24A**	*9MA*1002122A**	23200	TDR&TXV	14.5			12
	EHD4X24A**	*9MA*1202422A**	23000	TDR&TXV	14.5			12
	EHD4X24A**	*9MA*0602120A**	22800	TDR&TXV	14.2			11.8
	EHD4X24A**	NOMV106D12*	22600	TDR&TXV	14			11.5
	EHD4X24A**	*9MVX040	22800	TDR&TXV	14			11.5
	EHD4X24A**	*9MVX060	23000	TDR&TXV	14			11.5
	EHD4X24A**	*9MVX080	23200	TDR&TXV	14			11.5
	EHD4X24A**	*9MVX100	23000	TDR&TXV	14			12
	EHD4X24A**	*9MV*1002116A**	22400	TDR&TXV	14.2			11.8
	EHD4X24A**	*9MA*1002120A**	23000	TDR&TXV	14.5			12
	EHD4X24A**		22600	TXV		13		10.7
	EHD4X24A**	*8MPV050	23000	TDR&TXV	13.5			11.5
	EHD4X24A**	*8MPV075	23200	TDR&TXV	14			11.5
	EHD4X24A**	*8MPV100	23200	TDR&TXV	14			12
	EHD4X24A**	*8MPV125	23200	TDR&TXV	14			12
	EHD4X24A**	*9MPV050	22800	TDR&TXV	14			11.5
	EHD4X24A**	*9MPV075	22800	TDR&TXV	13.5			11.5
	EHD4X24A**	*9MPV100	23000	TDR&TXV	14			11.5
	EHD4X24A**	*9MPV125	23000	TDR&TXV	14			12
	EHD4X24A**	MV08B15**B*	22800	TDR&TXV	14.5			12.2
	EHD4X24A**	MV12F19**B*	22800	TDR&TXV	14.5			12.2
	EHD4X24A**		22600	TXV		13		10.7
EHD4X24A**	*8MPV050	23000	TDR&TXV	13.5			11.5	
EHD4X24A**	*8MPV075	23200	TDR&TXV	14			11.5	
EHD4X24A**	*8MPV100	23200	TDR&TXV	14			12	
EHD4X24A**	*8MPV125	23200	TDR&TXV	14			12	
EHD4X24A**	MV08B15**B*	22800	TDR&TXV	14.5			12.2	
EHD4X24A**	MV12F19**B*	22800	TDR&TXV	14.5			12.2	
EHD4X30A**	*8MX*0451408**	23000	TDR&TXV	14.5			12	
EHD4X30A**	*8MV*0701412**	22600	TDR&TXV	14.5			12	
EHD4X30A**	*8MV*0901716**	22600	TDR&TXV	14.5			12	
EHD4X30A**	*8MV*1102120**	22600	TDR&TXV	14.5			12	
EHD4X30A**	*8MV*1352422**	22600	TDR&TXV	14.5			12	
EHD4X30A**	*9MX*0401410A**	23000	TDR&TXV	13.5			11.2	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35°C)				
			Capacity	Factory Installed	SEER		
Standard	W/ Field TDR	W/ Field TXV					
N4A324CKA	EHD4X30A**	*9MX*0601714A**	23000	TDR&TXV	14.5		12
	EHD4X30A**	*9MV*0401410A**	22800	TDR&TXV	13.7		11.4
	EHD4X30A**	*9MV*0601714A**	22800	TDR&TXV	14.5		12
	EHD4X30A**	*9MV*0801716A**	23000	TDR&TXV	14.5		12
	EHD4X30A**	*9MV*0802120A**	23000	TDR&TXV	14.5		12
	EHD4X30A**	*9MV*1002120A**	23000	TDR&TXV	14.5		12
	EHD4X30A**	*9MV*1202422A**	23000	TDR&TXV	14.5		12
	EHD4X30A**	*9MA*0601714A**	22800	TDR&TXV	14.5		12
	EHD4X30A**	*9MA*0801714A**	22800	TDR&TXV	14.5		12
	EHD4X30A**	*9MA*0802120A**	23200	TDR&TXV	14.5		12
	EHD4X30A**	*9MA*1002122A**	23200	TDR&TXV	14.5		12
	EHD4X30A**	*9MA*1202422A**	23000	TDR&TXV	14.5		12
	EHD4X30A**	*9MA*0602120A**	23000	TDR&TXV	14.5		12
	EHD4X30A**	NOMV106D12*	22600	TDR&TXV	14.5		12
	EHD4X30A**	*9MVX040	23000	TDR&TXV	14		11.5
	EHD4X30A**	*9MVX060	23200	TDR&TXV	14		11.5
	EHD4X30A**	*9MVX080	23600	TDR&TXV	14		12
	EHD4X30A**	*9MVX100	23400	TDR&TXV	14		12
	EHD4X30A**	*9MV*1002116A**	22800	TDR&TXV	14.5		12
	EHD4X30A**	*9MA*1002120A**	23200	TDR&TXV	14.5		12
	EHD4X30A**		22800	TXV		13	11
	EHD4X30A**	*8MPV050	23200	TDR&TXV	13.5		11.5
	EHD4X30A**	*8MPV075	23400	TDR&TXV	14		12
	EHD4X30A**	*8MPV100	23600	TDR&TXV	14.5		12.2
	EHD4X30A**	*8MPV125	23600	TDR&TXV	14.5		12.2
	EHD4X30A**	*9MPV050	23000	TDR&TXV	14		11.5
	EHD4X30A**	*9MPV075	23000	TDR&TXV	14		11.5
	EHD4X30A**	*9MPV100	23400	TDR&TXV	14		12
	EHD4X30A**	*9MPV125	23400	TDR&TXV	14		12
	EHD4X30A**	MV08B15**B*	23000	TDR&TXV	14.5		12.2
	EHD4X30A**	MV12F19**B*	23000	TDR&TXV	14.5		12.2
	EHD4X30A**		22800	TXV		13	11
	EHD4X30A**	*8MPV050	23200	TDR&TXV	13.5		11.5
	EHD4X30A**	*8MPV075	23400	TDR&TXV	14		12
	EHD4X30A**	*8MPV100	23600	TDR&TXV	14.5		12.2
	EHD4X30A**	*8MPV125	23600	TDR&TXV	14.5		12.2
	EHD4X30A**	MV08B15**B*	23000	TDR&TXV	14.5		12.2
	EHD4X30A**	MV12F19**B*	23000	TDR&TXV	14.5		12.2
	EMA4X24D**		22600	TXV		13	10.7
	EN(A,D)4X24*14**	*8MX*0451408**	22600	TDR&TXV	14		11.5
	EN(A,D)4X24*14**	*8MV*0701412**	22600	TDR&TXV	14		11.5
	EN(A,D)4X24*14**	*9MX*0401410A**	22600	TDR&TXV	13.3		11
EN(A,D)4X24*14**	*9MV*0401410A**	22400	TDR&TXV	13.5		11.2	
EN(A,D)4X24*17**	*8MX*0451408**	22600	TDR&TXV	14		11.5	
EN(A,D)4X24*17**	*8MV*0701412**	22600	TDR&TXV	14		11.5	
EN(A,D)4X24*17**	*8MV*0901716**	22600	TDR&TXV	14.5		12	
EN(A,D)4X24*17**	*9MX*0401410A**	22600	TDR&TXV	13.3		11	
EN(A,D)4X24*17**	*9MX*0601714A**	22600	TDR&TXV	14.2		11.8	
EN(A,D)4X24*17**	*9MV*0401410A**	22400	TDR&TXV	13.5		11.2	
EN(A,D)4X24*17**	*9MV*0601714A**	22400	TDR&TXV	14.2		11.8	
EN(A,D)4X24*17**	*9MV*0801716A**	22600	TDR&TXV	14.2		11.8	
EN(A,D)4X24*17**	*9MA*0601714A**	22600	TDR&TXV	14.2		11.8	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A324CKA	EN(A,D)4X24*17**	*9MA*0801714A**	22400	TDR&TXV	14.2		11.8	
	EN(A,D)4X24*17**	NOMV106D12*	22600	TDR&TXV	14		11.5	
	EN(A,D)4X24*17**	*8MPV050	22600	TDR&TXV	13.5		11	
	EN(A,D)4X24*17**	MV08B15**B*	22600	TDR&TXV	14.5		12	
	EN(A,D)4X30*14**	*8MX*0451408**	22600	TDR&TXV	14		11.5	
	EN(A,D)4X30*14**	*8MV*0701412**	22600	TDR&TXV	14.5		12	
	EN(A,D)4X30*14**	*9MX*0401410A**	22800	TDR&TXV	13.3		11	
	EN(A,D)4X30*14**	*9MV*0401410A**	22600	TDR&TXV	13.7		11.4	
	EN(A,D)4X30*14**		22600	TXV		13	11	
	EN(A,D)4X30*17**	*8MX*0451408**	22600	TDR&TXV	14.5		12	
	EN(A,D)4X30*17**	*8MV*0701412**	22600	TDR&TXV	14.5		12	
	EN(A,D)4X30*17**	*8MV*0901716**	22600	TDR&TXV	14.5		12	
	EN(A,D)4X30*17**	*9MX*0401410A**	23000	TDR&TXV	13.3		11	
	EN(A,D)4X30*17**	*9MX*0601714A**	22800	TDR&TXV	14.5		12	
	EN(A,D)4X30*17**	*9MV*0401410A**	22600	TDR&TXV	13.7		11.4	
	EN(A,D)4X30*17**	*9MV*0601714A**	22800	TDR&TXV	14.5		12	
	EN(A,D)4X30*17**	*9MV*0801716A**	23000	TDR&TXV	14.5		12	
	EN(A,D)4X30*17**	*9MA*0601714A**	22800	TDR&TXV	14.5		12	
	EN(A,D)4X30*17**	*9MA*0801714A**	22600	TDR&TXV	14.5		12	
	EN(A,D)4X30*17**	NOMV106D12*	22600	TDR&TXV	14.5		12	
	EN(A,D)4X30*17**		22600	TXV		13	11	
	EN(A,D)4X30*17**	*8MPV050	23000	TDR&TXV	14		11.5	
	EN(A,D)4X30*17**	MV08B15**B*	23000	TDR&TXV	14.5		12	
	EN(A,D)4X31*17**	*8MX*0451408**	23000	TDR&TXV	14.5		12	
	EN(A,D)4X31*17**	*8MV*0701412**	23000	TDR&TXV	14.5		12	
	EN(A,D)4X31*17**	*8MV*0901716**	23000	TDR&TXV	14.5		12	
	EN(A,D)4X31*17**	*9MX*0401410A**	23400	TDR&TXV	13.7		11.4	
	EN(A,D)4X31*17**	*9MX*0601714A**	23200	TDR&TXV	14.5		12	
	EN(A,D)4X31*17**	*9MV*0401410A**	23200	TDR&TXV	14		11.5	
	EN(A,D)4X31*17**	*9MV*0601714A**	23200	TDR&TXV	14.5		12	
	EN(A,D)4X31*17**	*9MV*0801716A**	23400	TDR&TXV	15		12.4	
	EN(A,D)4X31*17**	*9MA*0601714A**	23200	TDR&TXV	14.5		12	
	EN(A,D)4X31*17**	*9MA*0801714A**	23000	TDR&TXV	14.5		12	
	EN(A,D)4X31*17**	NOMV106D12*	23000	TDR&TXV	14.5		12	
	EN(A,D)4X31*17**		23000	TXV		13	11	
	EN(A,D)4X31*17**	*8MPV050	23000	TDR&TXV	14		11.5	
	EN(A,D)4X31*17**	MV08B15**B*	23000	TDR&TXV	14.5		12	
	ENH4X24*17**	*8MX*0451408**	22600	TDR&TXV	14		11.5	
	ENH4X24*17**	*8MV*0701412**	22600	TDR&TXV	14		11.5	
	ENH4X24*17**	*8MV*0901716**	22600	TDR&TXV	14.5		12	
ENH4X24*17**	*8MV*1102120**	22600	TDR&TXV	14		11.5		
ENH4X24*17**	*8MV*1352422**	22600	TDR&TXV	14.5		12		
ENH4X24*17**	*9MX*0401410A**	22600	TDR&TXV	13.3		11		
ENH4X24*17**	*9MX*0601714A**	22600	TDR&TXV	14.2		11.8		
ENH4X24*17**	*9MV*0401410A**	22400	TDR&TXV	13.5		11.2		
ENH4X24*17**	*9MV*0601714A**	22400	TDR&TXV	14.2		11.8		
ENH4X24*17**	*9MV*0801716A**	22600	TDR&TXV	14.2		11.8		
ENH4X24*17**	*9MV*1202422A**	22600	TDR&TXV	14.5		12		
ENH4X24*17**	*9MA*0601714A**	22600	TDR&TXV	14.2		11.8		
ENH4X24*17**	*9MA*0801714A**	22400	TDR&TXV	14.2		11.8		
ENH4X24*17**	*9MA*1202422A**	22800	TDR&TXV	14.2		11.8		
ENH4X24*17**	NOMV106D12*	22600	TDR&TXV	14		11.5		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A324CKA	ENH4X24*17**	*9MV*1002116A**	22400	TDR&TXV	14.2			11.8
	ENH4X24*17**	*9MA*1002120A**	22800	TDR&TXV	14.2			11.8
	ENH4X24*17**		22600	TXV		13		11
	ENH4X24*17**	*8MPV050	22600	TDR&TXV	13.5			11
	ENH4X24*17**	*8MPV075	22600	TDR&TXV	14			11.5
	ENH4X24*17**	*8MPV100	23000	TDR&TXV	14			11.5
	ENH4X24*17**	*8MPV125	23000	TDR&TXV	14			11.5
	ENH4X24*17**	MV08B15**B*	22600	TDR&TXV	14.5			12
	ENH4X24*17**	MV12F19**B*	22600	TDR&TXV	14.5			12
	ENH4X30*17**	*8MX*0451408**	23000	TDR&TXV	14.5			12
	ENH4X30*17**	*8MV*0701412**	22600	TDR&TXV	14.5			12
	ENH4X30*17**	*8MV*0901716**	22600	TDR&TXV	14.5			12
	ENH4X30*17**	*8MV*1102120**	22600	TDR&TXV	14.5			12
	ENH4X30*17**	*8MV*1352422**	22600	TDR&TXV	14.5			12
	ENH4X30*17**	*9MX*0401410A**	23000	TDR&TXV	13.3			11
	ENH4X30*17**	*9MX*0601714A**	22800	TDR&TXV	14.5			12
	ENH4X30*17**	*9MV*0401410A**	22600	TDR&TXV	13.7			11.4
	ENH4X30*17**	*9MV*0601714A**	22800	TDR&TXV	14.5			12
	ENH4X30*17**	*9MV*0801716A**	23000	TDR&TXV	14.5			12
	ENH4X30*17**	*9MV*1202422A**	23000	TDR&TXV	14.5			12
	ENH4X30*17**	*9MA*0601714A**	22800	TDR&TXV	14.5			12
	ENH4X30*17**	*9MA*0801714A**	22600	TDR&TXV	14.5			12
	ENH4X30*17**	*9MA*1202422A**	22800	TDR&TXV	14.5			12
	ENH4X30*17**	NOMV106D12*	22600	TDR&TXV	14.5			12
	ENH4X30*17**	*9MV*1002116A**	22800	TDR&TXV	14.5			12
	ENH4X30*17**	*9MA*1002120A**	23000	TDR&TXV	14.5			12
	ENH4X30*17**		22600	TXV	13			11
	ENH4X30*17**	*8MPV050	23000	TDR&TXV	14			11.5
	ENH4X30*17**	*8MPV075	23000	TDR&TXV	14.5			12
	ENH4X30*17**	MV08B15**B*	23000	TDR&TXV	14.5			12
	ENH4X30*17**	MV12F19**B*	23000	TDR&TXV	14.5			12
	ENH4X30*17**		22600	TXV		13		11
	ENH4X31*17**	*8MX*0451408**	23000	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*0701412**	23000	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*0901716**	23000	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*1102120**	23000	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*1352422**	23000	TDR&TXV	14.5			12
	ENH4X31*17**	*9MX*0401410A**	23400	TDR&TXV	13.7			11.4
	ENH4X31*17**	*9MX*0601714A**	23200	TDR&TXV	14.5			12
	ENH4X31*17**	*9MV*0401410A**	23200	TDR&TXV	14			11.5
ENH4X31*17**	*9MV*0601714A**	23200	TDR&TXV	14.5			12	
ENH4X31*17**	*9MV*0801716A**	23400	TDR&TXV	15			12.5	
ENH4X31*17**	*9MV*1202422A**	23600	TDR&TXV	15			12.5	
ENH4X31*17**	*9MA*0601714A**	23200	TDR&TXV	14.5			12	
ENH4X31*17**	*9MA*0801714A**	23000	TDR&TXV	14.5			12	
ENH4X31*17**	*9MA*1202422A**	23400	TDR&TXV	15			12.5	
ENH4X31*17**	NOMV106D12*	23000	TDR&TXV	14.5			12	
ENH4X31*17**	*9MV*1002116A**	23200	TDR&TXV	15			12.4	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A324CKA	ENH4X31*17**	*9MA*1002120A**	23400	TDR&TXV	14.5			12
	ENH4X31*17**		23000	TXV		13		11
	ENH4X31*17**	*8MPV050	23000	TDR&TXV	14			11.5
	ENH4X31*17**	*8MPV075	23000	TDR&TXV	14.5			12
	ENH4X31*17**	MV08B15**B*	23000	TDR&TXV	14.5			12
	ENH4X31*17**	MV12F19**B*	23000	TDR&TXV	14.5			12

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A330CKA	*ED*4X30B**		29000	TXV		13		11
	FEA4X30**A*		29200	TDR&TXV	14			12
	FEA4X36**A*		29400	TDR&TXV	14			11.5
	FEM4P30**A*		28000	TDR			13	11
	FEM4P30**A*		28000	TDR	13			11
	FEM4P36**A*		28000	TDR			13	11
	FEM4P36**A*		28000	TDR	13			11
	FEM4P42**A*		29800	TDR			13.5	11.5
	FEM4X30****		29200	TDR&TXV	14			12
	FEM4X36****		29800	TDR&TXV	14			12
	FS(M,U)4P30**A*		28000	TDR			13	11
	FS(M,U)4P30**A*		28000	TDR	13			11
	FS(M,U)4P36**A*		28000	TDR			13	11
	FS(M,U)4P36**A*		28000	TDR	13			11
	FS(M,U)4X30****		29000	TDR&TXV	13			11
	FSA4X30**A*		28800	TDR&TXV	13			11
	FSA4X36**A*		29200	TDR&TXV	13			11
	FSM4X36****		29600	TDR&TXV	13			11
	FSU4X36****		29200	TDR&TXV	13			11
	FVM4X24****		29200	TDR&TXV	14.5			12.2
	FVM4X36****		29200	TDR&TXV	14.5			12.2
	FVM4X48****		30000	TDR&TXV	15			12.5
	FXM4X30**A*		29600	TDR&TXV	14.5			12.2
	FXM4X36**A*		30000	TDR&TXV	14.5			12.2
	FXM4X42**A*		29800	TDR&TXV	14			12
	EA*4X30*14A*	*8MV*0701412**	28800	TDR&TXV	14			11.7
	EA*4X30*14A*		29000	TXV		13		11
	EA*4X30*17A*	*8MX*0701716**	29000	TDR&TXV	14			11.7
	EA*4X30*17A*	*8MV*0701412**	28800	TDR&TXV	14			11.7
	EA*4X30*17A*	*8MV*0901716**	28800	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MX*0601714A**	29000	TDR&TXV	14.2			11.8
	EA*4X30*17A*	*9MX*0801716A**	29200	TDR&TXV	14.2			11.8
	EA*4X30*17A*	*9MV*0601714A**	28800	TDR&TXV	14.2			11.8
	EA*4X30*17A*	*9MV*0801716A**	29000	TDR&TXV	14.5			12
	EA*4X30*17A*	*9MA*0601714A**	28800	TDR&TXV	14.2			11.8
	EA*4X30*17A*	*9MA*0801714A**	29000	TDR&TXV	14.5			12
	EA*4X30*17A*		29000	TXV		13		11
	EA*4X36*14A*	*8MV*0701412**	28800	TDR&TXV	14			11.7
	EA*4X36*14A*		29200	TXV		13		11.2
	EA*4X36*17A*	*8MX*0701716**	29200	TDR&TXV	14			11.7
	EA*4X36*17A*	*8MV*0701412**	29000	TDR&TXV	14			11.7
	EA*4X36*17A*	*8MV*0901716**	29000	TDR&TXV	14.5			12
	EA*4X36*17A*	*9MX*0601714A**	29200	TDR&TXV	14.2			11.8
	EA*4X36*17A*	*9MX*0801716A**	29400	TDR&TXV	14.5			12
	EA*4X36*17A*	*9MV*0601714A**	29000	TDR&TXV	14.5			12
	EA*4X36*17A*	*9MV*0801716A**	29000	TDR&TXV	14.5			12
	EA*4X36*17A*	*9MA*0601714A**	28800	TDR&TXV	14.2			11.8
	EA*4X36*17A*	*9MA*0801714A**	29000	TDR&TXV	14.5			12

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A330CKA	EA*4X36*17A*		29200	TXV		13		11.2
	EA*4X36*21A*	*8MX*0701716**	29200	TDR&TXV	14			11.7
	EA*4X36*21A*	*8MX*0902116**	29400	TDR&TXV	14.5			12
	EA*4X36*21A*	*8MV*0901716**	29000	TDR&TXV	14.5			12.2
	EA*4X36*21A*	*8MV*1102120**	29000	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MX*0601714A**	29200	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MX*0801716A**	29400	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MV*0601714A**	29000	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MV*0801716A**	29200	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MV*0802120A**	29200	TDR&TXV	14.5			12.2
	EA*4X36*21A*	*9MV*1002120A**	29000	TDR&TXV	14.5			12.2
	EA*4X36*21A*	*9MA*0601714A**	29000	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MA*0801714A**	29000	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MA*0802120A**	29200	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MA*1002122A**	29200	TDR&TXV	14.5			12.2
	EA*4X36*21A*	*9MA*0602120A**	29000	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MV*1002116A**	29200	TDR&TXV	14.5			12
	EA*4X36*21A*	*9MA*1002120A**	29200	TDR&TXV	14.5			12
	EA*4X36*21A*		29200	TXV		13		11.2
	ED*4X30B**	*8MPV050	29000	TDR&TXV	13			11
	ED*4X30B**	MV08B15**B*	29000	TDR&TXV	14.5			12.2
	ED*4X30F**	*9MX*0601714A**	29000	TDR&TXV	14.2			11.8
	ED*4X30F**	*9MX*0801716A**	29200	TDR&TXV	14.2			11.8
	ED*4X30F**	*9MV*0601714A**	28800	TDR&TXV	14.2			11.8
	ED*4X30F**	*9MV*0801716A**	29000	TDR&TXV	14.5			12
	ED*4X30F**	*9MV*0802120A**	29000	TDR&TXV	14.5			12
	ED*4X30F**	*9MV*1002120A**	28800	TDR&TXV	14.5			12
	ED*4X30F**	*9MA*0601714A**	28800	TDR&TXV	14.2			11.8
	ED*4X30F**	*9MA*0801714A**	29000	TDR&TXV	14.5			12
	ED*4X30F**	*9MA*0802120A**	29000	TDR&TXV	14.5			12
	ED*4X30F**	*9MA*1002122A**	29200	TDR&TXV	14.5			12
	ED*4X30F**	*9MA*0602120A**	29000	TDR&TXV	14.2			11.8
	ED*4X30F**	*9MVX040	29000	TDR&TXV	13.5			11.5
	ED*4X30F**	*9MVX060	29000	TDR&TXV	14			11.5
	ED*4X30F**	*9MV*1002116A**	29000	TDR&TXV	14.5			12
	ED*4X30F**	*9MA*1002120A**	29000	TDR&TXV	14.5			12
	ED*4X30F**		29000	TXV		13		11
	ED*4X30F**	*8MPV075	29200	TDR&TXV	14			12
	ED*4X30F**	*9MPV050	28800	TDR&TXV	13.5			11.5
	ED*4X30F**	*9MPV075	29000	TDR&TXV	13.5			11.5
	ED*4X30F**	MV12F19**B*	29200	TDR&TXV	14.5			12.2
	ED*4X36B**		28400	TXV		13		11.2
	ED*4X36B**	*8MPV050	28200	TDR&TXV	13.5			11.5
	ED*4X36B**	MV08B15**B*	28400	TDR&TXV	14.5			12.2
	ED*4X36F**	*9MX*0601714A**	29200	TDR&TXV	14.2			11.8
	ED*4X36F**	*9MX*0801716A**	29400	TDR&TXV	14.5			12
	ED*4X36F**	*9MV*0601714A**	29000	TDR&TXV	14.5			12
	ED*4X36F**	*9MV*0801716A**	29000	TDR&TXV	14.5			12
	ED*4X36F**	*9MV*0801716A**	29000	TDR&TXV	14			11.7
	ED*4X36F**	*9MV*0802120A**	29200	TDR&TXV	14.5			12
	ED*4X36F**	*9MA*0601714A**	28800	TDR&TXV	14.2			11.8
	ED*4X36F**	*9MA*0801714A**	29000	TDR&TXV	14.5			12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A330CKA	ED*4X36F**	*9MA*0802120A**	29000	TDR&TXV	14.5			12
	ED*4X36F**	*9MA*1002122A**	29200	TDR&TXV	14.5			12
	ED*4X36F**	*9MA*0602120A**	29000	TDR&TXV	14.2			11.8
	ED*4X36F**	*9MVX040	29000	TDR&TXV	13.5			11.5
	ED*4X36F**	*9MVX060	29200	TDR&TXV	14			12
	ED*4X36F**	*9MV*1002116A**	29000	TDR&TXV	14.5			12
	ED*4X36F**	*9MA*1002120A**	29200	TDR&TXV	14.5			12
	ED*4X36F**		29200	TXV		13		11.2
	ED*4X36F**	*8MPV075	29400	TDR&TXV	14			12
	ED*4X36F**	*9MPV050	29000	TDR&TXV	13.5			11.5
	ED*4X36F**	*9MPV075	29000	TDR&TXV	14			11.5
	ED*4X36F**	MV12F19**B*	29200	TDR&TXV	15			12.5
	ED*4X36J**	*9MV*0802120A**	29200	TDR&TXV	14.5			12.2
	ED*4X36J**	*9MV*1002120A**	29000	TDR&TXV	14.5			12.2
	ED*4X36J**	*9MV*1202422A**	29400	TDR&TXV	14.5			12
	ED*4X36J**	*9MA*0802120A**	29200	TDR&TXV	14.5			12
	ED*4X36J**	*9MA*1002122A**	29200	TDR&TXV	14.5			12.2
	ED*4X36J**	*9MA*1202422A**	29200	TDR&TXV	14.5			12
	ED*4X36J**	*9MA*0602120A**	29000	TDR&TXV	14.5			12
	ED*4X36J**	*9MVX080	29600	TDR&TXV	14.5			12.2
	ED*4X36J**	*9MV*1002116A**	29200	TDR&TXV	14.5			12
	ED*4X36J**	*9MA*1002120A**	29200	TDR&TXV	14.5			12
	ED*4X36J**		29200	TXV		13		11.2
	ED*4X36J**	*8MPV100	29600	TDR&TXV	14.5			12.2
	ED*4X36J**	*8MPV125	29600	TDR&TXV	14.5			12.2
	ED*4X36J**	*9MPV100	29600	TDR&TXV	14.5			12.2
	EHD4X30A**	*8MX*0701716**	29000	TDR&TXV	14			11.5
	EHD4X30A**	*8MX*0902116**	29000	TDR&TXV	14.5			12
	EHD4X30A**	*8MV*0701412**	29000	TDR&TXV	14.5			12
	EHD4X30A**	*8MV*0901716**	29000	TDR&TXV	14.5			12
	EHD4X30A**	*8MV*1102120**	29000	TDR&TXV	14.5			12
	EHD4X30A**	*8MV*1352422**	29000	TDR&TXV	14.5			12
	EHD4X30A**	*9MX*0601714A**	29200	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MX*0801716A**	29400	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MV*0601714A**	29000	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MV*0801716A**	29000	TDR&TXV	14.5			12
	EHD4X30A**	*9MV*0802120A**	29000	TDR&TXV	14.5			12
	EHD4X30A**	*9MV*1002120A**	28800	TDR&TXV	14.5			12
	EHD4X30A**	*9MV*1202422A**	29000	TDR&TXV	14.5			12
	EHD4X30A**	*9MA*0601714A**	29000	TDR&TXV	14.2			11.8
	EHD4X30A**	*9MA*0801714A**	29200	TDR&TXV	14.5			12
	EHD4X30A**	*9MA*0802120A**	29200	TDR&TXV	14.2			12
	EHD4X30A**	*9MA*1002122A**	29400	TDR&TXV	14.5			12
	EHD4X30A**	*9MA*1202422A**	29200	TDR&TXV	14.5			12
	EHD4X30A**	*9MA*0602120A**	29200	TDR&TXV	14.2			11.8
EHD4X30A**	NOMV106D12*	28600	TDR&TXV	14.5			12	
EHD4X30A**	*9MVX040	29000	TDR&TXV	13.5			11.5	
EHD4X30A**	*9MVX060	29000	TDR&TXV	14			11.5	
EHD4X30A**	*9MVX080	29000	TDR&TXV	14			12	
EHD4X30A**	*9MVX100	29000	TDR&TXV	14			12	
EHD4X30A**	*9MV*1002116A**	29000	TDR&TXV	14.5			12	
EHD4X30A**	*9MA*1002120A**	29200	TDR&TXV	14.5			12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A330CKA	EHD4X30A**		29000	TXV				11
	EHD4X30A**	*8MPV050	29000	TDR&TXV	13			11
	EHD4X30A**	*8MPV075	29200	TDR&TXV	14			12
	EHD4X30A**	*8MPV100	29000	TDR&TXV	14			12
	EHD4X30A**	*8MPV125	29000	TDR&TXV	14.5			12.2
	EHD4X30A**	*9MPV050	28800	TDR&TXV	13.5			11.5
	EHD4X30A**	*9MPV075	29000	TDR&TXV	13.5			11.5
	EHD4X30A**	*9MPV100	29000	TDR&TXV	14			12
	EHD4X30A**	*9MPV125	29000	TDR&TXV	14			12
	EHD4X30A**	MV08B15**B*	29000	TDR&TXV	14.5			12.2
	EHD4X30A**	MV12F19**B*	29200	TDR&TXV	14.5			12.2
	EHD4X30A**		29000	TXV		13		11
	EHD4X30A**	*8MPV050	29000	TDR&TXV	13			11
	EHD4X30A**	*8MPV075	29200	TDR&TXV	14			12
	EHD4X30A**	*8MPV100	29000	TDR&TXV	14			12
	EHD4X30A**	*8MPV125	29000	TDR&TXV	14.5			12.2
	EHD4X30A**	MV08B15**B*	29000	TDR&TXV	14.5			12.2
	EHD4X30A**	MV12F19**B*	29200	TDR&TXV	14.5			12.2
	EHD4X36A**	*8MX*0701716**	29000	TDR&TXV	14.5			12
	EHD4X36A**	*8MX*0902116**	29600	TDR&TXV	14.5			12
	EHD4X36A**	*8MV*0701412**	29200	TDR&TXV	14.5			12
	EHD4X36A**	*8MV*0901716**	29200	TDR&TXV	14.5			12
	EHD4X36A**	*8MV*1102120**	29000	TDR&TXV	14.5			12
	EHD4X36A**	*8MV*1352422**	29000	TDR&TXV	14.5			12
	EHD4X36A**	*9MX*0601714A**	29800	TDR&TXV	14.5			12
	EHD4X36A**	*9MX*0801716A**	30000	TDR&TXV	14.5			12
	EHD4X36A**	*9MV*0601714A**	29400	TDR&TXV	14.5			12
	EHD4X36A**	*9MV*0801716A**	29600	TDR&TXV	14.5			12
	EHD4X36A**	*9MV*0802120A**	29600	TDR&TXV	14.5			12.2
	EHD4X36A**	*9MV*1002120A**	29400	TDR&TXV	14.5			12.2
	EHD4X36A**	*9MV*1202422A**	29800	TDR&TXV	15			12.5
	EHD4X36A**	*9MA*0601714A**	29400	TDR&TXV	14.5			12
	EHD4X36A**	*9MA*0801714A**	29600	TDR&TXV	14.5			12
	EHD4X36A**	*9MA*0802120A**	29600	TDR&TXV	14.5			12.2
	EHD4X36A**	*9MA*1002122A**	29800	TDR&TXV	14.5			12.2
	EHD4X36A**	*9MA*1202422A**	29600	TDR&TXV	15			12.5
	EHD4X36A**	*9MA*0602120A**	29600	TDR&TXV	14.5			12
	EHD4X36A**	NOMV106D12*	29000	TDR&TXV	14.5			12
	EHD4X36A**	*9MVX040	29000	TDR&TXV	13.5			11.5
	EHD4X36A**	*9MVX060	29200	TDR&TXV	14			12
	EHD4X36A**	*9MVX080	29400	TDR&TXV	14			12
	EHD4X36A**	*9MVX100	29200	TDR&TXV	14.5			12.2
	EHD4X36A**	*9MV*1002116A**	29600	TDR&TXV	14.5			12
	EHD4X36A**	*9MA*1002120A**	29800	TDR&TXV	14.5			12
EHD4X36A**		29200	TXV		13		11.2	
EHD4X36A**	*8MPV050	29000	TDR&TXV	13.5			11.5	
EHD4X36A**	*8MPV075	29400	TDR&TXV	14			11.5	
EHD4X36A**	*8MPV100	29400	TDR&TXV	14.5			12.2	
EHD4X36A**	*8MPV125	29400	TDR&TXV	14.5			12.2	
EHD4X36A**	*9MPV050	29000	TDR&TXV	13.5			11.5	
EHD4X36A**	*9MPV075	29000	TDR&TXV	14			12	
EHD4X36A**	*9MPV100	29400	TDR&TXV	14			12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A330CKA	EHD4X36A**	*9MPV125	29400	TDR&TXV	14.5			12.2
	EHD4X36A**	MV08B15**B*	29200	TDR&TXV	14.5			12.2
	EHD4X36A**	MV12F19**B*	29200	TDR&TXV	15			12.5
	EHD4X36A**		29200	TXV		13		11.2
	EHD4X36A**	*8MPV050	29000	TDR&TXV	13.5			11.5
	EHD4X36A**	*8MPV075	29400	TDR&TXV	14			11.5
	EHD4X36A**	*8MPV100	29400	TDR&TXV	14.5			12.2
	EHD4X36A**	*8MPV125	29400	TDR&TXV	14.5			12.2
	EHD4X36A**	MV08B15**B*	29200	TDR&TXV	14.5			12.2
	EHD4X36A**	MV12F19**B*	29200	TDR&TXV	15			12.5
	EMA4X36D**		29000	TXV		13		11.2
	EMA4X36D**		29000	TXV		13		11.2
	EN(A,D)4X30*14**	*8MV*0701412**	28600	TDR&TXV	14			12
	EN(A,D)4X30*14**		29000	TXV		13		11
	EN(A,D)4X30*17**	*8MX*0701716**	29000	TDR&TXV	14			11.5
	EN(A,D)4X30*17**	*8MV*0701412**	28600	TDR&TXV	14.5			12
	EN(A,D)4X30*17**	*8MV*0901716**	28600	TDR&TXV	14.5			12
	EN(A,D)4X30*17**	*9MX*0601714A**	29000	TDR&TXV	14.2			11.8
	EN(A,D)4X30*17**	*9MX*0801716A**	29200	TDR&TXV	14.2			11.8
	EN(A,D)4X30*17**	*9MV*0601714A**	28800	TDR&TXV	14.2			11.8
	EN(A,D)4X30*17**	*9MV*0801716A**	29000	TDR&TXV	14.5			12
	EN(A,D)4X30*17**	*9MA*0601714A**	28800	TDR&TXV	14.2			11.8
	EN(A,D)4X30*17**	*9MA*0801714A**	29000	TDR&TXV	14.5			12
	EN(A,D)4X30*17**	NOMV106D12*	28400	TDR&TXV	14.5			12
	EN(A,D)4X30*17**		29000	TXV		13		11
	EN(A,D)4X30*17**	*8MPV050	29000	TDR&TXV	13.5			11
	EN(A,D)4X30*17**	MV08B15**B*	29000	TDR&TXV	14			12
	EN(A,D)4X31*17**	*8MX*0701716**	29600	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	*8MV*0701412**	29400	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	*8MV*0901716**	29400	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	*9MX*0601714A**	29800	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	*9MX*0801716A**	30000	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	*9MV*0601714A**	29600	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	*9MV*0801716A**	29600	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	*9MA*0601714A**	29400	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	*9MA*0801714A**	29600	TDR&TXV	14.5			12
	EN(A,D)4X31*17**	NOMV106D12*	29200	TDR&TXV	14.5			12
	EN(A,D)4X31*17**		29600	TXV		13		11
	EN(A,D)4X31*17**	*8MPV050	29600	TDR&TXV	14			11.5
	EN(A,D)4X31*17**	MV08B15**B*	29600	TDR&TXV	14.5			12
	EN(A,D)4X36*21**	*8MX*0701716**	29000	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*8MX*0902116**	29000	TDR&TXV	14.5			12
	EN(A,D)4X36*21**	*8MV*0901716**	28600	TDR&TXV	14.5			12
	EN(A,D)4X36*21**	*8MV*1102120**	29000	TDR&TXV	14.5			12
EN(A,D)4X36*21**	*9MX*0601714A**	29000	TDR&TXV	14.2			11.8	
EN(A,D)4X36*21**	*9MX*0801716A**	29200	TDR&TXV	14.2			11.8	
EN(A,D)4X36*21**	*9MV*0601714A**	28800	TDR&TXV	14.2			11.8	
EN(A,D)4X36*21**	*9MV*0801716A**	29000	TDR&TXV	14.5			12	
EN(A,D)4X36*21**	*9MV*0802120A**	29000	TDR&TXV	14.5			12	
EN(A,D)4X36*21**	*9MV*1002120A**	28800	TDR&TXV	14.5			12	
EN(A,D)4X36*21**	*9MA*0601714A**	28800	TDR&TXV	14.2			11.8	
EN(A,D)4X36*21**	*9MA*0801714A**	29000	TDR&TXV	14.5			12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A330CKA	EN(A,D)4X36*21**	*9MA*0802120A**	29000	TDR&TXV	14.5			12
	EN(A,D)4X36*21**	*9MA*1002122A**	29200	TDR&TXV	14.5			12
	EN(A,D)4X36*21**	*9MA*0602120A**	29000	TDR&TXV	14.2			11.8
	EN(A,D)4X36*21**	NOMV106D12*	28400	TDR&TXV	14.5			12
	EN(A,D)4X36*21**	*9MV*1002116A**	29000	TDR&TXV	14.5			12
	EN(A,D)4X36*21**	*9MA*1002120A**	29200	TDR&TXV	14.5			12
	EN(A,D)4X36*21**		29000	TXV		13		11
	EN(A,D)4X36*21**	*8MPV075	29000	TDR&TXV	14			12
	EN(A,D)4X36*21**	MV12F19**B*	29000	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*8MX*0701716**	30000	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*8MV*0701412**	29600	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*8MV*0901716**	29600	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MX*0601714A**	30000	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MX*0801716A**	30000	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MV*0601714A**	30000	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MV*0801716A**	30000	TDR&TXV	15			12.5
	EN(A,D)4X37*17**	*9MA*0601714A**	29800	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MA*0801714A**	30000	TDR&TXV	15			12.5
	EN(A,D)4X37*17**	NOMV106D12*	29400	TDR&TXV	14.5			12
	EN(A,D)4X37*17**		30000	TXV		13		11
	EN(A,D)4X37*17**	*8MPV050	30000	TDR&TXV	13			11.5
	EN(A,D)4X37*17**	MV08B15**B*	30000	TDR&TXV	14.5			12
	EN(A,D,W)4X36*17**	*8MX*0701716**	29000	TDR&TXV	14			11.5
	EN(A,D,W)4X36*17**	*8MV*0701412**	28600	TDR&TXV	14.5			12
	EN(A,D,W)4X36*17**	*8MV*0901716**	28600	TDR&TXV	14.5			12
	EN(A,D,W)4X36*17**	*9MX*0601714A**	29000	TDR&TXV	14.2			11.8
	EN(A,D,W)4X36*17**	*9MX*0801716A**	29200	TDR&TXV	14.2			11.8
	EN(A,D,W)4X36*17**	*9MV*0601714A**	28800	TDR&TXV	14.2			11.8
	EN(A,D,W)4X36*17**	*9MV*0801716A**	29000	TDR&TXV	14.5			12
	EN(A,D,W)4X36*17**	*9MA*0601714A**	28800	TDR&TXV	14.2			11.8
	EN(A,D,W)4X36*17**	*9MA*0801714A**	29000	TDR&TXV	14.5			12
	EN(A,D,W)4X36*17**	NOMV106D12*	28400	TDR&TXV	14.5			12
	EN(A,D,W)4X36*17**		29000	TXV		13		11
	EN(A,D,W)4X36*17**	*8MPV050	29000	TDR&TXV	13.5			11
	EN(A,D,W)4X36*17**	MV08B15**B*	29000	TDR&TXV	14.5			12
	ENH4X30*17**	*8MX*0701716**	29000	TDR&TXV	14			11.5
	ENH4X30*17**	*8MX*0902116**	29000	TDR&TXV	14.5			12
	ENH4X30*17**	*8MV*0701412**	28600	TDR&TXV	14.5			12
	ENH4X30*17**	*8MV*0901716**	28600	TDR&TXV	14.5			12
	ENH4X30*17**	*8MV*1102120**	29000	TDR&TXV	14.5			12
ENH4X30*17**	*8MV*1352422**	29000	TDR&TXV	14.5			12	
ENH4X30*17**	*9MX*0601714A**	29000	TDR&TXV	14.2			11.8	
ENH4X30*17**	*9MX*0801716A**	29200	TDR&TXV	14.2			11.8	
ENH4X30*17**	*9MV*0601714A**	28800	TDR&TXV	14.2			11.8	
ENH4X30*17**	*9MV*0801716A**	29000	TDR&TXV	14.5			12	
ENH4X30*17**	*9MV*1202422A**	29000	TDR&TXV	14.5			12	
ENH4X30*17**	*9MA*0601714A**	28800	TDR&TXV	14.2			11.8	
ENH4X30*17**	*9MA*0801714A**	29000	TDR&TXV	14.5			12	
ENH4X30*17**	*9MA*1202422A**	29000	TDR&TXV	14.5			12	
ENH4X30*17**	NOMV106D12*	28400	TDR&TXV	14.5			12	
ENH4X30*17**	*9MV*1002116A**	29000	TDR&TXV	14.5			12	
ENH4X30*17**	*9MA*1002120A**	29200	TDR&TXV	14.5			12	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35° C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A330CKA	ENH4X30*17**		29000	TXV				11
	ENH4X30*17**	*8MPV050	29000	TDR&TXV	13.5			11
	ENH4X30*17**	*8MPV075	29000	TDR&TXV	14			11.5
	ENH4X30*17**	*8MPV100	29000	TDR&TXV	14.5			12
	ENH4X30*17**	*8MPV125	29000	TDR&TXV	14.5			12
	ENH4X30*17**	MV08B15**B*	29000	TDR&TXV	14.5			12
	ENH4X30*17**	MV12F19**B*	29000	TDR&TXV	14.5			12
	ENH4X31*17**	*8MX*0701716**	29600	TDR&TXV	14.5			12
	ENH4X31*17**	*8MX*0902116**	29600	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*0701412**	29400	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*0901716**	29400	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*1102120**	29400	TDR&TXV	14.5			12
	ENH4X31*17**	*8MV*1352422**	29400	TDR&TXV	14.5			12
	ENH4X31*17**	*9MX*0601714A**	29800	TDR&TXV	14.5			12
	ENH4X31*17**	*9MX*0801716A**	30000	TDR&TXV	14.5			12
	ENH4X31*17**	*9MV*0601714A**	29600	TDR&TXV	14.5			12
	ENH4X31*17**	*9MV*0801716A**	29600	TDR&TXV	14.5			12
	ENH4X31*17**	*9MV*1202422A**	29800	TDR&TXV	15			12.5
	ENH4X31*17**	*9MA*0601714A**	29400	TDR&TXV	14.5			12
	ENH4X31*17**	*9MA*0801714A**	29600	TDR&TXV	14.5			12
	ENH4X31*17**	*9MA*1202422A**	29800	TDR&TXV	15			12.5
	ENH4X31*17**	NOMV106D12*	29200	TDR&TXV	14.5			12
	ENH4X31*17**	*9MV*1002116A**	29600	TDR&TXV	14.5			12
	ENH4X31*17**	*9MA*1002120A**	29800	TDR&TXV	14.5			12
	ENH4X31*17**		29600	TXV		13		11
	ENH4X31*17**	*8MPV050	29600	TDR&TXV	14			11.5
	ENH4X31*17**	*8MPV075	30000	TDR&TXV	14.5			12
	ENH4X31*17**	*8MPV100	30000	TDR&TXV	14.5			12
	ENH4X31*17**	*8MPV125	30000	TDR&TXV	14.5			12
	ENH4X31*17**	MV08B15**B*	29600	TDR&TXV	14.5			12
	ENH4X31*17**	MV12F19**B*	29600	TDR&TXV	14.5			12
	ENH4X36*17**	*8MX*0701716**	29000	TDR&TXV	14			11.5
	ENH4X36*17**	*8MX*0902116**	29000	TDR&TXV	14.5			12
	ENH4X36*17**	*8MV*0701412**	28600	TDR&TXV	14.5			12
	ENH4X36*17**	*8MV*0901716**	28600	TDR&TXV	14.5			12
	ENH4X36*17**	*8MV*1102120**	29000	TDR&TXV	14.5			12
	ENH4X36*17**	*8MV*1352422**	29000	TDR&TXV	14.5			12
	ENH4X36*17**	*9MX*0601714A**	29000	TDR&TXV	14.2			11.8
	ENH4X36*17**	*9MX*0801716A**	29200	TDR&TXV	14.2			11.8
	ENH4X36*17**	*9MV*0601714A**	28800	TDR&TXV	14.2			11.8
	ENH4X36*17**	*9MV*0801716A**	29000	TDR&TXV	14.5			12
	ENH4X36*17**	*9MV*1202422A**	29000	TDR&TXV	14.5			12
	ENH4X36*17**	*9MA*0601714A**	28800	TDR&TXV	14.2			11.8
	ENH4X36*17**	*9MA*0801714A**	29000	TDR&TXV	14.5			12
	ENH4X36*17**	*9MA*1202422A**	29000	TDR&TXV	14.5			12
	ENH4X36*17**	NOMV106D12*	28400	TDR&TXV	14.5			12
	ENH4X36*17**	*9MV*1002116A**	29000	TDR&TXV	14.5			12
	ENH4X36*17**	*9MA*1002120A**	29200	TDR&TXV	14.5			12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A330CKA	ENH4X36*17**		29000	TXV		13		11
	ENH4X36*17**	*8MPV050	29000	TDR&TXV	13.5			11
	ENH4X36*17**	*8MPV075	29000	TDR&TXV	14			11.5
	ENH4X36*17**	*8MPV100	29000	TDR&TXV	14.5			12
	ENH4X36*17**	*8MPV125	29000	TDR&TXV	14.5			12
	ENH4X36*17**	MV08B15**B*	29000	TDR&TXV	14.5			12
	ENH4X36*17**	MV12F19**B*	29000	TDR&TXV	14.5			12

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A336CKA	*ED*4X36F**		34400	TXV		13		10.7
	FEA4X36**A*		34400	TDR&TXV	13			11
	FEM4P36**A*		34000	TDR			13	11
	FEM4P36**A*		34000	TDR	13			11
	FEM4P42**A*		34000	TDR			13	11
	FEM4P42**A*		34000	TDR	13			11
	FEM4P48**A*		35400	TDR			14	12
	FEM4X36****		35400	TDR&TXV	14			11.5
	FEM4X42****		35400	TDR&TXV	14			11.5
	FS(M,U)4P36**A*		34000	TDR			13	11
	FS(M,U)4P36**A*		34000	TDR	13			11
	FS(M,U)4P42**A*		34000	TDR			13	11
	FS(M,U)4P42**A*		34000	TDR	13			11
	FS(M,U)4X42****		35000	TDR&TXV	13			11
	FSA4X36**A*		34000	TDR&TXV	13			11
	FSM4X36****		34600	TDR&TXV	13			11
	FSU4X36****		34400	TDR&TXV	13			10.8
	FVM4X24****		34400	TDR&TXV	14			11.5
	FVM4X36****		34400	TDR&TXV	14.5			12
	FVM4X48****		35600	TDR&TXV	15			12.5
	FVM4X60****		36000	TDR&TXV	15			12.5
	FXM4X36**A*		35600	TDR&TXV	14.5			12.2
	FXM4X42**A*		35600	TDR&TXV	14.5			12.2
	FXM4X48**A*		36200	TDR&TXV	14.5			12.2
	EA*4X36*14A*	*8MX*0451408**	34000	TDR&TXV	13.2			11
	EA*4X36*14A*	*8MV*0701412**	34000	TDR&TXV	13.7			11.3
	EA*4X36*14A*		34000	TXV		13		11
	EA*4X36*17A*	*8MX*0451408**	34000	TDR&TXV	13.2			11
	EA*4X36*17A*	*8MX*0701716**	34200	TDR&TXV	13.5			11.3
	EA*4X36*17A*	*8MV*0701412**	34000	TDR&TXV	13.7			11.3
	EA*4X36*17A*	*8MV*0901716**	34200	TDR&TXV	14			11.5
	EA*4X36*17A*	*9MX*0601714A**	34000	TDR&TXV	13.7			11.4
	EA*4X36*17A*	*9MX*0801716A**	34200	TDR&TXV	14			11.5
	EA*4X36*17A*	*9MV*0601714A**	34000	TDR&TXV	13.7			11.4
	EA*4X36*17A*	*9MV*0801716A**	34200	TDR&TXV	14			11.5
	EA*4X36*17A*	*9MA*0601714A**	33600	TDR&TXV	14			11.5
	EA*4X36*17A*	*9MA*0801714A**	33800	TDR&TXV	14.2			11.7
	EA*4X36*17A*	--	34400	TXV	--	13		10.8
	EA*4X36*21A*	*8MX*0701716**	34200	TDR&TXV	13.7			11.3
	EA*4X36*21A*	*8MX*0902116**	34400	TDR&TXV	14			11.7
	EA*4X36*21A*	*8MX*1102120**	34600	TDR&TXV	14.5			12
	EA*4X36*21A*	*8MV*0901716**	34200	TDR&TXV	14			11.7
	EA*4X36*21A*	*8MV*1102120**	34200	TDR&TXV	14			11.7
	EA*4X36*21A*	*9MX*0601714A**	34200	TDR&TXV	14			11.5
	EA*4X36*21A*	*9MX*0801716A**	34200	TDR&TXV	14.2			11.7
	EA*4X36*21A*	*9MX*1002120A**	34800	TDR&TXV	14			11.5
	EA*4X36*21A*	*9MV*0601714A**	34200	TDR&TXV	13.7			11.4
	EA*4X36*21A*	*9MV*0801716A**	34200	TDR&TXV	14.2			11.7

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A336CKA	EA*4X36*21A*	*9MV*0802120A**	34200	TDR&TXV	14.2			11.7
	EA*4X36*21A*	*9MV*1002120A**	34200	TDR&TXV	14.2			11.8
	EA*4X36*21A*	*9MA*0601714A**	33800	TDR&TXV	14			11.5
	EA*4X36*21A*	*9MA*0801714A**	33800	TDR&TXV	14.2			11.8
	EA*4X36*21A*	*9MA*0802120A**	34000	TDR&TXV	14.2			11.7
	EA*4X36*21A*	*9MA*1002122A**	34200	TDR&TXV	14.2			11.8
	EA*4X36*21A*	*9MA*0602120A**	33800	TDR&TXV	14			11.5
	EA*4X36*21A*	*9MV*1002116A**	34400	TDR&TXV	14.2			11.8
	EA*4X36*21A*	*9MA*1002120A**	34000	TDR&TXV	14.2			11.8
	EA*4X36*21A*		34200	TXV		13		10.8
	EA*4X42*21A*	*8MX*0701716**	34600	TDR&TXV	14			11.3
	EA*4X42*21A*	*8MX*0902116**	34800	TDR&TXV	14.5			12
	EA*4X42*21A*	*8MX*1102120**	34800	TDR&TXV	14.5			12
	EA*4X42*21A*	*8MV*0901716**	34400	TDR&TXV	14			11.7
	EA*4X42*21A*	*8MV*1102120**	34400	TDR&TXV	14			11.7
	EA*4X42*21A*	*9MX*0601714A**	34400	TDR&TXV	14			11.5
	EA*4X42*21A*	*9MX*0801716A**	34400	TDR&TXV	14.2			11.8
	EA*4X42*21A*	*9MX*1002120A**	35000	TDR&TXV	14			11.5
	EA*4X42*21A*	*9MV*0601714A**	34400	TDR&TXV	14			11.5
	EA*4X42*21A*	*9MV*0801716A**	34400	TDR&TXV	14.2			11.8
	EA*4X42*21A*	*9MV*0802120A**	34400	TDR&TXV	14.2			11.7
	EA*4X42*21A*	*9MV*1002120A**	34400	TDR&TXV	14.5			12
	EA*4X42*21A*	*9MA*0601714A**	34000	TDR&TXV	14.2			11.7
	EA*4X42*21A*	*9MA*0801714A**	34200	TDR&TXV	14.2			11.8
	EA*4X42*21A*	*9MA*0802120A**	34400	TDR&TXV	14.5			12
	EA*4X42*21A*	*9MA*1002122A**	34400	TDR&TXV	14.5			12
	EA*4X42*21A*	*9MA*0602120A**	34200	TDR&TXV	14.2			11.7
	EA*4X42*21A*	*9MV*1002116A**	34600	TDR&TXV	14.2			11.8
	EA*4X42*21A*	*9MA*1002120A**	34200	TDR&TXV	14.2			11.8
	EA*4X42*21A*		34600	TXV		13		11
	EA*4X42*24A*	*8MX*0902116**	34800	TDR&TXV	14.5			12
	EA*4X42*24A*	*8MX*1102120**	35000	TDR&TXV	14.5			12
	EA*4X42*24A*	*8MV*1102120**	34400	TDR&TXV	14.5			12
	EA*4X42*24A*	*8MV*1352422**	34400	TDR&TXV	14.5			12
	EA*4X42*24A*	*9MX*1002120A**	35200	TDR&TXV	14			11.7
	EA*4X42*24A*	*9MV*0802120A**	34600	TDR&TXV	14.5			12
	EA*4X42*24A*	*9MV*1002120A**	34600	TDR&TXV	14.5			12
	EA*4X42*24A*	*9MV*1202422A**	34600	TDR&TXV	14.5			12
	EA*4X42*24A*	*9MA*0802120A**	34400	TDR&TXV	14.5			12
	EA*4X42*24A*	*9MA*1002122A**	34400	TDR&TXV	14.5			12
	EA*4X42*24A*	*9MA*1202422A**	34400	TDR&TXV	14.5			12
	EA*4X42*24A*	*9MA*0602120A**	34200	TDR&TXV	14			11.5
	EA*4X42*24A*	*9MV*1002116A**	34600	TDR&TXV	14.2			11.8
	EA*4X42*24A*	*9MA*1002120A**	34200	TDR&TXV	14.5			12
	EA*4X42*24A*		34600	TXV		13		11
	ED*4X36B**		33200	TXV		13		10.7
	ED*4X36B**	*8MPV050	33000	TDR&TXV	13			11
	ED*4X36B**	MV08B15**B*	33600	TDR&TXV	14			11.5
	ED*4X36F**	*9MX*0601714A**	34000	TDR&TXV	13.7			11.4
	ED*4X36F**	*9MX*0801716A**	34200	TDR&TXV	14			11.5
	ED*4X36F**	*9MV*0601714A**	34000	TDR&TXV	13.7			11.4
	ED*4X36F**	*9MV*0801716A**	34200	TDR&TXV	14			11.5

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A336CKA	ED*4X36F**	*9MV*0802120A**	34000	TDR&TXV	14			11.5
	ED*4X36F**	*9MV*1002120A**	34000	TDR&TXV	14.2			11.7
	ED*4X36F**	*9MA*0601714A**	33600	TDR&TXV	14			11.5
	ED*4X36F**	*9MA*0801714A**	33800	TDR&TXV	14.2			11.7
	ED*4X36F**	*9MA*0802120A**	34000	TDR&TXV	14.2			11.7
	ED*4X36F**	*9MA*1002122A**	34200	TDR&TXV	14.2			11.7
	ED*4X36F**	*9MA*0602120A**	33800	TDR&TXV	14			11.5
	ED*4X36F**	*9MVX040	34000	TDR&TXV	13			11
	ED*4X36F**	*9MVX060	34200	TDR&TXV	13.5			11.2
	ED*4X36F**	*9MV*1002116A**	34200	TDR&TXV	14.2			11.7
	ED*4X36F**	*9MA*1002120A**	34000	TDR&TXV	14.2			11.8
	ED*4X36F**	*8MPV075	34400	TDR&TXV	13.5			11.5
	ED*4X36F**	*9MPV050	34000	TDR&TXV	13			11
	ED*4X36F**	*9MPV075	34000	TDR&TXV	13.5			11.2
	ED*4X36F**	MV12F19**B*	34400	TDR&TXV	14.5			12
	ED*4X36J**	*9MV*0802120A**	34200	TDR&TXV	14.2			11.7
	ED*4X36J**	*9MV*1002120A**	34200	TDR&TXV	14.2			11.8
	ED*4X36J**	*9MV*1202422A**	34200	TDR&TXV	14.5			12
	ED*4X36J**	*9MA*0802120A**	34000	TDR&TXV	14.2			11.7
	ED*4X36J**	*9MA*1002122A**	34200	TDR&TXV	14.2			11.8
	ED*4X36J**	*9MA*1202422A**	34000	TDR&TXV	14.5			12
	ED*4X36J**	*9MA*0602120A**	33800	TDR&TXV	14			11.5
	ED*4X36J**	*9MVX080	34800	TDR&TXV	14			11.5
	ED*4X36J**	*9MV*1002116A**	34400	TDR&TXV	14.2			11.8
	ED*4X36J**	*9MA*1002120A**	34000	TDR&TXV	14.2			11.8
	ED*4X36J**		34400	TXV		13		10.7
	ED*4X36J**	*8MPV100	34800	TDR&TXV	14			11.5
	ED*4X36J**	*8MPV125	34800	TDR&TXV	14			12
	ED*4X36J**	*9MPV100	34600	TDR&TXV	14			11.5
	ED*4X36J**	MV16J22**B*	34400	TDR&TXV	14.5			12.2
	ED*4X42F**	*9MX*0601714A**	34400	TDR&TXV	14			11.5
	ED*4X42F**	*9MX*0801716A**	34400	TDR&TXV	14.2			11.8
	ED*4X42F**	*9MV*0601714A**	34400	TDR&TXV	14			11.5
	ED*4X42F**	*9MV*0801716A**	34400	TDR&TXV	14.2			11.8
	ED*4X42F**	*9MV*0802120A**	34400	TDR&TXV	14.2			11.7
	ED*4X42F**	*9MV*1002120A**	34400	TDR&TXV	14.2			11.8
	ED*4X42F**	*9MA*0601714A**	34000	TDR&TXV	14			11.5
	ED*4X42F**	*9MA*0801714A**	34200	TDR&TXV	14.2			11.8
	ED*4X42F**	*9MA*0802120A**	34200	TDR&TXV	14.5			12
	ED*4X42F**	*9MA*1002122A**	34400	TDR&TXV	14.2			11.8
	ED*4X42F**	*9MA*0602120A**	34200	TDR&TXV	14			11.5
	ED*4X42F**	*9MVX040	33400	TDR&TXV	13			11
	ED*4X42F**	*9MVX060	33800	TDR&TXV	13.5			11.5
	ED*4X42F**	*9MV*1002116A**	34600	TDR&TXV	14.2			11.8
	ED*4X42F**	*9MA*1002120A**	34200	TDR&TXV	14.2			11.8
	ED*4X42F**		33800	TXV		13		11
	ED*4X42F**	*8MPV075	33800	TDR&TXV	14			11.5
	ED*4X42F**	*9MPV050	33400	TDR&TXV	13			11
	ED*4X42F**	*9MPV075	33600	TDR&TXV	13.5			11.2
	ED*4X42F**	MV12F19**B*	34000	TDR&TXV	14.5			12.2
	ED*4X42J**	*9MV*0802120A**	34400	TDR&TXV	14.2			11.7
	ED*4X42J**	*9MV*1002120A**	34400	TDR&TXV	14.5			12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35°C)				
			Capacity	Factory Installed	SEER		
Standard	W/ Field TDR	W/ Field TXV					
N4A336CKA	ED*4X42J**	*9MV*1202422A**	34600	TDR&TXV	14.5		12
	ED*4X42J**	*9MA*0802120A**	34400	TDR&TXV	14.5		12
	ED*4X42J**	*9MA*1002122A**	34400	TDR&TXV	14.5		12
	ED*4X42J**	*9MA*1202422A**	34200	TDR&TXV	14.5		12
	ED*4X42J**	*9MA*0602120A**	34200	TDR&TXV	14		11.5
	ED*4X42J**	*9MVX080	35000	TDR&TXV	14		11.5
	ED*4X42J**	*9MV*1002116A**	34600	TDR&TXV	14.2		11.8
	ED*4X42J**	*9MA*1002120A**	34200	TDR&TXV	14.2		11.8
	ED*4X42J**		34600	TXV		13	11
	ED*4X42J**	*8MPV100	35200	TDR&TXV	14		11.5
	ED*4X42J**	*8MPV125	35200	TDR&TXV	14		12
	ED*4X42J**	*9MPV100	35000	TDR&TXV	14		11.5
	ED*4X42J**	MV16J22**B*	34800	TDR&TXV	14.5		12.2
	ED*4X42L**	*9MV*0802120A**	34600	TDR&TXV	14.5		12
	ED*4X42L**	*9MV*1002120A**	34600	TDR&TXV	14.5		12
	ED*4X42L**	*9MV*1202422A**	34600	TDR&TXV	14.5		12
	ED*4X42L**	*9MA*0802120A**	34400	TDR&TXV	14.5		12
	ED*4X42L**	*9MA*1002122A**	34400	TDR&TXV	14.5		12
	ED*4X42L**	*9MA*1202422A**	34400	TDR&TXV	14.5		12
	ED*4X42L**	*9MA*0602120A**	34200	TDR&TXV	14		11.5
	ED*4X42L**	*9MVX100	35000	TDR&TXV	14		12
	ED*4X42L**	*9MV*1002116A**	34600	TDR&TXV	14.2		11.8
	ED*4X42L**	*9MA*1002120A**	34200	TDR&TXV	14.5		12
	ED*4X42L**		34600	TXV		13	11
	ED*4X42L**	*9MPV125	35000	TDR&TXV	14		12
	ED*4X42L**	MV20L24**B*	34800	TDR&TXV	14.5		12.2
	EHD4X36A**	*8MX*0451408**	34600	TDR&TXV	13.5		11
	EHD4X36A**	*8MX*0701716**	35000	TDR&TXV	14		11.5
	EHD4X36A**	*8MX*0902116**	35000	TDR&TXV	14.5		12
	EHD4X36A**	*8MX*1102120**	35000	TDR&TXV	14.5		12
	EHD4X36A**	*8MV*0701412**	34600	TDR&TXV	14		11.5
	EHD4X36A**	*8MV*0901716**	35000	TDR&TXV	14.5		12
	EHD4X36A**	*8MV*1102120**	35000	TDR&TXV	14.5		12
	EHD4X36A**	*8MV*1352422**	35000	TDR&TXV	14.5		12
	EHD4X36A**	*9MX*0601714A**	35000	TDR&TXV	14.2		11.8
	EHD4X36A**	*9MX*0801716A**	35000	TDR&TXV	14.2		11.8
	EHD4X36A**	*9MX*1002120A**	35600	TDR&TXV	14		11.7
	EHD4X36A**	*9MV*0601714A**	34800	TDR&TXV	14.2		11.7
	EHD4X36A**	*9MV*0801716A**	35000	TDR&TXV	14.2		11.8
	EHD4X36A**	*9MV*0802120A**	34800	TDR&TXV	14.5		12
	EHD4X36A**	*9MV*1002120A**	34800	TDR&TXV	14.5		12
	EHD4X36A**	*9MV*1202422A**	35000	TDR&TXV	14.5		12
	EHD4X36A**	*9MA*0601714A**	34400	TDR&TXV	14.2		11.8
	EHD4X36A**	*9MA*0801714A**	34600	TDR&TXV	14.2		11.8
	EHD4X36A**	*9MA*0802120A**	34800	TDR&TXV	14.5		12
	EHD4X36A**	*9MA*1002122A**	35000	TDR&TXV	14.5		12
	EHD4X36A**	*9MA*1202422A**	34800	TDR&TXV	14.5		12
	EHD4X36A**	*9MA*0602120A**	34600	TDR&TXV	14.2		11.7
	EHD4X36A**	NOMV106D12*	34400	TDR&TXV	14		11.5
	EHD4X36A**	NOMV156E19*	34600	TDR&TXV	14.5		12
	EHD4X36A**	*9MVX040	34000	TDR&TXV	13		11
	EHD4X36A**	*9MVX060	34200	TDR&TXV	13.5		11.2

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A336CKA	EHD4X36A**	*9MVX080	34800	TDR&TXV	14			11.5
	EHD4X36A**	*9MVX100	34400	TDR&TXV	14			11.5
	EHD4X36A**	*9MV*1002116A**	35000	TDR&TXV	14.5			12.95
	EHD4X36A**	*9MA*1002120A**	34800	TDR&TXV	14.5			12
	EHD4X36A**		34400	TXV		13		10.7
	EHD4X36A**	*8MPV050	33800	TDR&TXV	13			11
	EHD4X36A**	*8MPV075	34400	TDR&TXV	13.5			11.5
	EHD4X36A**	*8MPV100	34800	TDR&TXV	14			11.5
	EHD4X36A**	*8MPV125	34800	TDR&TXV	14			12
	EHD4X36A**	*9MPV050	34000	TDR&TXV	13			11
	EHD4X36A**	*9MPV075	34000	TDR&TXV	13.5			11.2
	EHD4X36A**	*9MPV100	34600	TDR&TXV	14			11.5
	EHD4X36A**	*9MPV125	34600	TDR&TXV	14			11.5
	EHD4X36A**	MV08B15**B*	34400	TDR&TXV	14			11.5
	EHD4X36A**	MV12F19**B*	34400	TDR&TXV	14.5			12
	EHD4X36A**	MV16J22**B*	34400	TDR&TXV	14.5			12.2
	EHD4X36A**	MV20L24**B*	34400	TDR&TXV	14.5			12.2
	EHD4X36A**		34400	TXV		13		10.7
	EHD4X36A**	*8MPV050	33800	TDR&TXV	13			11
	EHD4X36A**	*8MPV075	34400	TDR&TXV	13.5			11.5
	EHD4X36A**	*8MPV100	34800	TDR&TXV	14			11.5
	EHD4X36A**	*8MPV125	34800	TDR&TXV	14			12
	EHD4X36A**	MV08B15**B*	34400	TDR&TXV	14			11.5
	EHD4X36A**	MV12F19**B*	34400	TDR&TXV	14.5			12
	EHD4X36A**	MV16J22**B*	34400	TDR&TXV	14.5			12.2
	EHD4X36A**	MV20L24**B*	34400	TDR&TXV	14.5			12.2
	EHD4X42A**	*8MX*0451408**	35000	TDR&TXV	14			11.5
	EHD4X42A**	*8MX*0701716**	35000	TDR&TXV	14			11.5
	EHD4X42A**	*8MX*0902116**	35000	TDR&TXV	14.5			12
	EHD4X42A**	*8MX*1102120**	35000	TDR&TXV	14.5			12
	EHD4X42A**	*8MV*0701412**	35000	TDR&TXV	14.5			12
	EHD4X42A**	*8MV*0901716**	35000	TDR&TXV	14.5			12
	EHD4X42A**	*8MV*1102120**	35000	TDR&TXV	14.5			12
	EHD4X42A**	*8MV*1352422**	35000	TDR&TXV	14.5			12
	EHD4X42A**	*9MX*0601714A**	35200	TDR&TXV	14.2			11.8
	EHD4X42A**	*9MX*0801716A**	35200	TDR&TXV	14.5			12
	EHD4X42A**	*9MX*1002120A**	35800	TDR&TXV	14.5			12
	EHD4X42A**	*9MV*0601714A**	35000	TDR&TXV	14.2			11.8
	EHD4X42A**	*9MV*0801716A**	35200	TDR&TXV	14.5			12
	EHD4X42A**	*9MV*0802120A**	35200	TDR&TXV	14.5			12
	EHD4X42A**	*9MV*1002120A**	35200	TDR&TXV	14.5			12
	EHD4X42A**	*9MV*1202422A**	35200	TDR&TXV	14.5			12
EHD4X42A**	*9MA*0601714A**	34600	TDR&TXV	14.2			11.8	
EHD4X42A**	*9MA*0801714A**	34800	TDR&TXV	14.5			12	
EHD4X42A**	*9MA*0802120A**	35000	TDR&TXV	14.5			12	
EHD4X42A**	*9MA*1002122A**	35200	TDR&TXV	14.5			12	
EHD4X42A**	*9MA*1202422A**	35000	TDR&TXV	14.5			12	
EHD4X42A**	*9MA*0602120A**	34800	TDR&TXV	14.2			11.8	
EHD4X42A**	NOMV106D12*	34600	TDR&TXV	14.5			12	
EHD4X42A**	NOMV156E19*	35000	TDR&TXV	14.5			12	
EHD4X42A**	*9MVX040	34200	TDR&TXV	13			11	
EHD4X42A**	*9MVX060	34600	TDR&TXV	13.5			11.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A336CKA	EHD4X42A**	*9MVX080	35000	TDR&TXV	14			11.5
	EHD4X42A**	*9MVX100	34800	TDR&TXV	14			12
	EHD4X42A**	*9MV*1002116A**	35200	TDR&TXV	14.5			12
	EHD4X42A**	*9MA*1002120A**	35000	TDR&TXV	14.5			12
	EHD4X42A**		34600	TXV		13		11
	EHD4X42A**	*8MPV050	34200	TDR&TXV	13			11
	EHD4X42A**	*8MPV075	34600	TDR&TXV	14			11.5
	EHD4X42A**	*8MPV100	35000	TDR&TXV	14			11.5
	EHD4X42A**	*8MPV125	35000	TDR&TXV	14			12
	EHD4X42A**	*9MPV050	34200	TDR&TXV	13			11
	EHD4X42A**	*9MPV075	34400	TDR&TXV	13.5			11.2
	EHD4X42A**	*9MPV100	34800	TDR&TXV	14			11.5
	EHD4X42A**	*9MPV125	35000	TDR&TXV	14			12
	EHD4X42A**	MV08B15**B*	34600	TDR&TXV	14.5			12
	EHD4X42A**	MV12F19**B*	34600	TDR&TXV	14.5			12.2
	EHD4X42A**	MV16J22**B*	34600	TDR&TXV	14.5			12.2
	EHD4X42A**	MV20L24**B*	34600	TDR&TXV	14.5			12.2
	EHD4X42A**		34600	TXV		13		11
	EHD4X42A**	*8MPV050	34200	TDR&TXV	13			11
	EHD4X42A**	*8MPV075	34600	TDR&TXV	14			11.5
	EHD4X42A**	*8MPV100	35000	TDR&TXV	14			11.5
	EHD4X42A**	*8MPV125	35000	TDR&TXV	14			12
	EHD4X42A**	MV08B15**B*	34600	TDR&TXV	14.5			12
	EHD4X42A**	MV12F19**B*	34600	TDR&TXV	14.5			12.2
	EHD4X42A**	MV16J22**B*	34600	TDR&TXV	14.5			12.2
	EHD4X42A**	MV20L24**B*	34600	TDR&TXV	14.5			12.2
	EMA4X36D**		34200	TXV		13		10.7
	EMA4X36D**		34200	TXV		13		10.7
	EN(A,D)4X36*21**	*8MX*0701716**	34000	TDR&TXV	13.5			11
	EN(A,D)4X36*21**	*8MX*0902116**	34000	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*8MX*1102120**	34000	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*8MV*0901716**	34000	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*8MV*1102120**	34000	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MX*0601714A**	34000	TDR&TXV	13.7			11.4
	EN(A,D)4X36*21**	*9MX*0801716A**	34000	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MX*1002120A**	34600	TDR&TXV	13.7			11.3
	EN(A,D)4X36*21**	*9MV*0601714A**	34000	TDR&TXV	13.7			11.4
	EN(A,D)4X36*21**	*9MV*0801716A**	34000	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MV*0802120A**	34000	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MV*1002120A**	34000	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MA*0601714A**	33600	TDR&TXV	13.7			11.4
	EN(A,D)4X36*21**	*9MA*0801714A**	33800	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MA*0802120A**	34000	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MA*1002122A**	34000	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MA*0602120A**	33800	TDR&TXV	13.7			11.4
	EN(A,D)4X36*21**	NOMV106D12*	33600	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	NOMV156E19*	34000	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MV*1002116A**	34000	TDR&TXV	14			11.5
	EN(A,D)4X36*21**	*9MA*1002120A**	34000	TDR&TXV	14			11.5
	EN(A,D)4X36*21**		34000	TXV		13		11
	EN(A,D)4X36*21**	*8MPV075	34000	TDR&TXV	13.5			11
	EN(A,D)4X36*21**	MV12F19**B*	34000	TDR&TXV	14.5			12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A336CKA	EN(A,D)4X37*17**	*8MX*0451408**	35000	TDR&TXV	14			11.5
	EN(A,D)4X37*17**	*8MX*0701716**	35000	TDR&TXV	14			11.5
	EN(A,D)4X37*17**	*8MV*0701412**	35000	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*8MV*0901716**	35000	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MX*0601714A**	35400	TDR&TXV	14.2			11.8
	EN(A,D)4X37*17**	*9MX*0801716A**	35400	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MV*0601714A**	35400	TDR&TXV	14.2			11.8
	EN(A,D)4X37*17**	*9MV*0801716A**	35000	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MA*0601714A**	35000	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	*9MA*0801714A**	35200	TDR&TXV	14.5			12
	EN(A,D)4X37*17**	NOMV106D12*	35000	TDR&TXV	14.5			12
	EN(A,D)4X37*17**		35600	TXV		13		11
	EN(A,D)4X37*17**	*8MPV050	35000	TDR&TXV	13.5			11
	EN(A,D)4X37*17**	MV08B15**B*	35000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MX*0902116**	36000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MX*1102120**	36000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MV*1102120**	35400	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MV*1352422**	35400	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MX*1002120A**	36000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MV*0802120A**	35600	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MV*1002120A**	35600	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MV*1202422A**	35400	TDR&TXV	15.2			12.5
	EN(A,D)4X43*24**	*9MA*0802120A**	35400	TDR&TXV	14.5			12.2
	EN(A,D)4X43*24**	*9MA*1002122A**	35600	TDR&TXV	14.5			12.2
	EN(A,D)4X43*24**	*9MA*1202422A**	35400	TDR&TXV	15			12.4
	EN(A,D)4X43*24**	*9MA*0602120A**	35200	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	NOMV156E19*	35000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MV*1002116A**	35400	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MA*1002120A**	35400	TDR&TXV	14.5			12
	EN(A,D)4X43*24**		35600	TXV		13		11
	EN(A,D)4X43*24**	*8MPV100	36000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MPV125	36000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	MV16J22**B*	35600	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	MV20L24**B*	35600	TDR&TXV	14.5			12
	EN(A,D,W)4X36*17**	*8MX*0451408**	34000	TDR&TXV	13.5			11
	EN(A,D,W)4X36*17**	*8MX*0701716**	34000	TDR&TXV	13.5			11
	EN(A,D,W)4X36*17**	*8MV*0701412**	34000	TDR&TXV	14			11.5
	EN(A,D,W)4X36*17**	*8MV*0901716**	34000	TDR&TXV	14			11.5
	EN(A,D,W)4X36*17**	*9MX*0601714A**	34000	TDR&TXV	13.7			11.4
	EN(A,D,W)4X36*17**	*9MX*0801716A**	34000	TDR&TXV	14			11.5
EN(A,D,W)4X36*17**	*9MV*0601714A**	33800	TDR&TXV	13.7			11.4	
EN(A,D,W)4X36*17**	*9MV*0801716A**	34000	TDR&TXV	14			11.5	
EN(A,D,W)4X36*17**	*9MA*0601714A**	33600	TDR&TXV	13.7			11.4	
EN(A,D,W)4X36*17**	*9MA*0801714A**	33800	TDR&TXV	14			11.5	
EN(A,D,W)4X36*17**	NOMV106D12*	33600	TDR&TXV	14			11.5	
EN(A,D,W)4X36*17**		34000	TXV		13		11	
EN(A,D,W)4X36*17**	*8MPV050	33600	TDR&TXV	13			11	
EN(A,D,W)4X36*17**	MV08B15**B*	34000	TDR&TXV	14			11.5	
EN(A,D,W)4X42*21**	*8MX*0701716**	34200	TDR&TXV	14			11.5	
EN(A,D,W)4X42*21**	*8MX*0902116**	34400	TDR&TXV	14.5			12	
EN(A,D,W)4X42*21**	*8MX*1102120**	34600	TDR&TXV	14.5			12	
EN(A,D,W)4X42*21**	*8MV*0901716**	34000	TDR&TXV	14			11.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A336CKA	EN(A,D,W)4X42*21**	*8MV*1102120**	34000	TDR&TXV	14		11.5	
	EN(A,D,W)4X42*21**	*9MX*0601714A**	34400	TDR&TXV	14		11.5	
	EN(A,D,W)4X42*21**	*9MX*0801716A**	34400	TDR&TXV	14.2		11.8	
	EN(A,D,W)4X42*21**	*9MX*1002120A**	35000	TDR&TXV	14		11.5	
	EN(A,D,W)4X42*21**	*9MV*0601714A**	34400	TDR&TXV	14		11.5	
	EN(A,D,W)4X42*21**	*9MV*0801716A**	34400	TDR&TXV	14.2		11.8	
	EN(A,D,W)4X42*21**	*9MV*0802120A**	34400	TDR&TXV	14		11.7	
	EN(A,D,W)4X42*21**	*9MV*1002120A**	34400	TDR&TXV	14.2		11.8	
	EN(A,D,W)4X42*21**	*9MA*0601714A**	34000	TDR&TXV	14		11.5	
	EN(A,D,W)4X42*21**	*9MA*0801714A**	34200	TDR&TXV	14.2		11.8	
	EN(A,D,W)4X42*21**	*9MA*0802120A**	34400	TDR&TXV	14.2		11.7	
	EN(A,D,W)4X42*21**	*9MA*1002122A**	34400	TDR&TXV	14.2		11.8	
	EN(A,D,W)4X42*21**	*9MA*0602120A**	34200	TDR&TXV	14		11.5	
	EN(A,D,W)4X42*21**	NOMV106D12*	34200	TDR&TXV	14		11.5	
	EN(A,D,W)4X42*21**	NOMV156E19*	34400	TDR&TXV	14		11.7	
	EN(A,D,W)4X42*21**	*9MV*1002116A**	34600	TDR&TXV	14.2		11.8	
	EN(A,D,W)4X42*21**	*9MA*1002120A**	34400	TDR&TXV	14.2		11.8	
	EN(A,D,W)4X42*21**		34600	TXV		13	11	
	EN(A,D,W)4X42*21**	*8MPV075	34000	TDR&TXV	14		11.5	
	EN(A,D,W)4X42*21**	MV12F19**B*	34600	TDR&TXV	14		12	
	END4X42*17**	*8MX*0451408**	34400	TDR&TXV	13.5		11	
	END4X42*17**	*8MX*0701716**	34600	TDR&TXV	14		11.5	
	END4X42*17**	*8MV*0701412**	34400	TDR&TXV	14		11.5	
	END4X42*17**	*8MV*0901716**	34600	TDR&TXV	14.5		12	
	END4X42*17**	*9MX*0601714A**	34800	TDR&TXV	14.2		11.7	
	END4X42*17**	*9MX*0801716A**	34800	TDR&TXV	14.2		11.8	
	END4X42*17**	*9MV*0601714A**	34600	TDR&TXV	14		11.5	
	END4X42*17**	*9MV*0801716A**	34800	TDR&TXV	14.2		11.8	
	END4X42*17**	*9MA*0601714A**	34200	TDR&TXV	14.2		11.8	
	END4X42*17**	*9MA*0801714A**	34400	TDR&TXV	14.2		11.8	
	END4X42*17**	NOMV106D12*	34000	TDR&TXV	14		11.5	
	END4X42*17**		35000	TXV		13	11	
	END4X42*17**	*8MPV050	34000	TDR&TXV	13.5		11	
	END4X42*17**	MV08B15**B*	35000	TDR&TXV	14.5		12	
	ENH4X36*17**	*8MX*0451408**	34000	TDR&TXV	13.5		11	
	ENH4X36*17**	*8MX*0701716**	34000	TDR&TXV	13.5		11	
	ENH4X36*17**	*8MX*0902116**	34000	TDR&TXV	14		11.5	
	ENH4X36*17**	*8MX*1102120**	34000	TDR&TXV	14		11.5	
	ENH4X36*17**	*8MV*0701412**	34000	TDR&TXV	14		11.5	
	ENH4X36*17**	*8MV*0901716**	34000	TDR&TXV	14		11.5	
	ENH4X36*17**	*8MV*1102120**	34000	TDR&TXV	14		11.5	
	ENH4X36*17**	*8MV*1352422**	34000	TDR&TXV	14		11.5	
ENH4X36*17**	*9MX*0601714A**	34000	TDR&TXV	13.7		11.4		
ENH4X36*17**	*9MX*0801716A**	34000	TDR&TXV	14		11.5		
ENH4X36*17**	*9MV*0601714A**	33800	TDR&TXV	13.7		11.4		
ENH4X36*17**	*9MV*0801716A**	34000	TDR&TXV	14		11.5		
ENH4X36*17**	*9MV*1202422A**	34000	TDR&TXV	14.2		11.8		
ENH4X36*17**	*9MA*0601714A**	33600	TDR&TXV	13.7		11.4		
ENH4X36*17**	*9MA*0801714A**	33800	TDR&TXV	14		11.5		
ENH4X36*17**	*9MA*1202422A**	34000	TDR&TXV	14.2		11.8		
ENH4X36*17**	NOMV106D12*	33600	TDR&TXV	14		11.5		
ENH4X36*17**	NOMV156E19*	34000	TDR&TXV	14		11.5		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A336CKA	ENH4X36*17**	*9MV*1002116A**	34000	TDR&TXV	14			11.5
	ENH4X36*17**	*9MA*1002120A**	33800	TDR&TXV	14			11.5
	ENH4X36*17**		34000	TXV		13		11
	ENH4X36*17**	*8MPV050	33600	TDR&TXV	13			11
	ENH4X36*17**	*8MPV075	34000	TDR&TXV	13.5			11
	ENH4X36*17**	*8MPV100	34000	TDR&TXV	14			11.5
	ENH4X36*17**	*8MPV125	34000	TDR&TXV	14			11.5
	ENH4X36*17**	MV08B15**B*	34000	TDR&TXV	14			11.5
	ENH4X36*17**	MV12F19**B*	34000	TDR&TXV	14.5			12
	ENH4X36*17**	MV16J22**B*	34000	TDR&TXV	14.5			12
	ENH4X36*17**	MV20L24**B*	34000	TDR&TXV	14.5			12
	ENH4X42*21**	*8MX*0451408**	34000	TDR&TXV	13.5			11
	ENH4X42*21**	*8MX*0701716**	34000	TDR&TXV	14			11.5
	ENH4X42*21**	*8MX*0902116**	34200	TDR&TXV	14.5			12
	ENH4X42*21**	*8MX*1102120**	34600	TDR&TXV	14.5			12
	ENH4X42*21**	*8MV*0701412**	34000	TDR&TXV	14			11.5
	ENH4X42*21**	*8MV*0901716**	34000	TDR&TXV	14			11.5
	ENH4X42*21**	*8MV*1102120**	34200	TDR&TXV	14			11.5
	ENH4X42*21**	*8MV*1352422**	34000	TDR&TXV	14.5			12
	ENH4X42*21**	*9MX*0601714A**	34400	TDR&TXV	14			11.5
	ENH4X42*21**	*9MX*0801716A**	34400	TDR&TXV	14.2			11.8
	ENH4X42*21**	*9MX*1002120A**	35000	TDR&TXV	14			11.5
	ENH4X42*21**	*9MV*0601714A**	34400	TDR&TXV	14			11.5
	ENH4X42*21**	*9MV*0801716A**	34400	TDR&TXV	14.2			11.8
	ENH4X42*21**	*9MV*0802120A**	34400	TDR&TXV	14.2			11.7
	ENH4X42*21**	*9MV*1002120A**	34400	TDR&TXV	14.2			11.8
	ENH4X42*21**	*9MV*1202422A**	34400	TDR&TXV	14.5			12
	ENH4X42*21**	*9MA*0601714A**	34000	TDR&TXV	14			11.5
	ENH4X42*21**	*9MA*0801714A**	34200	TDR&TXV	14.2			11.8
	ENH4X42*21**	*9MA*0802120A**	34400	TDR&TXV	14.2			11.7
	ENH4X42*21**	*9MA*1002122A**	34400	TDR&TXV	14.2			11.8
	ENH4X42*21**	*9MA*1202422A**	34400	TDR&TXV	14.5			12
	ENH4X42*21**	*9MA*0602120A**	34200	TDR&TXV	14			11.5
	ENH4X42*21**	NOMV106D12*	34000	TDR&TXV	14			11.5
	ENH4X42*21**	NOMV156E19*	34000	TDR&TXV	14			11.5
	ENH4X42*21**	*9MV*1002116A**	34600	TDR&TXV	14.2			11.8
	ENH4X42*21**	*9MA*1002120A**	34400	TDR&TXV	14.2			11.8
	ENH4X42*21**		34600	TXV		13		11
	ENH4X42*21**	*8MPV050	34000	TDR&TXV	13.5			11
	ENH4X42*21**	*8MPV075	34600	TDR&TXV	14			11.5
	ENH4X42*21**	*8MPV100	35000	TDR&TXV	14			11.5
	ENH4X42*21**	*8MPV125	35000	TDR&TXV	14			11.5
	ENH4X42*21**	MV08B15**B*	34400	TDR&TXV	14.5			12
	ENH4X42*21**	MV12F19**B*	34600	TDR&TXV	14.5			12
	ENH4X42*21**	MV16J22**B*	34600	TDR&TXV	14.5			12
	ENH4X42*21**	MV20L24**B*	34600	TDR&TXV	14.5			12
	ENH4X43*21**	*8MX*0451408**	35000	TDR&TXV	14			11.5
	ENH4X43*21**	*8MX*0701716**	35000	TDR&TXV	14			11.5
	ENH4X43*21**	*8MX*0902116**	35600	TDR&TXV	14.5			12
	ENH4X43*21**	*8MX*1102120**	36000	TDR&TXV	14.5			12
	ENH4X43*21**	*8MV*0701412**	35000	TDR&TXV	14.5			12
	ENH4X43*21**	*8MV*0901716**	35000	TDR&TXV	14.5			12

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A336CKA	ENH4X43*21**	*8MV*1102120**	35000	TDR&TXV	14.5			12
	ENH4X43*21**	*8MV*1352422**	35000	TDR&TXV	14.5			12
	ENH4X43*21**	*9MX*0601714A**	35600	TDR&TXV	14.5			12
	ENH4X43*21**	*9MX*0801716A**	35600	TDR&TXV	14.5			12
	ENH4X43*21**	*9MX*1002120A**	36000	TDR&TXV	14.5			12
	ENH4X43*21**	*9MV*0601714A**	35400	TDR&TXV	14.2			11.8
	ENH4X43*21**	*9MV*0801716A**	35200	TDR&TXV	14.5			12
	ENH4X43*21**	*9MV*0802120A**	35600	TDR&TXV	14.5			12
	ENH4X43*21**	*9MV*1002120A**	35600	TDR&TXV	14.5			12
	ENH4X43*21**	*9MV*1202422A**	35200	TDR&TXV	15			12.4
	ENH4X43*21**	*9MA*0601714A**	35000	TDR&TXV	14.5			12
	ENH4X43*21**	*9MA*0801714A**	35200	TDR&TXV	14.5			12
	ENH4X43*21**	*9MA*0802120A**	35400	TDR&TXV	14.5			12
	ENH4X43*21**	*9MA*1002122A**	35400	TDR&TXV	14.5			12
	ENH4X43*21**	*9MA*1202422A**	35400	TDR&TXV	15			12.4
	ENH4X43*21**	*9MA*0602120A**	35200	TDR&TXV	14.5			12
	ENH4X43*21**	NOMV106D12*	35000	TDR&TXV	14.5			12
	ENH4X43*21**	NOMV156E19*	35000	TDR&TXV	14.5			12
	ENH4X43*21**	*9MV*1002116A**	35200	TDR&TXV	14.5			12
	ENH4X43*21**	*9MA*1002120A**	35400	TDR&TXV	14.5			12
	ENH4X43*21**		34600	TXV		13.5		11
	ENH4X43*21**	*8MPV050	35000	TDR&TXV	14			11.5
	ENH4X43*21**	*8MPV075	35600	TDR&TXV	14.5			12
	ENH4X43*21**	*8MPV100	36000	TDR&TXV	14.5			12
	ENH4X43*21**	*8MPV125	36000	TDR&TXV	14.5			12
	ENH4X43*21**	MV08B15**B*	35600	TDR&TXV	14.5			12
	ENH4X43*21**	MV12F19**B*	35600	TDR&TXV	14.5			12
	ENH4X43*21**	MV16J22**B*	35600	TDR&TXV	14.5			12
	ENH4X43*21**	MV20L24**B*	35600	TDR&TXV	14.5			12

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.
 † For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models

For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org.
 New ratings may be listed online before Specification Sheets are updated.

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A342CKA	*ED*4X42J**		40500	TXV		13		10.5
	FEM4P42**A*		40000	TDR			13	11
	FEM4P42**A*		40000	TDR	13			11
	FEM4P48**A*		40000	TDR			13	11
	FEM4P48**A*		40000	TDR	13			11
	FEM4P60**A*		42000	TDR			14	11.5
	FEM4X42****		41500	TDR&TXV	13.5			11.2
	FEM4X48****		42000	TDR&TXV	14			11.5
	FS(M,U)4P42**A*		40000	TDR			13	11
	FS(M,U)4P42**A*		40000	TDR	13			11
	FS(M,U)4P48**A*		40000	TDR			13	11
	FS(M,U)4P48**A*		40000	TDR	13			11
	FS(M,U)4X42****		41000	TDR&TXV	13.1			10.6
	FS(M,U)4X48****		42000	TDR&TXV	13			11
	FVM4X36****		40500	TDR&TXV	13.5			11.2
	FVM4X48****		42000	TDR&TXV	14.5			12
	FVM4X60****		42000	TDR&TXV	14.5			12.2
	FXM4X42**A*		41500	TDR&TXV	13.5			11.2
	FXM4X48**A*		42000	TDR&TXV	14.5			11.5
	FXM4X60**A*		42000	TDR&TXV	14.5			12.2
	EA*4X42*21A*	*8MX*0701716**	40500	TDR&TXV	13			10.7
	EA*4X42*21A*	*8MX*0902116**	40500	TDR&TXV	13.7			11.2
	EA*4X42*21A*	*8MX*1102120**	40500	TDR&TXV	14			11.3
	EA*4X42*21A*	*8MV*0901716**	40500	TDR&TXV	13.7			11.2
	EA*4X42*21A*	*8MV*1102120**	40500	TDR&TXV	13.7			11.2
	EA*4X42*21A*	*9MX*0601714A**	40500	TDR&TXV	13.3			11
	EA*4X42*21A*	*9MX*0801716A**	40500	TDR&TXV	13.3			11
	EA*4X42*21A*	*9MX*0802120A**	40500	TDR&TXV	13.7			11.2
	EA*4X42*21A*	*9MX*1002120A**	40500	TDR&TXV	13.7			11.2
	EA*4X42*21A*	*9MV*0601714A**	40000	TDR&TXV	13.3			10.9
	EA*4X42*21A*	*9MV*0801716A**	40000	TDR&TXV	13.5			11.1
	EA*4X42*21A*	*9MV*0802120A**	40500	TDR&TXV	13.7			11.2
	EA*4X42*21A*	*9MV*1002120A**	40500	TDR&TXV	13.7			11.2
	EA*4X42*21A*	*9MA*0601714A**	40000	TDR&TXV	13.3			11
	EA*4X42*21A*	*9MA*0801714A**	40000	TDR&TXV	13.5			11.1
	EA*4X42*21A*	*9MA*0802120A**	40000	TDR&TXV	13.7			11.2
	EA*4X42*21A*	*9MA*1002122A**	40500	TDR&TXV	13.7			11.3
	EA*4X42*21A*	*9MA*0602120A**	40000	TDR&TXV	13.5			11
	EA*4X42*21A*	*9MX*1002116A**	40500	TDR&TXV	13.5			11.2
	EA*4X42*21A*	*9MV*1002116A**	40500	TDR&TXV	13.5			11.2
	EA*4X42*21A*	*9MA*1002120A**	40000	TDR&TXV	13.7			11.3
	EA*4X42*21A*		40500	TXV			13	10.6
	EA*4X42*24A*	*8MX*0902116**	40500	TDR&TXV	14			11.2
	EA*4X42*24A*	*8MX*1102120**	40500	TDR&TXV	14			11.3
	EA*4X42*24A*	*8MX*1352420**	40500	TDR&TXV	14			11.3
	EA*4X42*24A*	*8MV*1102120**	40500	TDR&TXV	14			11.2
	EA*4X42*24A*	*8MV*1352422**	40500	TDR&TXV	14			11.3
	EA*4X42*24A*	*9MX*0802120A**	40500	TDR&TXV	13.7			11.2
	EA*4X42*24A*	*9MX*1002120A**	40500	TDR&TXV	13.7			11.2

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A342CKA	EA*4X42*24A*	*9MX*1202422A**	41000	TDR&TXV	13.7			11.4
	EA*4X42*24A*	*9MV*0802120A**	40500	TDR&TXV	13.7			11.2
	EA*4X42*24A*	*9MV*1002120A**	40500	TDR&TXV	13.7			11.2
	EA*4X42*24A*	*9MV*1202422A**	40500	TDR&TXV	13.7			11.4
	EA*4X42*24A*	*9MA*0802120A**	40000	TDR&TXV	13.7			11.2
	EA*4X42*24A*	*9MA*1002122A**	40500	TDR&TXV	13.7			11.3
	EA*4X42*24A*	*9MA*1202422A**	40000	TDR&TXV	13.7			11.4
	EA*4X42*24A*	*9MA*0602120A**	40000	TDR&TXV	13.2			11
	EA*4X42*24A*	*9MX*1002116A**	40500	TDR&TXV	13.7			11.2
	EA*4X42*24A*	*9MV*1002116A**	40500	TDR&TXV	13.7			11.2
	EA*4X42*24A*	*9MA*1002120A**	40000	TDR&TXV	13.7			11.3
	EA*4X42*24A*		40500	TXV		13		10.6
	EA*4X48*17A*	*8MX*0701716**	41500	TDR&TXV	13.5			11
	EA*4X48*17A*	*8MV*0701412**	41000	TDR&TXV	13.7			11.2
	EA*4X48*17A*	*8MV*0901716**	41500	TDR&TXV	14			11.3
	EA*4X48*17A*	*9MX*0601714A**	41000	TDR&TXV	13.7			11.2
	EA*4X48*17A*	*9MX*0801716A**	41500	TDR&TXV	13.7			11.3
	EA*4X48*17A*	*9MV*0601714A**	41000	TDR&TXV	13.5			11.2
	EA*4X48*17A*	*9MV*0801716A**	41000	TDR&TXV	13.7			11.4
	EA*4X48*17A*	*9MA*0601714A**	41000	TDR&TXV	13.7			11.2
	EA*4X48*17A*	*9MA*0801714A**	41000	TDR&TXV	13.7			11.4
	EA*4X48*17A*		41500	TXV		13		11
	EA*4X48*21A*	*8MX*0701716**	41000	TDR&TXV	13.2			10.9
	EA*4X48*21A*	*8MX*0902116**	41000	TDR&TXV	14			11.3
	EA*4X48*21A*	*8MX*1102120**	41500	TDR&TXV	14			11.5
	EA*4X48*21A*	*8MV*0901716**	41000	TDR&TXV	14			11.3
	EA*4X48*21A*	*8MV*1102120**	41000	TDR&TXV	14			11.3
	EA*4X48*21A*	*9MX*0601714A**	41000	TDR&TXV	13.5			11.2
	EA*4X48*21A*	*9MX*0801716A**	41000	TDR&TXV	13.7			11.2
	EA*4X48*21A*	*9MX*0802120A**	41500	TDR&TXV	13.7			11.3
	EA*4X48*21A*	*9MX*1002120A**	41000	TDR&TXV	14			11.4
	EA*4X48*21A*	*9MV*0601714A**	41000	TDR&TXV	13.5			11.1
	EA*4X48*21A*	*9MV*0801716A**	41000	TDR&TXV	13.7			11.3
	EA*4X48*21A*	*9MV*0802120A**	41000	TDR&TXV	14			11.3
	EA*4X48*21A*	*9MV*1002120A**	41000	TDR&TXV	14			11.4
	EA*4X48*21A*	*9MA*0601714A**	40500	TDR&TXV	13.5			11.1
	EA*4X48*21A*	*9MA*0801714A**	40500	TDR&TXV	13.7			11.3
	EA*4X48*21A*	*9MA*0802120A**	40500	TDR&TXV	13.7			11.3
	EA*4X48*21A*	*9MA*1002122A**	41000	TDR&TXV	14			11.4
	EA*4X48*21A*	*9MA*0602120A**	40500	TDR&TXV	13.5			11.2
	EA*4X48*21A*	*9MX*1002116A**	41000	TDR&TXV	13.7			11.4
	EA*4X48*21A*	*9MV*1002116A**	41000	TDR&TXV	13.7			11.4
	EA*4X48*21A*	*9MA*1002120A**	40500	TDR&TXV	14			11.4
	EA*4X48*21A*		41500	TXV		13		10.8
	EA*4X48*24A*	*8MX*0902116**	41500	TDR&TXV	14			11.3
	EA*4X48*24A*	*8MX*1102120**	41500	TDR&TXV	14			11.5
	EA*4X48*24A*	*8MX*1352420**	41500	TDR&TXV	14			11.3
	EA*4X48*24A*	*8MV*1102120**	41000	TDR&TXV	14			11.3
	EA*4X48*24A*	*8MV*1352422**	41000	TDR&TXV	14			11.5
	EA*4X48*24A*	*9MX*0802120A**	41500	TDR&TXV	14			11.3
	EA*4X48*24A*	*9MX*1002120A**	41000	TDR&TXV	14			11.4
	EA*4X48*24A*	*9MX*1202422A**	41500	TDR&TXV	14.2			11.6

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A342CKA	EA*4X48*24A*	*9MV*0802120A**	41000	TDR&TXV	14			11.3
	EA*4X48*24A*	*9MV*1002120A**	41000	TDR&TXV	14			11.1
	EA*4X48*24A*	*9MV*1202422A**	41000	TDR&TXV	14.2			11.6
	EA*4X48*24A*	*9MA*0802120A**	41000	TDR&TXV	14			11.3
	EA*4X48*24A*	*9MA*1002122A**	41000	TDR&TXV	14			11.5
	EA*4X48*24A*	*9MA*1202422A**	41000	TDR&TXV	14.2			11.6
	EA*4X48*24A*	*9MA*0602120A**	40500	TDR&TXV	13.7			11.2
	EA*4X48*24A*	*9MX*1002116A**	41000	TDR&TXV	13.7			11.4
	EA*4X48*24A*	*9MV*1002116A**	41000	TDR&TXV	13.7			11.4
	EA*4X48*24A*	*9MA*1002120A**	41000	TDR&TXV	14			11.5
	EA*4X48*24A*		41500	TXV		13		10.8
	ED*4X42F**	*9MX*0601714A**	40000	TDR&TXV	13.3			11
	ED*4X42F**	*9MX*0801716A**	40500	TDR&TXV	13.3			11
	ED*4X42F**	*9MX*0802120A**	40500	TDR&TXV	13.5			11.2
	ED*4X42F**	*9MX*1002120A**	40500	TDR&TXV	13.7			11.2
	ED*4X42F**	*9MV*0601714A**	40000	TDR&TXV	13			10.9
	ED*4X42F**	*9MV*0801716A**	40000	TDR&TXV	13.5			11.1
	ED*4X42F**	*9MV*0802120A**	40500	TDR&TXV	13.5			11.2
	ED*4X42F**	*9MV*1002120A**	40500	TDR&TXV	13.7			11.2
	ED*4X42F**	*9MA*0601714A**	40000	TDR&TXV	13.3			10.9
	ED*4X42F**	*9MA*0801714A**	40000	TDR&TXV	13.5			11.1
	ED*4X42F**	*9MA*0802120A**	40000	TDR&TXV	13.5			11.2
	ED*4X42F**	*9MA*1002122A**	40500	TDR&TXV	13.7			11.2
	ED*4X42F**	*9MA*0602120A**	40000	TDR&TXV	13.3			11
	ED*4X42F**	*9MVX060	40000	TDR&TXV	13			10.5
	ED*4X42F**	*9MX*1002116A**	40000	TDR&TXV	13.5			11.2
	ED*4X42F**	*9MV*1002116A**	40500	TDR&TXV	13.5			11.2
	ED*4X42F**	*9MA*1002120A**	40000	TDR&TXV	13.7			11.2
	ED*4X42F**		40000	TXV		13		10.5
	ED*4X42F**	*8MPV075	40000	TDR&TXV	13			11
	ED*4X42F**	*9MPV075	40000	TDR&TXV	13.1			10.6
	ED*4X42F**	MV12F19**B*	40000	TDR&TXV	14			11.5
	ED*4X42J**	*9MX*0802120A**	40500	TDR&TXV	13.7			11.2
	ED*4X42J**	*9MX*1002120A**	40500	TDR&TXV	13.7			11.2
	ED*4X42J**	*9MX*1202422A**	41000	TDR&TXV	13.7			11.4
	ED*4X42J**	*9MV*0802120A**	40500	TDR&TXV	13.7			11.2
	ED*4X42J**	*9MV*1002120A**	40500	TDR&TXV	13.7			11.2
	ED*4X42J**	*9MV*1202422A**	40500	TDR&TXV	13.7			11.4
	ED*4X42J**	*9MA*0802120A**	40000	TDR&TXV	13.7			11.2
	ED*4X42J**	*9MA*1002122A**	40500	TDR&TXV	13.7			11.3
	ED*4X42J**	*9MA*1202422A**	40000	TDR&TXV	13.7			11.4
	ED*4X42J**	*9MA*0602120A**	40000	TDR&TXV	13.5			11
	ED*4X42J**	*9MVX080	41000	TDR&TXV	13.5			11.2
	ED*4X42J**	*9MX*1002116A**	40500	TDR&TXV	13.5			11.2
	ED*4X42J**	*9MV*1002116A**	40500	TDR&TXV	13.5			11.2
ED*4X42J**	*9MA*1002120A**	40000	TDR&TXV	13.7			11.2	
ED*4X42J**	*8MPV100	41000	TDR&TXV	13.5			11.2	
ED*4X42J**	*8MPV125	41000	TDR&TXV	13.5			11.5	
ED*4X42J**	*9MPV100	41000	TDR&TXV	13.5			11.2	
ED*4X42J**	MV16J22**B*	41000	TDR&TXV	14			11.5	
ED*4X42L**	*9MX*0802120A**	40500	TDR&TXV	13.7			11.2	
ED*4X42L**	*9MX*1002120A**	40500	TDR&TXV	13.7			11.2	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A342CKA	ED*4X42L**	*9MX*1202422A**	41000	TDR&TXV	13.7			11.4
	ED*4X42L**	*9MV*0802120A**	40500	TDR&TXV	13.7			11.2
	ED*4X42L**	*9MV*1002120A**	40500	TDR&TXV	13.7			11.2
	ED*4X42L**	*9MV*1202422A**	40500	TDR&TXV	13.7			11.4
	ED*4X42L**	*9MA*0802120A**	40000	TDR&TXV	13.7			11.2
	ED*4X42L**	*9MA*1002122A**	40500	TDR&TXV	13.7			11.3
	ED*4X42L**	*9MA*1202422A**	40000	TDR&TXV	13.7			11.4
	ED*4X42L**	*9MA*0602120A**	40000	TDR&TXV	13.2			11
	ED*4X42L**	*9MVX100	40500	TDR&TXV	13.5			11.2
	ED*4X42L**	*9MX*1002116A**	40500	TDR&TXV	13.7			11.2
	ED*4X42L**	*9MV*1002116A**	40500	TDR&TXV	13.7			11.2
	ED*4X42L**	*9MA*1002120A**	40000	TDR&TXV	13.7			11.3
	ED*4X42L**		40500	TXV			13	10.5
	ED*4X42L**	*9MPV125	41000	TDR&TXV	13.5			11.2
	ED*4X42L**	MV20L24**B*	41000	TDR&TXV	14			11.5
	ED*4X48F**	*9MX*0601714A**	41000	TDR&TXV	13.7			11.2
	ED*4X48F**	*9MX*0801716A**	41500	TDR&TXV	13.7			11.3
	ED*4X48F**	*9MX*0802120A**	41500	TDR&TXV	14			11.3
	ED*4X48F**	*9MX*1002120A**	41500	TDR&TXV	14			11.5
	ED*4X48F**	*9MV*0601714A**	41000	TDR&TXV	13.5			11.2
	ED*4X48F**	*9MV*0801716A**	41000	TDR&TXV	13.7			11.4
	ED*4X48F**	*9MV*0802120A**	41500	TDR&TXV	14			11.3
	ED*4X48F**	*9MV*1002120A**	41500	TDR&TXV	14			11.5
	ED*4X48F**	*9MA*0601714A**	41000	TDR&TXV	13.7			11.2
	ED*4X48F**	*9MA*0801714A**	41000	TDR&TXV	13.7			11.4
	ED*4X48F**	*9MA*0802120A**	41000	TDR&TXV	14			11.3
	ED*4X48F**	*9MA*1002122A**	41500	TDR&TXV	14			11.5
	ED*4X48F**	*9MA*0602120A**	41000	TDR&TXV	13.7			11.2
	ED*4X48F**	*9MVX060	41000	TDR&TXV	13			11
	ED*4X48F**	*9MX*1002116A**	41000	TDR&TXV	14			11.4
	ED*4X48F**	*9MV*1002116A**	41500	TDR&TXV	14			11.4
	ED*4X48F**	*9MA*1002120A**	41000	TDR&TXV	14			11.5
	ED*4X48F**		41500	TXV			13	10.7
	ED*4X48F**	*8MPV075	41000	TDR&TXV	13.5			11.2
	ED*4X48F**	*9MPV075	40500	TDR&TXV	13			11
	ED*4X48F**	MV12F19**B*	41000	TDR&TXV	14			11.5
	ED*4X48J**	*9MX*0802120A**	41500	TDR&TXV	13.7			11.3
	ED*4X48J**	*9MX*1002120A**	41000	TDR&TXV	14			11.4
	ED*4X48J**	*9MX*1202422A**	41500	TDR&TXV	14.2			11.6
	ED*4X48J**	*9MV*0802120A**	41000	TDR&TXV	14			11.3
	ED*4X48J**	*9MV*1002120A**	41000	TDR&TXV	14			11.4
	ED*4X48J**	*9MV*1202422A**	41000	TDR&TXV	14.2			11.6
	ED*4X48J**	*9MA*0802120A**	40500	TDR&TXV	13.7			11.3
	ED*4X48J**	*9MA*1002122A**	41000	TDR&TXV	14			11.4
	ED*4X48J**	*9MA*1202422A**	41000	TDR&TXV	14			11.5
	ED*4X48J**	*9MA*0602120A**	40500	TDR&TXV	13.5			11.2
	ED*4X48J**	*9MVX080	41500	TDR&TXV	13.5			11.2
	ED*4X48J**	*9MX*1002116A**	41000	TDR&TXV	13.7			11.4
ED*4X48J**	*9MV*1002116A**	41000	TDR&TXV	13.7			11.4	
ED*4X48J**	*9MA*1002120A**	40500	TDR&TXV	14			11.4	
ED*4X48J**		41500	TXV			13	10.7	
ED*4X48J**	*8MPV100	41500	TDR&TXV	14			11.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A342CKA	ED*4X48J**	*8MPV125	41500	TDR&TXV	14			11.5
	ED*4X48J**	*9MPV100	41500	TDR&TXV	13.5			11.2
	ED*4X48J**	MV16J22**B*	41500	TDR&TXV	14			11.5
	ED*4X48L**	*9MX*0802120A**	41500	TDR&TXV	14			11.3
	ED*4X48L**	*9MX*1002120A**	41000	TDR&TXV	14			11.5
	ED*4X48L**	*9MX*1202422A**	41500	TDR&TXV	14.2			11.6
	ED*4X48L**	*9MV*0802120A**	41000	TDR&TXV	14			11.3
	ED*4X48L**	*9MV*1002120A**	41000	TDR&TXV	14			11.4
	ED*4X48L**	*9MV*1202422A**	41000	TDR&TXV	14.2			11.6
	ED*4X48L**	*9MA*0802120A**	41000	TDR&TXV	14			11.3
	ED*4X48L**	*9MA*1002122A**	41000	TDR&TXV	14			11.5
	ED*4X48L**	*9MA*1202422A**	41000	TDR&TXV	14.2			11.6
	ED*4X48L**	*9MA*0602120A**	40500	TDR&TXV	13.7			11.2
	ED*4X48L**	*9MVX100	41500	TDR&TXV	14			11.5
	ED*4X48L**	*9MX*1002116A**	41000	TDR&TXV	13.7			11.4
	ED*4X48L**	*9MV*1002116A**	41000	TDR&TXV	13.7			11.4
	ED*4X48L**	*9MA*1002120A**	41000	TDR&TXV	14			11.5
	ED*4X48L**		41500	TXV			13	10.7
	ED*4X48L**	*9MPV125	41500	TDR&TXV	14			11.5
	ED*4X48L**	MV20L24**B*	41500	TDR&TXV	14.5			11.5
	EHD4X42A**	*8MX*0701716**	41500	TDR&TXV	13.5			11
	EHD4X42A**	*8MX*0902116**	41500	TDR&TXV	14			11.5
	EHD4X42A**	*8MX*1102120**	41500	TDR&TXV	14			11.5
	EHD4X42A**	*8MX*1352420**	41500	TDR&TXV	14			11.5
	EHD4X42A**	*8MV*0701412**	41000	TDR&TXV	13.5			11
	EHD4X42A**	*8MV*0901716**	41500	TDR&TXV	14			11.5
	EHD4X42A**	*8MV*1102120**	41500	TDR&TXV	14			11.5
	EHD4X42A**	*8MV*1352422**	41500	TDR&TXV	14			11.5
	EHD4X42A**	*9MX*0601714A**	41000	TDR&TXV	13.7			11.2
	EHD4X42A**	*9MX*0801716A**	41500	TDR&TXV	13.7			11.3
	EHD4X42A**	*9MX*0802120A**	41500	TDR&TXV	14			11.3
	EHD4X42A**	*9MX*1002120A**	41500	TDR&TXV	14			11.4
	EHD4X42A**	*9MX*1202422A**	41500	TDR&TXV	14.2			11.6
	EHD4X42A**	*9MV*0601714A**	41000	TDR&TXV	13.5			11.2
	EHD4X42A**	*9MV*0801716A**	41000	TDR&TXV	13.7			11.4
	EHD4X42A**	*9MV*0802120A**	41500	TDR&TXV	14			11.3
	EHD4X42A**	*9MV*1002120A**	41500	TDR&TXV	14			11.4
	EHD4X42A**	*9MV*1202422A**	41500	TDR&TXV	14.2			11.6
	EHD4X42A**	*9MA*0601714A**	41000	TDR&TXV	13.7			11.2
	EHD4X42A**	*9MA*0801714A**	41000	TDR&TXV	13.7			11.4
	EHD4X42A**	*9MA*0802120A**	41000	TDR&TXV	14			11.3
	EHD4X42A**	*9MA*1002122A**	41500	TDR&TXV	14			11.5
	EHD4X42A**	*9MA*1202422A**	41000	TDR&TXV	14.2			11.6
	EHD4X42A**	*9MA*0602120A**	41000	TDR&TXV	13.7			11.2
	EHD4X42A**	NOMV156E19*	41000	TDR&TXV	14			11.5
EHD4X42A**	*9MVX060	40500	TDR&TXV	13			10.5	
EHD4X42A**	*9MVX080	41000	TDR&TXV	13.5			11.2	
EHD4X42A**	*9MVX100	41000	TDR&TXV	13.5			11.2	
EHD4X42A**	*9MX*1002116A**	41000	TDR&TXV	14			11.4	
EHD4X42A**	*9MV*1002116A**	41500	TDR&TXV	14			11.4	
EHD4X42A**	*9MA*1002120A**	41000	TDR&TXV	14			11.5	
EHD4X42A**		40500	TXV			13	10.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A342CKA	EHD4X42A**	*8MPV075	40500	TDR&TXV	13		11	
	EHD4X42A**	*8MPV100	41000	TDR&TXV	13.5		11.2	
	EHD4X42A**	*8MPV125	41000	TDR&TXV	13.5		11.5	
	EHD4X42A**	*9MPV075	41000	TDR&TXV	13.2		10.9	
	EHD4X42A**	*9MPV100	41000	TDR&TXV	13.5		11.2	
	EHD4X42A**	*9MPV125	41000	TDR&TXV	13.5		11.2	
	EHD4X42A**	MV12F19**B*	40500	TDR&TXV	14		11.5	
	EHD4X42A**	MV16J22**B*	41000	TDR&TXV	14		11.5	
	EHD4X42A**	MV20L24**B*	41000	TDR&TXV	14		11.5	
	EHD4X42A**		40500	TXV		13	10.5	
	EHD4X42A**	*8MPV075	40500	TDR&TXV	13		11	
	EHD4X42A**	*8MPV100	41000	TDR&TXV	13.5		11.2	
	EHD4X42A**	*8MPV125	41000	TDR&TXV	13.5		11.5	
	EHD4X42A**	MV12F19**B*	40500	TDR&TXV	14		11.5	
	EHD4X42A**	MV16J22**B*	41000	TDR&TXV	14		11.5	
	EHD4X42A**	MV20L24**B*	41000	TDR&TXV	14		11.5	
	EHD4X48A**	*8MX*0701716**	41500	TDR&TXV	13.5		11	
	EHD4X48A**	*8MX*0902116**	41500	TDR&TXV	14		11.5	
	EHD4X48A**	*8MX*1102120**	41500	TDR&TXV	14		11.5	
	EHD4X48A**	*8MX*1352420**	41500	TDR&TXV	14		11.5	
	EHD4X48A**	*8MV*0701412**	41500	TDR&TXV	13.5		11	
	EHD4X48A**	*8MV*0901716**	41500	TDR&TXV	14		11.5	
	EHD4X48A**	*8MV*1102120**	41500	TDR&TXV	14		11.5	
	EHD4X48A**	*8MV*1352422**	41500	TDR&TXV	14		11.5	
	EHD4X48A**	*9MX*0601714A**	41500	TDR&TXV	13.7		11.3	
	EHD4X48A**	*9MX*0801716A**	41500	TDR&TXV	13.7		11.3	
	EHD4X48A**	*9MX*0802120A**	42000	TDR&TXV	14		11.3	
	EHD4X48A**	*9MX*1002120A**	41500	TDR&TXV	14		11.5	
	EHD4X48A**	*9MX*1202422A**	42000	TDR&TXV	14.2		11.7	
	EHD4X48A**	*9MV*0601714A**	41500	TDR&TXV	13.7		11.2	
	EHD4X48A**	*9MV*0801716A**	41500	TDR&TXV	13.7		11.4	
	EHD4X48A**	*9MV*0802120A**	41500	TDR&TXV	14		11.3	
	EHD4X48A**	*9MV*1002120A**	41500	TDR&TXV	14		11.5	
	EHD4X48A**	*9MV*1202422A**	41500	TDR&TXV	14.2		11.7	
	EHD4X48A**	*9MA*0601714A**	41000	TDR&TXV	13.7		11.3	
	EHD4X48A**	*9MA*0801714A**	41000	TDR&TXV	13.7		11.4	
EHD4X48A**	*9MA*0802120A**	41000	TDR&TXV	14		11.3		
EHD4X48A**	*9MA*1002122A**	41500	TDR&TXV	14		11.5		
EHD4X48A**	*9MA*1202422A**	41000	TDR&TXV	14.2		11.7		
EHD4X48A**	*9MA*0602120A**	41000	TDR&TXV	13.7		11.3		
EHD4X48A**	NOMV156E19*	41500	TDR&TXV	14		11.5		
EHD4X48A**	*9MVX060	41000	TDR&TXV	13		11		
EHD4X48A**	*9MVX080	41500	TDR&TXV	13.5		11.2		
EHD4X48A**	*9MVX100	41500	TDR&TXV	14		11.5		
EHD4X48A**	*9MX*1002116A**	41500	TDR&TXV	14		11.5		
EHD4X48A**	*9MV*1002116A**	41500	TDR&TXV	14		11.5		
EHD4X48A**	*9MA*1002120A**	41000	TDR&TXV	14		11.5		
EHD4X48A**		41500	TXV		13	10.7		
EHD4X48A**	*8MPV075	41000	TDR&TXV	13.5		11.2		
EHD4X48A**	*8MPV100	41500	TDR&TXV	14		11.5		
EHD4X48A**	*8MPV125	41500	TDR&TXV	14		11.5		
EHD4X48A**	*9MPV075	41000	TDR&TXV	13		11		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A342CKA	EHD4X48A**	*9MPV100	41500	TDR&TXV	13.5			11.2
	EHD4X48A**	*9MPV125	41500	TDR&TXV	13.5			11.2
	EHD4X48A**	MV12F19**B*	41500	TDR&TXV	14			11.5
	EHD4X48A**	MV16J22**B*	41500	TDR&TXV	14			11.5
	EHD4X48A**	MV20L24**B*	41500	TDR&TXV	14.5			11.5
	EHD4X48A**		41500	TXV		13		10.7
	EHD4X48A**	*8MPV075	41000	TDR&TXV	13.5			11.2
	EHD4X48A**	*8MPV100	41500	TDR&TXV	14			11.5
	EHD4X48A**	*8MPV125	41500	TDR&TXV	14			11.5
	EHD4X48A**	MV12F19**B*	41500	TDR&TXV	14			11.5
	EHD4X48A**	MV16J22**B*	41500	TDR&TXV	14			11.5
	EHD4X48A**	MV20L24**B*	41500	TDR&TXV	14.5			11.5
	EMA4X48D**		41500	TXV		13		10.7
	EMA4X48D**		41500	TXV		13		10.7
	EN(A,D)4X43*24**	*8MX*0902116**	42000	TDR&TXV	14			11.5
	EN(A,D)4X43*24**	*8MX*1102120**	42000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*8MX*1352420**	42000	TDR&TXV	14			11.5
	EN(A,D)4X43*24**	*8MV*1102120**	42000	TDR&TXV	14			11.5
	EN(A,D)4X43*24**	*8MV*1352422**	42000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	*9MX*0802120A**	42000	TDR&TXV	14			11.5
	EN(A,D)4X43*24**	*9MX*1002120A**	42000	TDR&TXV	14.2			11.7
	EN(A,D)4X43*24**	*9MX*1202422A**	42000	TDR&TXV	14.5			11.9
	EN(A,D)4X43*24**	*9MV*0802120A**	42000	TDR&TXV	14			11.5
	EN(A,D)4X43*24**	*9MV*1002120A**	42000	TDR&TXV	14.2			11.7
	EN(A,D)4X43*24**	*9MV*1202422A**	41500	TDR&TXV	14.5			11.9
	EN(A,D)4X43*24**	*9MA*0802120A**	41500	TDR&TXV	14			11.5
	EN(A,D)4X43*24**	*9MA*1002122A**	42000	TDR&TXV	14.5			11.7
	EN(A,D)4X43*24**	*9MA*1202422A**	41500	TDR&TXV	14.5			11.9
	EN(A,D)4X43*24**	*9MA*0602120A**	41500	TDR&TXV	14			11.3
	EN(A,D)4X43*24**	NOMV156E19*	41500	TDR&TXV	14			11.5
	EN(A,D)4X43*24**	*9MX*1002116A**	42000	TDR&TXV	14.2			11.6
	EN(A,D)4X43*24**	*9MV*1002116A**	42000	TDR&TXV	14.2			11.6
	EN(A,D)4X43*24**	*9MA*1002120A**	41500	TDR&TXV	14.2			11.7
	EN(A,D)4X43*24**		42000	TXV	13.5	13		11
	EN(A,D)4X43*24**	*8MPV100	42000	TDR&TXV	14			11.5
	EN(A,D)4X43*24**	*8MPV125	42000	TDR&TXV	14			11.5
	EN(A,D)4X43*24**	MV16J22**B*	42000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**	MV20L24**B*	42000	TDR&TXV	14.5			12
	EN(A,D)4X43*24**		42000	TXV		13.5		11
	EN(A,D)4X48*24**	*8MX*0902116**	41500	TDR&TXV	14			11.5
	EN(A,D)4X48*24**	*8MX*1102120**	41500	TDR&TXV	14			11.5
	EN(A,D)4X48*24**	*8MX*1352420**	41500	TDR&TXV	14			11.5
	EN(A,D)4X48*24**	*8MV*1102120**	41500	TDR&TXV	14			11.5
	EN(A,D)4X48*24**	*8MV*1352422**	41500	TDR&TXV	14			11.5
	EN(A,D)4X48*24**	*9MX*0802120A**	41500	TDR&TXV	14			11.3
EN(A,D)4X48*24**	*9MX*1002120A**	41500	TDR&TXV	14			11.5	
EN(A,D)4X48*24**	*9MX*1202422A**	41500	TDR&TXV	14.2			11.7	
EN(A,D)4X48*24**	*9MV*0802120A**	41500	TDR&TXV	14			11.3	
EN(A,D)4X48*24**	*9MV*1002120A**	41500	TDR&TXV	14			11.5	
EN(A,D)4X48*24**	*9MV*1202422A**	41500	TDR&TXV	14.2			11.7	
EN(A,D)4X48*24**	*9MA*0802120A**	41000	TDR&TXV	14			11.3	
EN(A,D)4X48*24**	*9MA*1002122A**	41500	TDR&TXV	14			11.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A342CKA	EN(A,D)4X48*24**	*9MA*1202422A**	41000	TDR&TXV	14.2		11.7	
	EN(A,D)4X48*24**	*9MA*0602120A**	41000	TDR&TXV	13.7		11.2	
	EN(A,D)4X48*24**	NOMV156E19*	41000	TDR&TXV	14		11.5	
	EN(A,D)4X48*24**	*9MX*1002116A**	41000	TDR&TXV	14		11.4	
	EN(A,D)4X48*24**	*9MV*1002116A**	41500	TDR&TXV	14		11.4	
	EN(A,D)4X48*24**	*9MA*1002120A**	41000	TDR&TXV	14		11.5	
	EN(A,D)4X48*24**		41500	TXV		13	10.8	
	EN(A,D)4X48*24**	*8MPV100	42000	TDR&TXV	14		11.5	
	EN(A,D)4X48*24**	*8MPV125	42000	TDR&TXV	14		11.5	
	EN(A,D)4X48*24**	MV16J22**B*	41500	TDR&TXV	14.5		12	
	EN(A,D)4X48*24**	MV20L24**B*	41500	TDR&TXV	14.5		12	
	EN(A,D,W)4X42*21**	*8MX*0701716**	40500	TDR&TXV	13		10.7	
	EN(A,D,W)4X42*21**	*8MX*0902116**	40500	TDR&TXV	13.5		11	
	EN(A,D,W)4X42*21**	*8MX*1102120**	40500	TDR&TXV	13.5		11	
	EN(A,D,W)4X42*21**	*8MV*0901716**	40500	TDR&TXV	13.5		11	
	EN(A,D,W)4X42*21**	*8MV*1102120**	40500	TDR&TXV	13.5		11	
	EN(A,D,W)4X42*21**	*9MX*0601714A**	40500	TDR&TXV	13.3		11	
	EN(A,D,W)4X42*21**	*9MX*0801716A**	40500	TDR&TXV	13.3		11	
	EN(A,D,W)4X42*21**	*9MX*0802120A**	40500	TDR&TXV	13.5		11.2	
	EN(A,D,W)4X42*21**	*9MX*1002120A**	40500	TDR&TXV	13.7		11.2	
	EN(A,D,W)4X42*21**	*9MV*0601714A**	40000	TDR&TXV	13		10.9	
	EN(A,D,W)4X42*21**	*9MV*0801716A**	40000	TDR&TXV	13.5		11.1	
	EN(A,D,W)4X42*21**	*9MV*0802120A**	40500	TDR&TXV	13.5		11.2	
	EN(A,D,W)4X42*21**	*9MV*1002120A**	40500	TDR&TXV	13.7		11.2	
	EN(A,D,W)4X42*21**	*9MA*0601714A**	40000	TDR&TXV	13.3		10.9	
	EN(A,D,W)4X42*21**	*9MA*0801714A**	40000	TDR&TXV	13.5		11.1	
	EN(A,D,W)4X42*21**	*9MA*0802120A**	40000	TDR&TXV	13.5		11.2	
	EN(A,D,W)4X42*21**	*9MA*1002122A**	40500	TDR&TXV	13.7		11.2	
	EN(A,D,W)4X42*21**	*9MA*0602120A**	40000	TDR&TXV	13.5		11	
	EN(A,D,W)4X42*21**	NOMV156E19*	40500	TDR&TXV	13.5		11	
	EN(A,D,W)4X42*21**	*9MX*1002116A**	40000	TDR&TXV	13.5		11.2	
	EN(A,D,W)4X42*21**	*9MV*1002116A**	40500	TDR&TXV	13.5		11.2	
	EN(A,D,W)4X42*21**	*9MA*1002120A**	40000	TDR&TXV	13.7		11.2	
	EN(A,D,W)4X42*21**		41000	TXV		13	10.6	
	EN(A,D,W)4X42*21**	*8MPV075	40500	TDR&TXV	13		11	
	EN(A,D,W)4X42*21**	MV12F19**B*	41000	TDR&TXV	14		11.5	
	EN(A,D,W)4X48*21**	*8MX*0701716**	41500	TDR&TXV	13.5		11	
	EN(A,D,W)4X48*21**	*8MX*0902116**	41500	TDR&TXV	14		11.5	
	EN(A,D,W)4X48*21**	*8MX*1102120**	41500	TDR&TXV	14		11.5	
	EN(A,D,W)4X48*21**	*8MV*0901716**	41000	TDR&TXV	14		11.5	
	EN(A,D,W)4X48*21**	*8MV*1102120**	41500	TDR&TXV	14		11.5	
	EN(A,D,W)4X48*21**	*9MX*0601714A**	41000	TDR&TXV	13.7		11.2	
	EN(A,D,W)4X48*21**	*9MX*0801716A**	41500	TDR&TXV	13.7		11.3	
	EN(A,D,W)4X48*21**	*9MX*0802120A**	41500	TDR&TXV	14		11.3	
	EN(A,D,W)4X48*21**	*9MX*1002120A**	41500	TDR&TXV	14		11.5	
	EN(A,D,W)4X48*21**	*9MV*0601714A**	41000	TDR&TXV	13.5		11.2	
	EN(A,D,W)4X48*21**	*9MV*0801716A**	41000	TDR&TXV	13.7		11.4	
	EN(A,D,W)4X48*21**	*9MV*0802120A**	41500	TDR&TXV	14		11.3	
EN(A,D,W)4X48*21**	*9MV*1002120A**	41500	TDR&TXV	14		11.5		
EN(A,D,W)4X48*21**	*9MA*0601714A**	40500	TDR&TXV	13.7		11.2		
EN(A,D,W)4X48*21**	*9MA*0801714A**	41000	TDR&TXV	13.7		11.4		
EN(A,D,W)4X48*21**	*9MA*0802120A**	41000	TDR&TXV	14		11.3		

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A342CKA	EN(A,D,W)4X48*21**	*9MA*1002122A**	41500	TDR&TXV	14			11.5
	EN(A,D,W)4X48*21**	*9MA*0602120A**	41000	TDR&TXV	13.7			11.2
	EN(A,D,W)4X48*21**	NOMV156E19*	41000	TDR&TXV	14			11.5
	EN(A,D,W)4X48*21**	*9MX*1002116A**	41000	TDR&TXV	14			11.4
	EN(A,D,W)4X48*21**	*9MV*1002116A**	41500	TDR&TXV	14			11.4
	EN(A,D,W)4X48*21**	*9MA*1002120A**	41000	TDR&TXV	14			11.5
	EN(A,D,W)4X48*21**		41500	TXV		13		10.8
	EN(A,D,W)4X48*21**	*8MPV075	41500	TDR&TXV	13.5			11
	EN(A,D,W)4X48*21**	MV12F19**B*	41500	TDR&TXV	14			11.5
	END4X42*17**	*8MX*0701716**	41000	TDR&TXV	13			11
	END4X42*17**	*8MV*0701412**	40500	TDR&TXV	13.5			11
	END4X42*17**	*8MV*0901716**	41000	TDR&TXV	13.5			11
	END4X42*17**	*9MX*0601714A**	40500	TDR&TXV	13.5			11.1
	END4X42*17**	*9MX*0801716A**	41000	TDR&TXV	13.5			11.1
	END4X42*17**	*9MV*0601714A**	40500	TDR&TXV	13.3			11
	END4X42*17**	*9MV*0801716A**	40500	TDR&TXV	13.5			11.2
	END4X42*17**	*9MA*0601714A**	40500	TDR&TXV	13.3			11
	END4X42*17**	*9MA*0801714A**	40500	TDR&TXV	13.5			11.2
	END4X42*17**		41500	TXV		13		10.7
	ENH4X42*21**	*8MX*0701716**	40500	TDR&TXV	13			10.7
	ENH4X42*21**	*8MX*0902116**	40500	TDR&TXV	13.5			11
	ENH4X42*21**	*8MX*1102120**	40500	TDR&TXV	13.5			11
	ENH4X42*21**	*8MX*1352420**	40500	TDR&TXV	13.5			11
	ENH4X42*21**	*8MV*0701412**	40000	TDR&TXV	13			11
	ENH4X42*21**	*8MV*0901716**	40500	TDR&TXV	13.5			11
	ENH4X42*21**	*8MV*1102120**	40500	TDR&TXV	13.5			11
	ENH4X42*21**	*8MV*1352422**	40500	TDR&TXV	13.5			11
	ENH4X42*21**	*9MX*0601714A**	40500	TDR&TXV	13.3			11
	ENH4X42*21**	*9MX*0801716A**	40500	TDR&TXV	13.3			11
	ENH4X42*21**	*9MX*0802120A**	40500	TDR&TXV	13.5			11.2
	ENH4X42*21**	*9MX*1002120A**	40500	TDR&TXV	13.7			11.2
	ENH4X42*21**	*9MX*1202422A**	40500	TDR&TXV	13.7			11.4
	ENH4X42*21**	*9MV*0601714A**	40000	TDR&TXV	13			10.9
	ENH4X42*21**	*9MV*0801716A**	40000	TDR&TXV	13.5			11.1
	ENH4X42*21**	*9MV*0802120A**	40500	TDR&TXV	13.5			11.2
	ENH4X42*21**	*9MV*1002120A**	40500	TDR&TXV	13.7			11.2
	ENH4X42*21**	*9MV*1202422A**	40500	TDR&TXV	13.7			11.4
	ENH4X42*21**	*9MA*0601714A**	40000	TDR&TXV	13.3			10.9
	ENH4X42*21**	*9MA*0801714A**	40000	TDR&TXV	13.5			11.1
	ENH4X42*21**	*9MA*0802120A**	40000	TDR&TXV	13.5			11.2
	ENH4X42*21**	*9MA*1002122A**	40500	TDR&TXV	13.7			11.2
	ENH4X42*21**	*9MA*1202422A**	40000	TDR&TXV	13.7			11.4
	ENH4X42*21**	*9MA*0602120A**	40000	TDR&TXV	13.5			11
	ENH4X42*21**	NOMV156E19*	40500	TDR&TXV	13.5			11
	ENH4X42*21**	*9MX*1002116A**	40000	TDR&TXV	13.5			11.2
ENH4X42*21**	*9MV*1002116A**	40500	TDR&TXV	13.5			11.2	
ENH4X42*21**	*9MA*1002120A**	40000	TDR&TXV	13.7			11.2	
ENH4X42*21**		41000	TXV		13		10.6	
ENH4X42*21**	*8MPV075	40500	TDR&TXV	13			11	
ENH4X42*21**	*8MPV100	41000	TDR&TXV	13.5			11	
ENH4X42*21**	*8MPV125	41000	TDR&TXV	13.5			11	
ENH4X42*21**	MV12F19**B*	41000	TDR&TXV	14			11.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A342CKA	ENH4X42*21**	MV16J22**B*	41000	TDR&TXV	14			11.5
	ENH4X42*21**	MV20L24**B*	41000	TDR&TXV	14			11.5
	ENH4X43*21**	*8MX*0701716**	42000	TDR&TXV	13.5			11
	ENH4X43*21**	*8MX*0902116**	42000	TDR&TXV	14			11.5
	ENH4X43*21**	*8MX*1102120**	42000	TDR&TXV	14			11.5
	ENH4X43*21**	*8MX*1352420**	42000	TDR&TXV	14			11.5
	ENH4X43*21**	*8MV*0701412**	41500	TDR&TXV	13.5			11
	ENH4X43*21**	*8MV*0901716**	41500	TDR&TXV	14			11.5
	ENH4X43*21**	*8MV*1102120**	42000	TDR&TXV	14			11.5
	ENH4X43*21**	*8MV*1352422**	42000	TDR&TXV	14			11.5
	ENH4X43*21**	*9MX*0601714A**	41500	TDR&TXV	13.7			11.4
	ENH4X43*21**	*9MX*0801716A**	42000	TDR&TXV	14			11.4
	ENH4X43*21**	*9MX*0802120A**	42000	TDR&TXV	14			11.5
	ENH4X43*21**	*9MX*1002120A**	42000	TDR&TXV	14.2			11.6
	ENH4X43*21**	*9MX*1202422A**	42000	TDR&TXV	14.5			11.8
	ENH4X43*21**	*9MV*0601714A**	41500	TDR&TXV	13.7			11.3
	ENH4X43*21**	*9MV*0801716A**	41500	TDR&TXV	14			11.5
	ENH4X43*21**	*9MV*0802120A**	42000	TDR&TXV	14			11.5
	ENH4X43*21**	*9MV*1002120A**	42000	TDR&TXV	14.2			11.6
	ENH4X43*21**	*9MV*1202422A**	41500	TDR&TXV	14.5			11.9
	ENH4X43*21**	*9MA*0601714A**	41000	TDR&TXV	13.7			11.4
	ENH4X43*21**	*9MA*0801714A**	41500	TDR&TXV	14			11.5
	ENH4X43*21**	*9MA*0802120A**	41500	TDR&TXV	14			11.5
	ENH4X43*21**	*9MA*1002122A**	42000	TDR&TXV	14.2			11.7
	ENH4X43*21**	*9MA*1202422A**	41500	TDR&TXV	14.5			11.8
	ENH4X43*21**	*9MA*0602120A**	41500	TDR&TXV	14			11.4
	ENH4X43*21**	NOMV156E19*	41500	TDR&TXV	14			11.5
	ENH4X43*21**	*9MX*1002116A**	41500	TDR&TXV	14.2			11.6
	ENH4X43*21**	*9MV*1002116A**	42000	TDR&TXV	14.2			11.6
	ENH4X43*21**	*9MA*1002120A**	41500	TDR&TXV	14.2			11.7
	ENH4X43*21**		42000	TXV		13		11
	ENH4X43*21**	*8MPV075	42000	TDR&TXV	13.5			11
	ENH4X43*21**	*8MPV100	42000	TDR&TXV	14			11.5
	ENH4X43*21**	*8MPV125	42000	TDR&TXV	14			11.5
	ENH4X43*21**	MV12F19**B*	42000	TDR&TXV	14.5			12
	ENH4X43*21**	MV16J22**B*	42000	TDR&TXV	14.5			12
	ENH4X43*21**	MV20L24**B*	42000	TDR&TXV	14.5			12
	ENH4X48*21**	*8MX*0701716**	41500	TDR&TXV	13.5			11
	ENH4X48*21**	*8MX*0902116**	41500	TDR&TXV	14			11.5
	ENH4X48*21**	*8MX*1102120**	41500	TDR&TXV	14			11.5
	ENH4X48*21**	*8MX*1352420**	41500	TDR&TXV	14			11.5
	ENH4X48*21**	*8MV*0701412**	41000	TDR&TXV	13.5			11
	ENH4X48*21**	*8MV*0901716**	41000	TDR&TXV	14			11.5
	ENH4X48*21**	*8MV*1102120**	41500	TDR&TXV	14			11.5
	ENH4X48*21**	*8MV*1352422**	41500	TDR&TXV	14			11.5
	ENH4X48*21**	*9MX*0601714A**	41000	TDR&TXV	13.7			11.2
	ENH4X48*21**	*9MX*0801716A**	41500	TDR&TXV	13.7			11.3
	ENH4X48*21**	*9MX*0802120A**	41500	TDR&TXV	14			11.3
	ENH4X48*21**	*9MX*1002120A**	41500	TDR&TXV	14			11.5
	ENH4X48*21**	*9MX*1202422A**	41500	TDR&TXV	14.2			11.7
	ENH4X48*21**	*9MV*0601714A**	41000	TDR&TXV	13.5			11.2
	ENH4X48*21**	*9MV*0801716A**	41000	TDR&TXV	13.7			11.4

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A342CKA	ENH4X48*21**	*9MV*0802120A**	41500	TDR&TXV	14			11.3
	ENH4X48*21**	*9MV*1002120A**	41500	TDR&TXV	14			11.5
	ENH4X48*21**	*9MV*1202422A**	41500	TDR&TXV	14.2			11.7
	ENH4X48*21**	*9MA*0601714A**	40500	TDR&TXV	13.7			11.2
	ENH4X48*21**	*9MA*0801714A**	41000	TDR&TXV	13.7			11.4
	ENH4X48*21**	*9MA*0802120A**	41000	TDR&TXV	14			11.3
	ENH4X48*21**	*9MA*1002122A**	41500	TDR&TXV	14			11.5
	ENH4X48*21**	*9MA*1202422A**	41000	TDR&TXV	14.2			11.7
	ENH4X48*21**	*9MA*0602120A**	41000	TDR&TXV	13.7			11.2
	ENH4X48*21**	NOMV156E19*	41000	TDR&TXV	14			11.5
	ENH4X48*21**	*9MX*1002116A**	41000	TDR&TXV	14			11.4
	ENH4X48*21**	*9MV*1002116A**	41500	TDR&TXV	14			11.4
	ENH4X48*21**	*9MA*1002120A**	41000	TDR&TXV	14			11.5
	ENH4X48*21**		41500	TXV		13		10.8
	ENH4X48*21**	*8MPV075	41500	TDR&TXV	13.5			11
	ENH4X48*21**	*8MPV100	42000	TDR&TXV	14			11.5
	ENH4X48*21**	*8MPV125	42000	TDR&TXV	14			11.5
	ENH4X48*21**	MV12F19**B*	41500	TDR&TXV	14			11.5
	ENH4X48*21**	MV16J22**B*	41500	TDR&TXV	14.5			12
	ENH4X48*21**	MV20L24**B*	41500	TDR&TXV	14.5			12

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.
 † For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models									
For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org . New ratings may be listed online before Specification Sheets are updated.									
Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings						
			Cooling 95° F (35°C)						
			Capacity	Factory Installed	SEER			EER	
Standard	W/ Field TDR	W/ Field TXV							
N4A348CKA	*ED*4X48J**		46500	TXV		13		10.7	
	FEM4P48**A*		47000	TDR			13	11	
	FEM4P48**A*		47000	TDR	13			11	
	FEM4P60**A*		47500	TDR			13.5	11.5	
	FEM4X48****		47500	TDR&TXV	13.5			11.5	
	FEM4X60****		48000	TDR&TXV	14			11.5	
	FS(M,U)4P48**A*		47500	TDR			13	11	
	FS(M,U)4P48**A*		47500	TDR	13			11	
	FS(M,U)4X48****		47000	TDR&TXV	13.05			10.8	
	FS(M,U)4X60**A*		47500	TDR&TXV	13			11	
	FVM4X48****		47000	TDR&TXV	14			12	
	FVM4X60****		47500	TDR&TXV	14.5			12.2	
	FXM4X48**A*		47500	TDR&TXV	14			11.5	
	FXM4X60**A*		48000	TDR&TXV	14			12	
	EA*4X48*17A*	*8MV*0901716**		46000	TDR&TXV	13.5			11.2
	EA*4X48*17A*			46000	TXV		13		11
	EA*4X48*21A*	*8MX*0902116**		46000	TDR&TXV	13.5			11.3
	EA*4X48*21A*	*8MX*1102120**		46000	TDR&TXV	13.7			11.5
	EA*4X48*21A*	*8MV*0901716**		46000	TDR&TXV	13.5			11.2
	EA*4X48*21A*	*8MV*1102120**		46000	TDR&TXV	13.5			11.3
	EA*4X48*21A*	*9MX*0802120A**		46000	TDR&TXV	13.5			11.2
	EA*4X48*21A*	*9MX*1002120A**		46000	TDR&TXV	13.5			11.3
	EA*4X48*21A*	*9MV*0802120A**		46000	TDR&TXV	13.5			11.3
	EA*4X48*21A*	*9MV*1002120A**		46000	TDR&TXV	13.5			11.3
	EA*4X48*21A*	*9MA*0802120A**		45500	TDR&TXV	13.5			11.3
	EA*4X48*21A*	*9MA*1002122A**		46000	TDR&TXV	13.5			11.3
	EA*4X48*21A*	*9MA*0602120A**		45500	TDR&TXV	13.2			11.2
	EA*4X48*21A*	*9MX*1002116A**		45500	TDR&TXV	13.3			11
	EA*4X48*21A*	*9MV*1002116A**		46000	TDR&TXV	13.3			11
	EA*4X48*21A*	*9MA*1002120A**		45500	TDR&TXV	13.5			11.2
	EA*4X48*21A*			46500	TXV		13		11
	EA*4X48*24A*	*8MX*0902116**		46000	TDR&TXV	13.5			11.3
	EA*4X48*24A*	*8MX*1102120**		46000	TDR&TXV	14			11.5
	EA*4X48*24A*	*8MX*1352420**		46000	TDR&TXV	13.7			11.3
	EA*4X48*24A*	*8MV*1102120**		46000	TDR&TXV	13.5			11.3
	EA*4X48*24A*	*8MV*1352422**		46000	TDR&TXV	14			11.5
	EA*4X48*24A*	*9MX*0802120A**		46000	TDR&TXV	13.5			11.3
	EA*4X48*24A*	*9MX*1002120A**		46000	TDR&TXV	13.5			11.3
	EA*4X48*24A*	*9MX*1202422A**		46000	TDR&TXV	13.7			11.4
	EA*4X48*24A*	*9MV*0802120A**		46000	TDR&TXV	13.5			11.3
	EA*4X48*24A*	*9MV*1002120A**		46000	TDR&TXV	13.7			11.3
	EA*4X48*24A*	*9MV*1202422A**		46000	TDR&TXV	13.7			11.4
	EA*4X48*24A*	*9MA*0802120A**		45500	TDR&TXV	13.7			11.3
	EA*4X48*24A*	*9MA*1002122A**		46000	TDR&TXV	13.7			11.3
	EA*4X48*24A*	*9MA*1202422A**		45500	TDR&TXV	13.7			11.4
EA*4X48*24A*	*9MA*0602120A**		45500	TDR&TXV	13.2			11.2	
EA*4X48*24A*	*9MX*1002116A**		46000	TDR&TXV	13.3			11	
EA*4X48*24A*	*9MV*1002116A**		46000	TDR&TXV	13.3			11	

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A348CKA	EA*4X48*24A*	*9MA*1002120A**	45500	TDR&TXV	13.5			11.2
	EA*4X48*24A*		46500	TXV		13		11
	EA*4X60*21A*	*8MX*0902116**	47000	TDR&TXV	14			11.5
	EA*4X60*21A*	*8MX*1102120**	47000	TDR&TXV	14			11.7
	EA*4X60*21A*	*8MV*0901716**	46500	TDR&TXV	13.7			11.5
	EA*4X60*21A*	*8MV*1102120**	47000	TDR&TXV	14			11.5
	EA*4X60*21A*	*9MX*0802120A**	47000	TDR&TXV	13.7			11.5
	EA*4X60*21A*	*9MX*1002120A**	47000	TDR&TXV	13.7			11.5
	EA*4X60*21A*	*9MV*0802120A**	47000	TDR&TXV	13.7			11.5
	EA*4X60*21A*	*9MV*1002120A**	47000	TDR&TXV	13.7			11.5
	EA*4X60*21A*	*9MA*0802120A**	46500	TDR&TXV	13.7			11.5
	EA*4X60*21A*	*9MA*1002122A**	47000	TDR&TXV	14			11.5
	EA*4X60*21A*	*9MA*0602120A**	46000	TDR&TXV	13.5			11.3
	EA*4X60*21A*	*9MX*1002116A**	46500	TDR&TXV	13.7			11.4
	EA*4X60*21A*	*9MV*1002116A**	47000	TDR&TXV	13.5			11.2
	EA*4X60*21A*	*9MA*1002120A**	46500	TDR&TXV	13.7			11.4
	EA*4X60*21A*		47000	TXV			13	11
	EA*4X60*24A*	*8MX*0902116**	47000	TDR&TXV	14			11.5
	EA*4X60*24A*	*8MX*1102120**	47000	TDR&TXV	14			11.7
	EA*4X60*24A*	*8MX*1352420**	47000	TDR&TXV	14			11.5
	EA*4X60*24A*	*8MV*1102120**	47000	TDR&TXV	14			11.5
	EA*4X60*24A*	*8MV*1352422**	47000	TDR&TXV	14			11.7
	EA*4X60*24A*	*9MX*0802120A**	47000	TDR&TXV	13.7			11.5
	EA*4X60*24A*	*9MX*1002120A**	47000	TDR&TXV	13.7			11.5
	EA*4X60*24A*	*9MX*1202422A**	47000	TDR&TXV	14			11.5
	EA*4X60*24A*	*9MV*0802120A**	47000	TDR&TXV	13.7			11.5
	EA*4X60*24A*	*9MV*1002120A**	47000	TDR&TXV	13.7			11.5
	EA*4X60*24A*	*9MV*1202422A**	47000	TDR&TXV	14			11.5
	EA*4X60*24A*	*9MA*0802120A**	46500	TDR&TXV	13.7			11.5
	EA*4X60*24A*	*9MA*1002122A**	47000	TDR&TXV	14			11.5
	EA*4X60*24A*	*9MA*1202422A**	46500	TDR&TXV	14			11.5
	EA*4X60*24A*	*9MA*0602120A**	46000	TDR&TXV	13.5			11.3
	EA*4X60*24A*	*9MX*1002116A**	46500	TDR&TXV	13.7			11.4
	EA*4X60*24A*	*9MV*1002116A**	47000	TDR&TXV	13.5			11.2
	EA*4X60*24A*	*9MA*1002120A**	46500	TDR&TXV	13.7			11.4
	EA*4X60*24A*		47000	TXV			13	11
	ED*4X48F**	*9MX*0802120A**	46500	TDR&TXV	13.5			11.3
	ED*4X48F**	*9MX*1002120A**	46000	TDR&TXV	13.5			11.3
	ED*4X48F**	*9MV*0802120A**	46000	TDR&TXV	13.5			11.3
	ED*4X48F**	*9MV*1002120A**	46000	TDR&TXV	13.7			11.3
	ED*4X48F**	*9MA*0802120A**	46000	TDR&TXV	13.5			11.3
	ED*4X48F**	*9MA*1002122A**	46500	TDR&TXV	13.7			11.3
	ED*4X48F**	*9MA*0602120A**	45500	TDR&TXV	13.2			11.2
	ED*4X48F**	*9MX*1002116A**	46000	TDR&TXV	13.5			11.2
	ED*4X48F**	*9MV*1002116A**	46000	TDR&TXV	13.3			11
	ED*4X48F**	*9MA*1002120A**	46000	TDR&TXV	13.5			11.2
	ED*4X48F**		45500	TXV			13	10.7
	ED*4X48J**	*9MX*0802120A**	46000	TDR&TXV	13.5			11.2
ED*4X48J**	*9MX*1002120A**	46000	TDR&TXV	13.5			11.3	
ED*4X48J**	*9MX*1202422A**	46000	TDR&TXV	13.7			11.4	
ED*4X48J**	*9MV*0802120A**	46000	TDR&TXV	13.5			11.3	
ED*4X48J**	*9MV*1002120A**	46000	TDR&TXV	13.5			11.3	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A348CKA	ED*4X48J**	*9MV*1202422A**	46000	TDR&TXV	13.7			11.4
	ED*4X48J**	*9MA*0802120A**	45500	TDR&TXV	13.5			11.3
	ED*4X48J**	*9MA*1002122A**	46000	TDR&TXV	13.5			11.3
	ED*4X48J**	*9MA*1202422A**	45500	TDR&TXV	13.7			11.4
	ED*4X48J**	*9MA*0602120A**	45500	TDR&TXV	13.2			11.2
	ED*4X48J**	*9MVX080	46000	TDR&TXV	13			11
	ED*4X48J**	*9MX*1002116A**	45500	TDR&TXV	13.3			11
	ED*4X48J**	*9MV*1002116A**	46000	TDR&TXV	13.3			11
	ED*4X48J**	*9MA*1002120A**	45500	TDR&TXV	13.5			11.2
	ED*4X48J**	*8MPV100	46500	TDR&TXV	13			11
	ED*4X48J**	*8MPV125	46500	TDR&TXV	13.5			11.5
	ED*4X48J**	*9MPV100	46000	TDR&TXV	13			11
	ED*4X48J**	MV16J22**B*	46500	TDR&TXV	14			11.5
	ED*4X48L**	*9MX*0802120A**	46000	TDR&TXV	13.5			11.3
	ED*4X48L**	*9MX*1002120A**	46000	TDR&TXV	13.5			11.3
	ED*4X48L**	*9MX*1202422A**	46000	TDR&TXV	13.7			11.4
	ED*4X48L**	*9MV*0802120A**	46000	TDR&TXV	13.5			11.3
	ED*4X48L**	*9MV*1002120A**	46000	TDR&TXV	13.7			11.3
	ED*4X48L**	*9MV*1202422A**	46000	TDR&TXV	13.7			11.4
	ED*4X48L**	*9MA*0802120A**	45500	TDR&TXV	13.7			11.3
	ED*4X48L**	*9MA*1002122A**	46000	TDR&TXV	13.7			11.3
	ED*4X48L**	*9MA*1202422A**	45500	TDR&TXV	13.7			11.4
	ED*4X48L**	*9MA*0602120A**	45500	TDR&TXV	13.2			11.2
	ED*4X48L**	*9MVX100	46000	TDR&TXV	13			11
	ED*4X48L**	*9MX*1002116A**	46000	TDR&TXV	13.3			11
	ED*4X48L**	*9MV*1002116A**	46000	TDR&TXV	13.3			11
	ED*4X48L**	*9MA*1002120A**	45500	TDR&TXV	13.5			11.2
	ED*4X48L**		46500	TXV			13	10.7
	ED*4X48L**	*9MPV125	46000	TDR&TXV	13			11
	ED*4X48L**	MV20L24**B*	46500	TDR&TXV	14			11.5
	ED*4X60J**	*9MX*0802120A**	47000	TDR&TXV	13.7			11.5
	ED*4X60J**	*9MX*1002120A**	47000	TDR&TXV	13.7			11.5
	ED*4X60J**	*9MX*1202422A**	47000	TDR&TXV	14			11.5
	ED*4X60J**	*9MV*0802120A**	47000	TDR&TXV	13.7			11.5
	ED*4X60J**	*9MV*1002120A**	47000	TDR&TXV	13.7			11.5
	ED*4X60J**	*9MV*1202422A**	47000	TDR&TXV	14			11.5
	ED*4X60J**	*9MA*0802120A**	46500	TDR&TXV	13.7			11.5
	ED*4X60J**	*9MA*1002122A**	47000	TDR&TXV	14			11.5
	ED*4X60J**	*9MA*1202422A**	46500	TDR&TXV	14			11.5
	ED*4X60J**	*9MA*0602120A**	46000	TDR&TXV	13.5			11.3
	ED*4X60J**	*9MVX080	46500	TDR&TXV	13.5			11.2
	ED*4X60J**	*9MX*1002116A**	46500	TDR&TXV	13.7			11.4
	ED*4X60J**	*9MV*1002116A**	47000	TDR&TXV	13.5			11.2
	ED*4X60J**	*9MA*1002120A**	46500	TDR&TXV	13.7			11.4
	ED*4X60J**		47000	TXV			13	11
ED*4X60J**	*8MPV100	47000	TDR&TXV	13.5			11.5	
ED*4X60J**	*8MPV125	47000	TDR&TXV	13.5			11.5	
ED*4X60J**	*9MPV100	46500	TDR&TXV	13.5			11.2	
ED*4X60J**	MV16J22**B*	47000	TDR&TXV	14			12	
ED*4X60L**	*9MX*0802120A**	47000	TDR&TXV	13.7			11.5	
ED*4X60L**	*9MX*1002120A**	47000	TDR&TXV	13.7			11.5	
ED*4X60L**	*9MX*1202422A**	47000	TDR&TXV	14			11.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A348CKA	ED*4X60L**	*9MV*0802120A**	47000	TDR&TXV	13.7			11.5
	ED*4X60L**	*9MV*1002120A**	47000	TDR&TXV	13.7			11.5
	ED*4X60L**	*9MV*1202422A**	47000	TDR&TXV	14			11.5
	ED*4X60L**	*9MA*0802120A**	46500	TDR&TXV	13.7			11.5
	ED*4X60L**	*9MA*1002122A**	47000	TDR&TXV	14			11.5
	ED*4X60L**	*9MA*1202422A**	46500	TDR&TXV	14			11.5
	ED*4X60L**	*9MA*0602120A**	46000	TDR&TXV	13.5			11.3
	ED*4X60L**	*9MVX100	47000	TDR&TXV	13.5			11.5
	ED*4X60L**	*9MX*1002116A**	46500	TDR&TXV	13.7			11.4
	ED*4X60L**	*9MV*1002116A**	47000	TDR&TXV	13.5			11.2
	ED*4X60L**	*9MA*1002120A**	46500	TDR&TXV	13.7			11.4
	ED*4X60L**		47500	TXV			13	11
	ED*4X60L**	*9MPV125	47000	TDR&TXV	13.5			11.5
	ED*4X60L**	MV20L24**B*	47500	TDR&TXV	14			12
	EHD4X48A**	*8MX*0902116**	46500	TDR&TXV	13.5			11
	EHD4X48A**	*8MX*1102120**	46500	TDR&TXV	14			11.5
	EHD4X48A**	*8MX*1352420**	46500	TDR&TXV	13.5			11
	EHD4X48A**	*8MV*0901716**	46500	TDR&TXV	13.5			11
	EHD4X48A**	*8MV*1102120**	46500	TDR&TXV	13.5			11
	EHD4X48A**	*8MV*1352422**	46500	TDR&TXV	14			11.5
	EHD4X48A**	*9MX*0802120A**	46500	TDR&TXV	13.5			11.3
	EHD4X48A**	*9MX*1002120A**	46500	TDR&TXV	13.7			11.3
	EHD4X48A**	*9MX*1202422A**	46500	TDR&TXV	13.7			11.4
	EHD4X48A**	*9MV*0802120A**	46500	TDR&TXV	13.7			11.3
	EHD4X48A**	*9MV*1002120A**	46500	TDR&TXV	13.7			11.5
	EHD4X48A**	*9MV*1202422A**	46500	TDR&TXV	13.7			11.4
	EHD4X48A**	*9MA*0802120A**	46000	TDR&TXV	13.7			11.3
	EHD4X48A**	*9MA*1002122A**	46500	TDR&TXV	13.7			11.5
	EHD4X48A**	*9MA*1202422A**	46000	TDR&TXV	13.7			11.4
	EHD4X48A**	*9MA*0602120A**	46000	TDR&TXV	13.2			11.2
	EHD4X48A**	NOMV156E19*	46500	TDR&TXV	13.5			11
	EHD4X48A**	*9MVX080	46000	TDR&TXV	13			11
	EHD4X48A**	*9MVX100	46000	TDR&TXV	13			11
	EHD4X48A**	*9MX*1002116A**	46000	TDR&TXV	13.5			11.2
	EHD4X48A**	*9MV*1002116A**	46500	TDR&TXV	13.5			11.2
	EHD4X48A**	*9MA*1002120A**	46000	TDR&TXV	13.5			11.2
	EHD4X48A**		46500	TXV			13	10.7
	EHD4X48A**	*8MPV100	46500	TDR&TXV	13			11
	EHD4X48A**	*8MPV125	46500	TDR&TXV	13.5			11.5
	EHD4X48A**	*9MPV100	46000	TDR&TXV	13			11
	EHD4X48A**	*9MPV125	46000	TDR&TXV	13			11
	EHD4X48A**	MV16J22**B*	46500	TDR&TXV	14			11.5
	EHD4X48A**	MV20L24**B*	46500	TDR&TXV	14			11.5
	EHD4X48A**		46500	TXV			13	10.7
	EHD4X48A**	*8MPV100	46500	TDR&TXV	13			11
EHD4X48A**	*8MPV125	46500	TDR&TXV	13.5			11.5	
EHD4X48A**	MV16J22**B*	46500	TDR&TXV	14			11.5	
EHD4X48A**	MV20L24**B*	46500	TDR&TXV	14			11.5	
EHD4X60A**	*8MX*0902116**	47500	TDR&TXV	14			11.5	
EHD4X60A**	*8MX*1102120**	47500	TDR&TXV	14			11.5	
EHD4X60A**	*8MX*1352420**	47500	TDR&TXV	14			11.5	
EHD4X60A**	*8MV*0901716**	47000	TDR&TXV	14			11.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A348CKA	EHD4X60A**	*8MV*1102120**	47000	TDR&TXV	14			11.5
	EHD4X60A**	*8MV*1352422**	47000	TDR&TXV	14			11.5
	EHD4X60A**	*9MX*0801716A**	47000	TDR&TXV	13.5			11.2
	EHD4X60A**	*9MX*0802120A**	47500	TDR&TXV	13.7			11.5
	EHD4X60A**	*9MX*1002120A**	47500	TDR&TXV	14			11.5
	EHD4X60A**	*9MX*1202422A**	47500	TDR&TXV	14.2			11.8
	EHD4X60A**	*9MV*0801716A**	47000	TDR&TXV	13.5			11.2
	EHD4X60A**	*9MV*0802120A**	47000	TDR&TXV	14			11.5
	EHD4X60A**	*9MV*1002120A**	47000	TDR&TXV	14			11.7
	EHD4X60A**	*9MV*1202422A**	47000	TDR&TXV	14.2			11.8
	EHD4X60A**	*9MA*0802120A**	46500	TDR&TXV	14			11.5
	EHD4X60A**	*9MA*1002122A**	47000	TDR&TXV	14			11.7
	EHD4X60A**	*9MA*1202422A**	46500	TDR&TXV	14.2			11.8
	EHD4X60A**	*9MA*0602120A**	46500	TDR&TXV	13.7			11.3
	EHD4X60A**	NOMV156E19*	47000	TDR&TXV	14			11.5
	EHD4X60A**	*9MVX080	47000	TDR&TXV	13.5			11.2
	EHD4X60A**	*9MVX100	47000	TDR&TXV	13.5			11.5
	EHD4X60A**	*9MX*1002116A**	47000	TDR&TXV	13.7			11.4
	EHD4X60A**	*9MV*1002116A**	47000	TDR&TXV	13.7			11.4
	EHD4X60A**	*9MA*1002120A**	46500	TDR&TXV	14			11.5
	EHD4X60A**		47500	TXV		13		11
	EHD4X60A**	*8MPV100	47500	TDR&TXV	13.5			11.5
	EHD4X60A**	*8MPV125	47500	TDR&TXV	13.5			11.5
	EHD4X60A**	*9MPV100	47000	TDR&TXV	13.5			11.2
	EHD4X60A**	*9MPV125	47000	TDR&TXV	13.5			11.5
	EHD4X60A**	MV16J22**B*	47500	TDR&TXV	14			12
	EHD4X60A**	MV20L24**B*	47500	TDR&TXV	14			12
	EHD4X60A**		47500	TXV		13		11
	EHD4X60A**	*8MPV100	47500	TDR&TXV	13.5			11.5
	EHD4X60A**	*8MPV125	47500	TDR&TXV	13.5			11.5
	EHD4X60A**	MV16J22**B*	47500	TDR&TXV	14			12
	EHD4X60A**	MV20L24**B*	47500	TDR&TXV	14			12
	EMA4X48D**		45500	TXV		13		10.7
	EMA4X48D**		45500	TXV		13		10.7
	EN(A,D)4X48*24**	*8MX*0902116**	46500	TDR&TXV	13.5			11
	EN(A,D)4X48*24**	*8MX*1102120**	46500	TDR&TXV	14			11.5
	EN(A,D)4X48*24**	*8MX*1352420**	46500	TDR&TXV	13.5			11
	EN(A,D)4X48*24**	*8MV*1102120**	46000	TDR&TXV	13.5			11
	EN(A,D)4X48*24**	*8MV*1352422**	46000	TDR&TXV	14			11.5
	EN(A,D)4X48*24**	*9MX*0802120A**	46500	TDR&TXV	13.5			11.3
	EN(A,D)4X48*24**	*9MX*1002120A**	46000	TDR&TXV	13.7			11.3
	EN(A,D)4X48*24**	*9MX*1202422A**	46500	TDR&TXV	13.7			11.4
	EN(A,D)4X48*24**	*9MV*0802120A**	46000	TDR&TXV	13.7			11.3
	EN(A,D)4X48*24**	*9MV*1002120A**	46000	TDR&TXV	13.7			11.3
	EN(A,D)4X48*24**	*9MV*1202422A**	46000	TDR&TXV	13.7			11.4
	EN(A,D)4X48*24**	*9MA*0802120A**	45500	TDR&TXV	13.7			11.3
	EN(A,D)4X48*24**	*9MA*1002122A**	46000	TDR&TXV	13.7			11.5
	EN(A,D)4X48*24**	*9MA*1202422A**	46000	TDR&TXV	13.7			11.4
	EN(A,D)4X48*24**	*9MA*0602120A**	45500	TDR&TXV	13.2			11.2
	EN(A,D)4X48*24**	NOMV156E19*	46000	TDR&TXV	13.5			11
	EN(A,D)4X48*24**	*9MX*1002116A**	46000	TDR&TXV	13.5			11.2
	EN(A,D)4X48*24**	*9MV*1002116A**	46000	TDR&TXV	13.3			11

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A348CKA	EN(A,D)4X48*24**	*9MA*1002120A**	46000	TDR&TXV	13.5			11.2
	EN(A,D)4X48*24**		46500	TXV		13		11
	EN(A,D)4X48*24**	*8MPV100	46500	TDR&TXV	13.5			11
	EN(A,D)4X48*24**	*8MPV125	46500	TDR&TXV	13.5			11
	EN(A,D)4X48*24**	MV16J22**B*	46500	TDR&TXV	14			11.5
	EN(A,D)4X48*24**	MV20L24**B*	46500	TDR&TXV	14			11.5
	EN(A,D)4X61*24**	*8MX*0902116**	47500	TDR&TXV	14			11.5
	EN(A,D)4X61*24**	*8MX*1102120**	47500	TDR&TXV	14.5			12
	EN(A,D)4X61*24**	*8MX*1352420**	47500	TDR&TXV	14			11.5
	EN(A,D)4X61*24**	*8MV*1102120**	47500	TDR&TXV	14			11.5
	EN(A,D)4X61*24**	*8MV*1352422**	47500	TDR&TXV	14.5			12
	EN(A,D)4X61*24**	*9MX*0802120A**	47500	TDR&TXV	14			11.5
	EN(A,D)4X61*24**	*9MX*1002120A**	47500	TDR&TXV	14			11.7
	EN(A,D)4X61*24**	*9MX*1202422A**	47500	TDR&TXV	14.2			11.8
	EN(A,D)4X61*24**	*9MV*0802120A**	47500	TDR&TXV	14			11.7
	EN(A,D)4X61*24**	*9MV*1002120A**	47500	TDR&TXV	14			11.7
	EN(A,D)4X61*24**	*9MV*1202422A**	47000	TDR&TXV	14.5			12
	EN(A,D)4X61*24**	*9MA*0802120A**	47000	TDR&TXV	14			11.7
	EN(A,D)4X61*24**	*9MA*1002122A**	47500	TDR&TXV	14			11.7
	EN(A,D)4X61*24**	*9MA*1202422A**	47000	TDR&TXV	14.2			11.8
	EN(A,D)4X61*24**	*9MA*0602120A**	46500	TDR&TXV	13.7			11.5
	EN(A,D)4X61*24**	NOMV156E19*	47500	TDR&TXV	14			11.5
	EN(A,D)4X61*24**	*9MX*1002116A**	47500	TDR&TXV	13.7			11.4
	EN(A,D)4X61*24**	*9MV*1002116A**	47000	TDR&TXV	14			11.5
	EN(A,D)4X61*24**	*9MA*1002120A**	47000	TDR&TXV	14			11.5
	EN(A,D)4X61*24**		48000	TXV		13		11
	EN(A,D)4X61*24**	*8MPV100	48000	TDR&TXV	14			11.5
	EN(A,D)4X61*24**	*8MPV125	48000	TDR&TXV	14			11.5
	EN(A,D)4X61*24**	MV16J22**B*	48000	TDR&TXV	14.5			12
	EN(A,D)4X61*24**	MV20L24**B*	48000	TDR&TXV	14.5			12
	EN(A,D,W)4X48*21**	*8MX*0902116**	46500	TDR&TXV	13.5			11
	EN(A,D,W)4X48*21**	*8MX*1102120**	46500	TDR&TXV	14			11.5
	EN(A,D,W)4X48*21**	*8MV*0901716**	46000	TDR&TXV	13.5			11
	EN(A,D,W)4X48*21**	*8MV*1102120**	46000	TDR&TXV	13.5			11
	EN(A,D,W)4X48*21**	*9MX*0801716A**	46000	TDR&TXV	13.3			11
	EN(A,D,W)4X48*21**	*9MX*0802120A**	46500	TDR&TXV	13.5			11.3
	EN(A,D,W)4X48*21**	*9MX*1002120A**	46000	TDR&TXV	13.7			11.3
	EN(A,D,W)4X48*21**	*9MV*0801716A**	46000	TDR&TXV	13.3			11
	EN(A,D,W)4X48*21**	*9MV*0802120A**	46000	TDR&TXV	13.7			11.3
	EN(A,D,W)4X48*21**	*9MV*1002120A**	46000	TDR&TXV	13.7			11.3
	EN(A,D,W)4X48*21**	*9MA*0802120A**	45500	TDR&TXV	13.7			11.3
	EN(A,D,W)4X48*21**	*9MA*1002122A**	46000	TDR&TXV	13.7			11.5
	EN(A,D,W)4X48*21**	*9MA*0602120A**	45500	TDR&TXV	13.2			11.2
	EN(A,D,W)4X48*21**	NOMV156E19*	46000	TDR&TXV	13.5			11
	EN(A,D,W)4X48*21**	*9MX*1002116A**	46000	TDR&TXV	13.5			11.2
	EN(A,D,W)4X48*21**	*9MV*1002116A**	46000	TDR&TXV	13.3			11
EN(A,D,W)4X48*21**	*9MA*1002120A**	46000	TDR&TXV	13.5			11.2	
EN(A,D,W)4X48*21**		46500	TXV		13		11	
EN(A,D,W)4X60*24**	*8MX*0902116**	47000	TDR&TXV	14			11.5	
EN(A,D,W)4X60*24**	*8MX*1102120**	47000	TDR&TXV	14			11.5	
EN(A,D,W)4X60*24**	*8MX*1352420**	47000	TDR&TXV	14			11.5	
EN(A,D,W)4X60*24**	*8MV*1102120**	47000	TDR&TXV	14			11.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
					Standard	W/ Field TDR	W/ Field TXV	
N4A348CKA	EN(A,D,W)4X60*24**	*8MV*1352422**	47000	TDR&TXV	14			11.5
	EN(A,D,W)4X60*24**	*9MX*0802120A**	47000	TDR&TXV	13.7			11.5
	EN(A,D,W)4X60*24**	*9MX*1002120A**	47000	TDR&TXV	13.7			11.5
	EN(A,D,W)4X60*24**	*9MX*1202422A**	47000	TDR&TXV	14			11.5
	EN(A,D,W)4X60*24**	*9MV*0802120A**	47000	TDR&TXV	13.7			11.5
	EN(A,D,W)4X60*24**	*9MV*1002120A**	47000	TDR&TXV	14			11.5
	EN(A,D,W)4X60*24**	*9MV*1202422A**	47000	TDR&TXV	14			11.5
	EN(A,D,W)4X60*24**	*9MA*0802120A**	46500	TDR&TXV	14			11.5
	EN(A,D,W)4X60*24**	*9MA*1002122A**	47000	TDR&TXV	14			11.5
	EN(A,D,W)4X60*24**	*9MA*1202422A**	46500	TDR&TXV	14.2			11.8
	EN(A,D,W)4X60*24**	*9MA*0602120A**	46000	TDR&TXV	13.5			11.3
	EN(A,D,W)4X60*24**	NOMV156E19*	46500	TDR&TXV	14			11.5
	EN(A,D,W)4X60*24**	*9MX*1002116A**	46500	TDR&TXV	13.7			11.4
	EN(A,D,W)4X60*24**	*9MV*1002116A**	47000	TDR&TXV	13.5			11.2
	EN(A,D,W)4X60*24**	*9MA*1002120A**	46500	TDR&TXV	13.7			11.4
	EN(A,D,W)4X60*24**		47500	TXV			13	11
	EN(A,D,W)4X60*24**	*8MPV100	47500	TDR&TXV	14			11.5
	EN(A,D,W)4X60*24**	*8MPV125	47500	TDR&TXV	14			11.5
	EN(A,D,W)4X60*24**	MV16J22**B*	47500	TDR&TXV	14.5			12
	EN(A,D,W)4X60*24**	MV20L24**B*	47500	TDR&TXV	14.5			12
	ENH4X48*21**	*8MX*0902116**	46500	TDR&TXV	13.5			11
	ENH4X48*21**	*8MX*1102120**	46500	TDR&TXV	14			11.5
	ENH4X48*21**	*8MX*1352420**	46500	TDR&TXV	13.5			11
	ENH4X48*21**	*8MV*0901716**	46000	TDR&TXV	13.5			11
	ENH4X48*21**	*8MV*1102120**	46000	TDR&TXV	13.5			11
	ENH4X48*21**	*8MV*1352422**	46000	TDR&TXV	14			11.5
	ENH4X48*21**	*9MX*0801716A**	46000	TDR&TXV	13.3			11
	ENH4X48*21**	*9MX*0802120A**	46500	TDR&TXV	13.5			11.3
	ENH4X48*21**	*9MX*1002120A**	46000	TDR&TXV	13.7			11.3
	ENH4X48*21**	*9MX*1202422A**	46500	TDR&TXV	13.7			11.4
	ENH4X48*21**	*9MV*0801716A**	46000	TDR&TXV	13.3			11
	ENH4X48*21**	*9MV*0802120A**	46000	TDR&TXV	13.7			11.3
	ENH4X48*21**	*9MV*1002120A**	46000	TDR&TXV	13.7			11.3
	ENH4X48*21**	*9MV*1202422A**	46000	TDR&TXV	13.7			11.4
	ENH4X48*21**	*9MA*0802120A**	45500	TDR&TXV	13.7			11.3
	ENH4X48*21**	*9MA*1002122A**	46000	TDR&TXV	13.7			11.5
ENH4X48*21**	*9MA*1202422A**	46000	TDR&TXV	13.7			11.4	
ENH4X48*21**	*9MA*0602120A**	45500	TDR&TXV	13.2			11.2	
ENH4X48*21**	NOMV156E19*	46000	TDR&TXV	13.5			11	
ENH4X48*21**	*9MX*1002116A**	46000	TDR&TXV	13.5			11.2	
ENH4X48*21**	*9MV*1002116A**	46000	TDR&TXV	13.3			11	
ENH4X48*21**	*9MA*1002120A**	46000	TDR&TXV	13.5			11.2	
ENH4X48*21**		46500	TXV			13	11	
ENH4X48*21**	*8MPV100	46500	TDR&TXV	13.5			11	
ENH4X48*21**	*8MPV125	46500	TDR&TXV	13.5			11	
ENH4X48*21**	MV16J22**B*	46500	TDR&TXV	14			11.5	
ENH4X48*21**	MV20L24**B*	46500	TDR&TXV	14			11.5	
ENH4X60*24**	*8MX*0902116**	47000	TDR&TXV	14			11.5	
ENH4X60*24**	*8MX*1102120**	47000	TDR&TXV	14			11.5	
ENH4X60*24**	*8MX*1352420**	47000	TDR&TXV	14			11.5	
ENH4X60*24**	*8MV*0901716**	46500	TDR&TXV	14			11.5	
ENH4X60*24**	*8MV*1102120**	47000	TDR&TXV	14			11.5	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A348CKA	ENH4X60*24**	*8MV*1352422**	47000	TDR&TXV	14			11.5
	ENH4X60*24**	*9MX*0801716A**	46500	TDR&TXV	13.5			11.2
	ENH4X60*24**	*9MX*0802120A**	47000	TDR&TXV	13.7			11.5
	ENH4X60*24**	*9MX*1002120A**	47000	TDR&TXV	13.7			11.5
	ENH4X60*24**	*9MX*1202422A**	47000	TDR&TXV	14			11.5
	ENH4X60*24**	*9MV*0801716A**	46500	TDR&TXV	13.5			11.2
	ENH4X60*24**	*9MV*0802120A**	47000	TDR&TXV	13.7			11.5
	ENH4X60*24**	*9MV*1002120A**	47000	TDR&TXV	14			11.5
	ENH4X60*24**	*9MV*1202422A**	47000	TDR&TXV	14			11.5
	ENH4X60*24**	*9MA*0802120A**	46500	TDR&TXV	14			11.5
	ENH4X60*24**	*9MA*1002122A**	47000	TDR&TXV	14			11.5
	ENH4X60*24**	*9MA*1202422A**	46500	TDR&TXV	14.2			11.8
	ENH4X60*24**	*9MA*0602120A**	46000	TDR&TXV	13.5			11.3
	ENH4X60*24**	NOMV156E19*	46500	TDR&TXV	14			11.5
	ENH4X60*24**	*9MX*1002116A**	46500	TDR&TXV	13.7			11.4
	ENH4X60*24**	*9MV*1002116A**	47000	TDR&TXV	13.5			11.2
	ENH4X60*24**	*9MA*1002120A**	46500	TDR&TXV	13.7			11.4
	ENH4X60*24**		47500	TXV			13	11
	ENH4X60*24**	*8MPV100	47500	TDR&TXV	14			11.5
	ENH4X60*24**	*8MPV125	47500	TDR&TXV	14			11.5
	ENH4X60*24**	MV16J22**B*	47500	TDR&TXV	14.5			12
	ENH4X60*24**	MV20L24**B*	47500	TDR&TXV	14.5			12
	ENH4X61*24**	*8MX*0902116**	47000	TDR&TXV	14			11.5
	ENH4X61*24**	*8MX*1102120**	47000	TDR&TXV	14			11.5
	ENH4X61*24**	*8MX*1352420**	47000	TDR&TXV	14			11.5
	ENH4X61*24**	*8MV*0901716**	47000	TDR&TXV	14			11.5
	ENH4X61*24**	*8MV*1102120**	47000	TDR&TXV	14			11.5
	ENH4X61*24**	*8MV*1352422**	47000	TDR&TXV	14			11.5
	ENH4X61*24**	*9MX*0802120A**	47000	TDR&TXV	13.7			11.5
	ENH4X61*24**	*9MX*1002120A**	47000	TDR&TXV	13.7			11.5
	ENH4X61*24**	*9MX*1202422A**	47000	TDR&TXV	14			11.5
	ENH4X61*24**	*9MV*0801716A**	46500	TDR&TXV	13.7			11.4
	ENH4X61*24**	*9MV*0802120A**	47000	TDR&TXV	13.7			11.5
	ENH4X61*24**	*9MV*1002120A**	47000	TDR&TXV	14			11.5
	ENH4X61*24**	*9MV*1202422A**	47000	TDR&TXV	14			11.5
	ENH4X61*24**	*9MA*0802120A**	46500	TDR&TXV	13.7			11.5
	ENH4X61*24**	*9MA*1002122A**	47000	TDR&TXV	14			11.5
	ENH4X61*24**	*9MA*1202422A**	46500	TDR&TXV	14			11.5
	ENH4X61*24**	*9MA*0602120A**	46500	TDR&TXV	13.5			11.3
	ENH4X61*24**	NOMV156E19*	47000	TDR&TXV	13.5			11
	ENH4X61*24**	*9MX*1002116A**	47000	TDR&TXV	13.7			11.4
	ENH4X61*24**	*9MV*1002116A**	46500	TDR&TXV	13.7			11.4
ENH4X61*24**	*9MA*1002120A**	46500	TDR&TXV	13.7			11.4	
ENH4X61*24**		47500	TXV			13	11	
ENH4X61*24**	*8MPV100	47500	TDR&TXV	14			11.5	
ENH4X61*24**	*8MPV125	47500	TDR&TXV	14			11.5	
ENH4X61*24**	MV16J22**B*	47500	TDR&TXV	14.5			12	
ENH4X61*24**	MV20L24**B*	47500	TDR&TXV	14.5			12	

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.
 † For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

COOLING PERFORMANCE FOR COMBINATION RATINGS Indoor Models								
For complete ratings information, use the AHRI website directory search: www.AHRIdirectory.org . New ratings may be listed online before Specification Sheets are updated.								
Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A360CKA	*ED*4X60L**		59500	TXV		13		11.2
	FEM4P60**A*		58500	TDR&TXV	13		13	11
	FEM4X60****		60000	TDR&TXV	13.5			11.5
	FS(M,U)4X60**A*		59500	TDR&TXV	12.8			10.8
	FVM4X60****		59500	TDR&TXV	14			12
	FXM4X60**A*		60000	TDR&TXV	13.5			11.5
	EA*4X60*21A*	*8MX*1102120**	58500	TDR&TXV	13.5			11.3
	EA*4X60*21A*	*8MV*1102120**	58500	TDR&TXV	13.2			11.2
	EA*4X60*21A*	*9MX*0802120A**	58000	TDR&TXV	13.2			11.2
	EA*4X60*21A*	*9MV*1002120A**	58500	TDR&TXV	13.2			11.2
	EA*4X60*21A*	*9MA*1002122A**	58500	TDR&TXV	13.2			11.3
	EA*4X60*21A*		58500	TXV		13		11
	EA*4X60*24A*	*8MX*1102120**	58500	TDR&TXV	13.5			11.5
	EA*4X60*24A*	*8MX*1352420**	58500	TDR&TXV	13.2			11.3
	EA*4X60*24A*	*8MV*1102120**	58500	TDR&TXV	13.2			11.3
	EA*4X60*24A*	*8MV*1352422**	58500	TDR&TXV	13.5			11.5
	EA*4X60*24A*	*9MX*0802120A**	58000	TDR&TXV	13.2			11.3
	EA*4X60*24A*	*9MX*1002120A**	58500	TDR&TXV	13			11.2
	EA*4X60*24A*	*9MX*1202422A**	58000	TDR&TXV	13.5			11.2
	EA*4X60*24A*	*9MV*1002120A**	58500	TDR&TXV	13.2			11.2
	EA*4X60*24A*	*9MA*0802120A**	58000	TDR&TXV	13.2			11.2
	EA*4X60*24A*	*9MA*1002122A**	58500	TDR&TXV	13.2			11.3
	EA*4X60*24A*	*9MA*1202422A**	58000	TDR&TXV	13.5			11.2
	EA*4X60*24A*		58500	TXV		13		11
	ED*4X60J**	*9MX*0802120A**	58000	TDR&TXV	13.2			11.2
	ED*4X60J**	*9MX*1202422A**	58000	TDR&TXV	13.5			11.2
	ED*4X60J**	*9MV*1002120A**	58500	TDR&TXV	13.2			11.2
	ED*4X60J**	*9MA*1002122A**	58500	TDR&TXV	13.2			11.3
	ED*4X60J**	*9MA*1202422A**	58000	TDR&TXV	13.5			11.2
	ED*4X60J**	*9MVX080	58500	TDR&TXV	12.85			10.8
	ED*4X60J**		58500	TXV		13		11.2
	ED*4X60J**	*8MPV100	58000	TDR&TXV	13			11
	ED*4X60J**	*8MPV125	58000	TDR&TXV	13			11
	ED*4X60J**	*9MPV100	58500	TDR&TXV	12.85			10.8
	ED*4X60J**	MV16J22**B*	58500	TDR&TXV	13.5			11.5
	ED*4X60L**	*9MX*0802120A**	58000	TDR&TXV	13.2			11.3
	ED*4X60L**	*9MX*1002120A**	58500	TDR&TXV	13			11.2
	ED*4X60L**	*9MX*1202422A**	58000	TDR&TXV	13.5			11.2
	ED*4X60L**	*9MV*1002120A**	58500	TDR&TXV	13.2			11.2
	ED*4X60L**	*9MA*0802120A**	58000	TDR&TXV	13.2			11.2
	ED*4X60L**	*9MA*1002122A**	58500	TDR&TXV	13.2			11.3
	ED*4X60L**	*9MA*1202422A**	58000	TDR&TXV	13.5			11.2
	ED*4X60L**	*9MVX100	58500	TDR&TXV	13			11
	ED*4X60L**	*9MPV125	58500	TDR&TXV	13			11
	ED*4X60L**	MV20L24**B*	59000	TDR&TXV	13.5			11.5
	EHD4X60A**	*8MX*1102120**	59000	TDR&TXV	13.5			11
	EHD4X60A**	*8MX*1352420**	58000	TDR&TXV	13.5			11
	EHD4X60A**	*8MV*1102120**	58500	TDR&TXV	13.5			11

* Tested Combo

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings				
			Cooling 95° F (35°C)				
			Capacity	Factory Installed	SEER		
Standard	W/ Field TDR	W/ Field TXV					
N4A360CKA	EHD4X60A**	*8MV*1352422**	58500	TDR&TXV	13.5		11
	EHD4X60A**	*9MX*0802120A**	58500	TDR&TXV	13.2		11.3
	EHD4X60A**	*9MX*1002120A**	59000	TDR&TXV	13.2		11.3
	EHD4X60A**	*9MX*1202422A**	58500	TDR&TXV	13.5		11.2
	EHD4X60A**	*9MV*1002120A**	59000	TDR&TXV	13.2		11.3
	EHD4X60A**	*9MA*0802120A**	58000	TDR&TXV	13.2		11.3
	EHD4X60A**	*9MA*1002122A**	58500	TDR&TXV	13.5		11.3
	EHD4X60A**	*9MA*1202422A**	58500	TDR&TXV	13.5		11.2
	EHD4X60A**	*9MVX080	59000	TDR&TXV	13		11
	EHD4X60A**	*9MVX100	58500	TDR&TXV	13		11
	EHD4X60A**		59500	TXV		13	11.2
	EHD4X60A**	*8MPV100	58500	TDR&TXV	13		11
	EHD4X60A**	*8MPV125	58500	TDR&TXV	13		11
	EHD4X60A**	*9MPV100	59000	TDR&TXV	13		11
	EHD4X60A**	*9MPV125	59000	TDR&TXV	13.15		11
	EHD4X60A**	MV16J22**B*	59000	TDR&TXV	13.5		11.5
	EHD4X60A**	MV20L24**B*	59000	TDR&TXV	13.5		11.5
	EHD4X60A**		59500	TXV		13	11.2
	EHD4X60A**	*8MPV125	58500	TDR&TXV	13		11
	EHD4X60A**	MV16J22**B*	59000	TDR&TXV	13.5		11.5
	EHD4X60A**	MV20L24**B*	59000	TDR&TXV	13.5		11.5
	EN(A,D)4X61*24**	*8MX*1102120**	59000	TDR&TXV	13.5		11
	EN(A,D)4X61*24**	*8MX*1352420**	58500	TDR&TXV	13.5		11
	EN(A,D)4X61*24**	*8MV*1102120**	58500	TDR&TXV	13.5		11
	EN(A,D)4X61*24**	*8MV*1352422**	59000	TDR&TXV	13.5		11
	EN(A,D)4X61*24**	*9MX*0802120A**	59000	TDR&TXV	13.2		11.3
	EN(A,D)4X61*24**	*9MX*1002120A**	59500	TDR&TXV	13.2		11.3
	EN(A,D)4X61*24**	*9MX*1202422A**	59000	TDR&TXV	13.7		11.4
	EN(A,D)4X61*24**	*9MV*1002120A**	59500	TDR&TXV	13.2		11.3
	EN(A,D)4X61*24**	*9MV*1202422A**	59000	TDR&TXV	13.7		11.4
	EN(A,D)4X61*24**	*9MA*1002122A**	59000	TDR&TXV	13.5		11.5
	EN(A,D)4X61*24**	*9MA*1202422A**	59000	TDR&TXV	13.7		11.4
	EN(A,D)4X61*24**		60000	TXV		13	11
	EN(A,D)4X61*24**	*8MPV125	59000	TDR&TXV	13.5		11
	EN(A,D)4X61*24**	MV16J22**B*	59500	TDR&TXV	14		12
	EN(A,D)4X61*24**	MV20L24**B*	59500	TDR&TXV	14		12
	EN(A,D,W)4X60*24**	*8MX*1102120**	58000	TDR&TXV	13.5		11
	EN(A,D,W)4X60*24**	*8MX*1352420**	57000	TDR&TXV	13.5		11
	EN(A,D,W)4X60*24**	*8MV*1102120**	58000	TDR&TXV	13.5		11
	EN(A,D,W)4X60*24**	*8MV*1352422**	58000	TDR&TXV	13.5		11
	EN(A,D,W)4X60*24**	*9MX*0802120A**	58000	TDR&TXV	13.2		11.3
	EN(A,D,W)4X60*24**	*9MX*1002120A**	58500	TDR&TXV	13.2		11.2
	EN(A,D,W)4X60*24**	*9MX*1202422A**	58000	TDR&TXV	13.5		11.2
	EN(A,D,W)4X60*24**	*9MV*1002120A**	58500	TDR&TXV	13.2		11.2
	EN(A,D,W)4X60*24**	*9MA*0802120A**	58000	TDR&TXV	13.2		11.2
EN(A,D,W)4X60*24**	*9MA*1002122A**	58500	TDR&TXV	13.2		11.3	
EN(A,D,W)4X60*24**	*9MA*1202422A**	58000	TDR&TXV	13.5		11.2	
EN(A,D,W)4X60*24**		59000	TXV		13	11	
EN(A,D,W)4X60*24**	*8MPV125	58500	TDR&TXV	13		11	
EN(A,D,W)4X60*24**	MV16J22**B*	58500	TDR&TXV	14		11.5	
EN(A,D,W)4X60*24**	MV20L24**B*	58500	TDR&TXV	14		11.5	
ENH4X60*24**	*8MX*1102120**	58000	TDR&TXV	13.5		11	

Unit Size	Indoor Model	Furnace Model	AHRI Standard Ratings					
			Cooling 95° F (35°C)					
			Capacity	Factory Installed	SEER			EER
Standard	W/ Field TDR	W/ Field TXV						
N4A360CKA	ENH4X60*24**	*8MX*1352420**	58000	TDR&TXV	13.5			11
	ENH4X60*24**	*8MV*1102120**	58000	TDR&TXV	13.5			11
	ENH4X60*24**	*8MV*1352422**	58000	TDR&TXV	13.5			11
	ENH4X60*24**	*9MX*0802120A**	58000	TDR&TXV	13.2			11.3
	ENH4X60*24**	*9MX*1002120A**	58500	TDR&TXV	13.2			11.2
	ENH4X60*24**	*9MX*1202422A**	58000	TDR&TXV	13.5			11.2
	ENH4X60*24**	*9MV*1002120A**	58500	TDR&TXV	13.2			11.2
	ENH4X60*24**	*9MA*0802120A**	58000	TDR&TXV	13.2			11.2
	ENH4X60*24**	*9MA*1002122A**	58500	TDR&TXV	13.2			11.3
	ENH4X60*24**	*9MA*1202422A**	58000	TDR&TXV	13.5			11.2
	ENH4X60*24**		59000	TXV		13		11
	ENH4X60*24**	*8MPV125	58500	TDR&TXV	13			11
	ENH4X60*24**	MV16J22**B*	58500	TDR&TXV	14			11.5
	ENH4X60*24**	MV20L24**B*	58500	TDR&TXV	14			11.5
	ENH4X61*24**	*8MX*1102120**	58000	TDR&TXV	13.5			11
	ENH4X61*24**	*8MX*1352420**	58000	TDR&TXV	13.5			11
	ENH4X61*24**	*8MV*1102120**	58000	TDR&TXV	13			11
	ENH4X61*24**	*8MV*1352422**	58500	TDR&TXV	13.5			11
	ENH4X61*24**	*9MX*0802120A**	58500	TDR&TXV	13.2			11.3
	ENH4X61*24**	*9MX*1202422A**	58500	TDR&TXV	13.5			11.2
	ENH4X61*24**	*9MV*1002120A**	58500	TDR&TXV	13.2			11.3
	ENH4X61*24**	*9MV*1202422A**	58500	TDR&TXV	13.5			11.2
	ENH4X61*24**	*9MA*1002122A**	58500	TDR&TXV	13.2			11.3
	ENH4X61*24**	*9MA*1202422A**	58500	TDR&TXV	13.5			11.2
	ENH4X61*24**		58500	TXV		13		11
	ENH4X61*24**	*8MPV125	58500	TDR&TXV	13			11
	ENH4X61*24**	MV16J22**B*	59000	TDR&TXV	14			11.5
	ENH4X61*24**	MV20L24**B*	59000	TDR&TXV	14			11.5

2009 ENERGY STAR compliance for combinations with both: SEER 14.50 or higher and EER 12.00 or higher.

† For coils not listed with a matching furnace or blower, coil rating applies with any indoor blower device.

ACCESSORY USAGE GUIDELINES			
Accessory	REQUIRED FOR LOW-AMBIENT APPLICATIONS {Below 55°F (13°C)}	REQUIRED FOR LONG LINE APPLICATIONS* {Over 80 ft. (24.4m)}	REQUIRED FOR SEA COAST APPLICATIONS {Within 2 miles (3.2Km)}
Crankcase Heater	Yes	Yes	No
Evaporator Freeze Thermostat	Yes	No	No
Winter Start Control	Yes **	No	No
Hard Start Kit (Capacitor & Relay)	Yes	Yes	No
Low Ambient Kit (Pressure Switch)	Yes	No	No
Support Feet, 4" tall	Recommended	No	Recommended
Liquid Line Solenoid Valve	No	See Long Line Application Guideline	No

* For Line Set lengths between 80 and 200 ft (24.4 and 61m) horizontal, or more than 20 ft (6.1m) indoor-outdoor vertical separation, refer to the Long Line Application Guideline document.

** Can only be installed in conjunction with Low Pressure Switch.

ACCESSORIES		
Part Number	Description	Used On Model Size
NASA003CH	Crankcase Heater for Scroll Compressor (208/230 V)	18, 24, 30, 36
NASA001CH	Crankcase Heater for Scroll Compressor (208/230 V)	42, 48, 60
NASA001SC	Start Component – PTC Device	ALL
NASA001FS	Evaporator Freeze Thermostat	ALL
NASA403PS	Low Pressure Switch, AC, R-410A	ALL
NASA404PS	High Pressure Switch, AC or HP, R-410A	ALL
NASA401LS	Liquid Line Solenoid Valve, R-410A	ALL
NASA001TD	Time Delay Relay, Indoor Blower	ALL
NASA001WS	Winter Start Control	ALL
NASA001AC	Anti-Cycle Timer (5 minute delay)	ALL
NASA005SC	Hard Start Kit (Capacitor & Relay)	ALL
NASA401LA	Low Ambient Kit (Pressure Switch), R-410A	ALL
NASA001SF	Support Feet, 4" (102mm) tall	ALL
NASA001SJ	Sound Jacket, Compressor	18, 24, 30, 36, 42, 48
NASA003SJ	Sound Jacket, Compressor	60
EBAC05TXVX	TXV Kit, R-410A – 2005–2009 R-22 TXV Fancoils (air handlers)	18, 24, 30
EBAC06TXVX	TXV Kit, R-410A – 2005–2009 R-22 TXV Fancoils (air handlers)	36, 42
EBAC07TXVX	TXV Kit, R-410A – 2005–2009 R-22 TXV Fancoils (air handlers)	48, 60
NAEA40501TX	TXV Kit, R-410A – 2010 and later Piston Coils	18, 24, 30
NAEA40601TX	TXV Kit, R-410A – 2010 and later Piston Coils	36, 42
NAEA40701TX	TXV Kit, R-410A – 2010 and later Piston Coils	48, 60



This product has been designed and manufactured to meet ENERGY STAR criteria for energy efficiency when matched with appropriate coil components. However, proper refrigerant charge and proper air flow are critical to achieve rated capacity and efficiency. Installation of this product should follow the manufacturer's refrigerant charging and air flow instructions. Failure to confirm proper charge and airflow may reduce energy efficiency and shorten equipment life.

International Comfort Products, LLC
 Lewisburg, Tennessee 37091 USA
www.GoDayandNight.com