



TRANSICOLD

Diesel Driven Generator Set

Models

69GC15-104

114/134/144

154/174/184 & 194

**SERVICE
PARTS LIST**



TRANSCOLD

Service Parts List

MODELS 69GC15-104 114/134/144 154/174/184 & 194

CONTENTS

INTRODUCTION	i
ORDERING INSTRUCTIONS	i
LETTER DESIGNATIONS	i
MODEL CHART	i
1. QUICK LIST - CLAMPS, FILTERS, TY-RAPS, V-BELTS, PAINT, GREASE AND WIRE TERMINALS	1
2. DIESEL GENERATOR SET ASSEMBLY	2
2.1 DIESEL GENERATOR SET - FRONT VIEW (HOOD OPEN) 69GC15-104, -104-1 & -114	2
2.2 DIESEL GENERATOR SET - FRONT VIEW (HOOD OPEN) 69GC15-114-1, -134, -144, -154, -174, -184, -184-1, -184-2 & -194	4
2.3 CONTROL BOX - 69GC15-104, -104-1 & -114	6
2.4 CONTROL BOX - 69GC15-114-1, -134, -144, -154, -174, -184, -184-1, -184-2, -194	8
2.5 FUEL OIL LINES	10
2.6 GENERATOR (MAIN ALTERNATOR) AND SHOCKMOUNTS	12
2.7 FUEL SOLENOID	13
2.8 LUBE OIL FILTER	14
2.9 ENGINE MOUNTING BRACKET AND SHOCKMOUNTS	15
2.10 ALTERNATOR AND REGULATOR - 37 AMP MOTOROLA	16
2.11 ALTERNATOR AND REGULATOR - 37 AMP PRESTOLITE	17
2.12 ALTERNATOR AND REGULATOR - 65 AMP	18
2.13 ALTERNATOR BRACKET ASSEMBLY	19
2.14 ENGINE V-BELT AND IDLER PULLEY	20
2.15 HOOD BRACKET ASSEMBLY	21
2.16 LABELS AND DECALS	22
2.17 MOUNTING ASSEMBLY 69GC15-104, -104-1, -114, -114-1, -134, -144, -154, -174	24
2.18 MOUNTING ASSEMBLY - 69GC15-184, -184-1, -184-2, -194	25
2.19 CLAMPING DEVICE ASSEMBLY (OPTIONAL)	26



INTRODUCTION

This parts list identifies service replacement parts for the Carrier Transicold Diesel-Driven Generator Set listed in the model chart below. This parts list does not include detailed replacement parts for the engine listed in the first chart below. Detailed parts identification for these items may be found in the applicable parts list. The form numbers for the engine omit revision dash numbers. For example, the latest engine list may have a -01 added to the basic number to read 62-02383-01. Therefore, when forms are ordered the latest revision will be sent.

MANUAL FORM NO.	EQUIPMENT COVERED	TYPE OF MANUAL/FORM
62-03459	CT4-114/133-DI/134-DI	Engine Parts List
62-03461	CT4-114	Workshop Manual
62-03707	CT4-133-DI	Workshop Manual
62-03741	CT4-134-DI	Workshop Manual

ORDERING INSTRUCTIONS

All orders and inquiries for parts must include: Model, Unit Serial Number, Part Number, description of part as shown on list and quantity required. Address all correspondence for parts to the following address:

CARRIER TRANSICOLD DIVISION
Replacement Components Group
TR-20, P.O. Box 4805
Syracuse, New York 13221
or Fax to: (315) 432-3778

LETTER DESIGNATIONS

The following letter designations are used to classify parts throughout this list:

A/R	<i>As Required.</i>	P--	<i>Suffix P-- added to part number means part is available in packaged quantity only. Example: P/N34-00373-01P10 is a package of 10 P/N 34-00373-01. Use part number and P-- suffix when ordering.</i>
NLO	<i>No Longer Offered.</i>		
NS	<i>Not Shown in the illustration.</i>		
NSA	<i>Non-Stock Assembly – order components listed under the assembly.</i>	PL	<i>Purchase Locally.</i>
NSI	<i>Non-Stock Item – may be available on special order.</i>	SST	<i>Stainless Steel – 300 Series unless otherwise specified.</i>
NSS	<i>Not Sold Separately – order next higher assembly or kit.</i>	SV	<i>Suffix SV – added to part number designates service replacement part.</i>

MODEL CHART


Model No.	Fuel Tank (U.S. Gallons)		Control Box		Engine			Alternator		Unit Mounting
	70	78	Page 6	Page 8	CT4-114	CT4-133-DI	CT4-134-DI	37 Amp	65 Amp	
69GC15-104	X		X		X			X		Clamp
69GC15-104-1	X		X		X			X		Clamp
69GC15-114	X		X		X			X		Pin
69GC15-114-1	X		X		X			X		Pin
69GC15-134		X		X	X				X	Clamp
69GC15-144		X		X			X		X	Pin
69GC15-154		X		X	X				X	Pin
69GC15-174		X		X		X			X	Clamp
69GC15-184		X		X			X		X	Clamp
69GC15-184-1		X		X			X		X	Clamp
69GC15-184-2		X		X			X		X	Clamp
69GC15-194		X		X			X		X	Pin

PART NO.	DESCRIPTION
1. QUICK LIST – CLAMPS, FILTERS, TY-RAPS, V-BELTS, PAINT, GREASE AND WIRE TERMINALS	
34-00373-51P10	Clamp, Tube, 1/4 – SST
34-00373-53P10	Clamp, Tube, 3/8 – SST
34-00373-05P10	Clamp, Tube, 1/2 – SST
34-00373-07P10	Clamp, Tube, 5/8 – SST
34-00373-59P10	Clamp, Tube, 3/4 – SST
34-00373-11P10	Clamp, Tube, 7/8 – SST
34-00373-65P10	Clamp, Tube, 1-1/8 – SST
34-00373-67P10	Clamp, Tube, 1-1/4 – SST
34-00373-69P10	Clamp, Tube, 1-3/8 – SST
34-00373-71P10	Clamp, Tube, 1-1/2 – SST
44-00045-25P05	Clamp, Worm, Range – 7/32 to 5/8 OD – SST
44-00045-06P05	Clamp, Worm, Range – 3/8 to 3/4 OD – SST
44-00045-01P05	Clamp, Worm, Range – 1/2 to 15/16 OD – SST
44-00045-03P05	Clamp, Worm, Range – 13/16 to 1-3/4 OD – SST
44-00045-04P05	Clamp, Worm, Range – 1-9/16 to 2-1/2 OD – SST
44-00045-15P05	Clamp, Worm, Range – 2-1/16 to 3.00 OD – SST
22-00066-01P25	Connector, Butt End, Wire Range – 22 to 16 Gauge
22-00066-02P25	Connector, Butt End, Wire Range – 16 to 14 Gauge
22-00066-03P25	Connector, Butt End, Wire Range – 12 to 10 Gauge
22-00041-00P25	Connector, Closed End, Wire Range – 22 to 14 Gauge
22-00041-02P25	Connector, Closed End, Wire Range – 18 to 10 Gauge
66U1-2155	Element, Air Cleaner
30-00323-00P12	Filters, Lube Oil – Full Flow – Case of 12
30-00301-00P12	Filters, Primary Fuel – Case of 12
30-00302-00P12	Filters, Secondary Fuel – Case of 12
30-50301-00P12	Filters, Fuel/Water Separator – Case of 12
22-01140-01P25	Ring Terminal, #6, Wire Range – 12 to 10 Gauge
22-01140-02P25	Ring Terminal, #10, Wire Range – 12 to 10 Gauge
22-01140-04P25	Ring Terminal, 3/8, Wire Range – 12 to 10 Gauge
22-00119-04P25	Ring Terminal, 1/4, Wire Range – 12 to 10 Gauge
22-00120-04P25	Ring Terminal, #10, Wire Range – 16 to 14 Gauge
22-00120-07P25	Ring Terminal, 5/16, Wire Range – 16 to 14 Gauge
22-00121-07P25	Ring Terminal, #10, Wire Range – 22 to 16 Gauge
22-01139-04P25	Ring Terminal, 3/8, Wire Range – 16 to 14 Gauge
22-01141-01P25	Spade Terminal, .032 x .250, Wire Range – 16 to 14 Gauge
22-00595-01P25	Spade Terminal, 3/8, Wire Range – 12 to 10 Gauge
36-00003-04	Paint, Spray – 16 oz. (White)
36-00070-01	Paint, Spray – 16 oz. (Gray)
50-00162	V-Belt, Alternator (69GC15-104, -104-1, -114 & -114-1)
50-01001-16	V-Belt, Alternator (69GC15-134, -144, -154, -174, -184 & -184-1, -184-2,-194)
50-00162-04	V-Belt, Water Pump
07-00245-00	Grease, Dow 33 Lithium Base (Used for lubricating Fuel Solenoid Plunger)

ITEM	PART NO.	DESCRIPTION	QTY
------	----------	-------------	-----

2. DIESEL GENERATOR SET ASSEMBLY

2.1 DIESEL GENERATOR SET – FRONT VIEW (HOOD OPEN) 69GC15-104, -104-1 & -114





1	69GC15-484	Tank and Frame Assembly (69GC15-104, -1)(NSI)	1
1	69GC15-534	Tank and Frame Assembly (69GC15-114)(NSI)	1
2	44-00046-01	Cap, Fuel Tank	1
3	12-01098-00	Gauge, Fuel	1
4	38-00141-00	Fan, Radiator (Steel)	1
5	30-01054-00	Adapter, Fan	1
6	34-01152-35	Screw, Hex Head, M6 x 1 x 35 mm – SST	4
7	–	V-Belt – Refer to section NO TAG	1
8	26-00088-03SV	Engine, CT4-114 – Refer to Form 62-03459 for Engine Parts	1
9	42-01111-00	Gasket	1
10	–	Generator – Refer to section NO TAG	1
11	PL	Battery, 12 vdc, Reserve capacity in minutes– 25 amps at 80_F (+26.7_C) = 160/170 minutes. Cold crank amps at 0_F (-17.8_C) - 620/625 amps. Cold crank amps at -20_F (-28.9_C) = 470/496 amps.	1
12	34-06058-00	J-Bolt, 5/16-18 x 11 lg	2
13	69GC15-1173	Bracket, Battery Hold Down	1
14	69GC15-1183	Box, Battery	1

ITEM	PART NO.	DESCRIPTION	QTY
2.1 DIESEL GENERATOR SET – FRONT VIEW (HOOD OPEN) 69GC15-104, -104-1 & -114			
15	73-00306-00	Spring, Gas	1
16	PL	Washer, Flat, M8	3
17	PL	Washer, Lock, M8	2
18	PL	Locknut, M8	2
19	30-01057-00	Pipe, Exhaust	1
20	30-01052-00	Clamp, Muffler	4
21	66U1-5262-5	Air Cleaner – Includes:	1
NS	30-00336-20	Clamp, Cup	1
NS	66U1-2155	Element	1
NS	66U1-8365	Valve, Vacuator – Includes:	1
NS	NSS	Clip Spring	1
22	44-00022-02	Clamp, Air Cleaner Mounting	2
23	30-01055-00	Muffler	1
24	30-01058-01	Pipe, Flex	1
25	30-01056-00	Pipe, Exhaust Manifold	1
NS	34-00964	Stud, Exhaust – Special	2
NS	34-01151-10	Washer, Flat, M10 – SST	2
NS	34-00932-13	Nut-Jam, 3/8-24 (Brass)	4
26	30-00356	Hood, Air Cleaner	1
27	69GC15-414	Bracket, Air Cleaner Mounting	1
28	58-01236-00	Hose, Air Cleaner	1
29	44-00045-15	Clamp, Worm, Range – 2-1/16 to 3.00 OD – SST	4
30	69GC15-1073	Tube, 2 inch OD, Aluminum	1
31	58-01235-00	Hose, Air Cleaner	1
32	69GC15-374	Venturi, Fan	1
33	58-01237-00	Hose, Radiator, Upper	1
34	69GC15-304	Radiator	1
35	40-00117-01	Draincock 1/4 mpt	1
36	40-00081	Vent, Air	1
37	30-00397-00	Cap, Radiator, 15 psi	1
38	42-00146	Inhibitor	1
39	44-00045-25	Clamp, Worm	1
40	73-00304	Spring, Gas – Includes:	1
41	NSS	Ball Stud	2
42	PL	Washer, Flat, 5/16	3
43	PL	Washer, Lock, 5/16	2
44	PL	Locknut, 5/16-18	2
45	76-00382	Bottle, Coolant Recovery – Includes:	1
NS	58-00743	Cap, Screw	1
46	PL	Washer, Flat, 1/4 – SST	4
47	PL	Screw, 1/4 – SST	4
48	PL	Locknut, 1/4-20 – SST	4
49	69GN5-1332	Plate, Terminal Access (NSI)	1
50	58-04100-00	Hose, Radiator, Lower	1
51	44-00045-03	Clamp, Worm, Range – 13/16 to 1-3/4 OD – SST	4
52	69GC15-1104	Angle, Radiator Support (NSI)	1
NS	10-00158-02	Switch, High Water Temperature	1
53	25-38735-00	Cover, Thermostat (On Engine)	1
54	25-37558	Gasket, Thermostat Cover (On Engine)	1

ITEM	PART NO.	DESCRIPTION	QTY
2.2 DIESEL GENERATOR SET – FRONT VIEW (HOOD OPEN)			
69GC15-114-1, -134, -144, -154, -174, -184, -184-1, -184-2 & -194			
1	69GC15-508	Tank and Frame Assembly (69GC15-184,-1) (NSI)	1
1	69GC15-534	Tank and Frame Assembly (69GC15-114-1) (NSI)	1
1	69GC15-774	Tank and Frame Assembly (69GC15-134, -174) (NSI)	1
1	69GC15-744	Tank and Frame Assembly (69GC15-144) (NSI)	1
1	69GC15-844	Tank and Frame Assembly (69GC15-154, -194) (NSI)	1
1	69GC15-908	Tank and Frame Assembly (69GC15-184-2) (NSI)	1
2	44-00046-01	Cap, Fuel Tank	1
3	12-01098-02	Gauge, Fuel	1
3	12-01098-00	Gauge, Fuel (69GC15-114-1)	1
4	26-00088-03SV	Engine, CT4-114 (69GC15-114-1, -134, -154) – Refer to Form 62-03459	1
4	NLO	Engine, CT4-133-DI (69GC15-174)	1
4	26-00093-00	Engine, CT4-134-DI (69GC15-144, -184, -184-1, -184-2, -194)	1
4	26-00093-00RM	Engine, CT4-134-DI Remanufactured 26-00093-00	1
		Refer to Form 62-03459	1
5	42-01111-00	Gasket	1
6	–	Generator – Refer to section NO TAG	1
7	PL	Battery, 12 vdc, Reserve capacity in minutes- 25 amps at 80_F (+26.7_C) = 160/170 minutes. Cold crank amps at 0_F (-17.8_C) – 620/625 amps. Cold crank amps at -20_F (-28.9_C) = 470/496 amps.	1
8	34-06058-00	J-Bolt, 5/16-18 x 10-3/8 lg	2
9	69GC15-1173	Bracket, Battery Hold Down	1
10	69GC15-1183	Box, Battery	1
11	30-01057-00	Pipe, Exhaust	1
12	30-01056-00	Pipe, Exhaust Manifold (69GC15-134, -154, -194)	1
12	30-01063-00	Pipe, Exhaust Manifold (69GC15-144, -174, -184, -184-1, -184-2)	1
NS	34-00964	Stud, Exhaust – Special	2
NS	34-01151-10	Washer, Flat, M10 – SST	2
NS	34-00932-13	Nut-Jam, 3/8-24 (Brass)	4
13	30-01058-01	Pipe, Flex – 1.62 ID x 8 inches long – SST	1


ITEM	PART NO.	DESCRIPTION	QTY
2.2 DIESEL GENERATOR SET – FRONT VIEW (HOOD OPEN) (CONTINUED)			
14	30-01055-00	Muffler	1
15	30-01052-00	Clamp, Muffler	4
16	66U1-5262-5	Air Cleaner – Includes:	1
NS	30-00336-20	Clamp, Cup	1
NS	66U1-2155	Element	1
NS	66U1-8365	Valve, Vacuator – Includes:	1
NS	NSS	Clip Spring	1
17	44-00022-02	Clamp, Air Cleaner Mounting	2
18	69GC15-414	Bracket, Air Cleaner Mounting	1
19	30-00356	Hood, Air Cleaner	1
20	58-01236-00	Hose, Air Cleaner	1
21	69GC15-1073	Tube, 2 inch OD, Aluminum, (NSI)	1
22	44-00045-15	Clamp, Worm, Range – 2-1/16 to 3.00 OD – SST	4
23	58-01235-00	Hose, Air Cleaner (69GC15-114-1, -134, -154, -194)	1
23	58-01255-00	Hose, Air Cleaner (69GC15-144, -174, -184, -184-1, -184-2)	1
24	38-00141-00	Fan, Radiator (Steel)	1
24	38-00146-00	Fan, Radiator (Plastic) (69GC15-174, -184, -184-1, -184-2, -194)	1
25	30-01054-00	Adapter, Fan (When 38-00141-00 is used)	1
26	34-01152-35	Screw, Hex Head, M6 x 1 x 35 mm – SST (NSI)	4
		(When 38-00141-00 is used)	
26	34-01152-18	Screw, Hex Head, M6 x 1 x 18 mm – SST (NSI)	4
		(When 38-00146-00 is used)	
27	–	V-Belt – Refer to section NO TAG	1
28	69GC15-374	Venturi, Fan	1
29	58-01237-00	Hose, Radiator, Upper (69GC15-114-1, -134, -154, -194)	1
29	58-04020-00	Hose, Radiator, Upper (69GC15-144, -174, -184, -184-1, -184-2)	1
30	69GC15-304	Radiator (69GC15-114-1)	1
30	69GC15-794	Radiator (69GC15-134, -144, -154, -174, -184, -184-1, -184-2, -194) – Includes:	1
31	40-00117-01	Draincock 1/4 mpt	1
32	40-00081	Vent, Air	1
33	42-00146	Inhibitor	1
34	30-00397-00	Cap, Radiator, 15 psi	1
35	44-00045-25	Clamp, Worm, Range – 7/32 to 5/8 OD – SST	1
36	76-00382	Bottle, Coolant Recovery – Includes:	1
37	58-00743	Cap, Screw	1
38	PL	Washer, Flat, 1/4 – SST	4
39	PL	Screw, 1/4-20 x .88 lg – SST	4
40	PL	Locknut, 1/4-20 – SST	4
41	NS	Hood Bracket Assembly – Refer to section NO TAG	A/R
42	69GN5-1332	Plate, Terminal Access (NSI)	1
43	58-04100-00	Hose, Radiator, Lower	1
44	69GC15-1394	Angle, Radiator Support (NSI)	1
45	44-00045-03	Clamp, Worm, Range – 13/16 to 1-3/4 OD – SST	4
46	PL	Tubing, Clear, 5/16 I.D. x 19.00 lg.	1
47	PL	Tubing, Clear, 1/8 I.D. x 31.00 lg.	1
NS	10-00158-02	Switch, High Water Temperature	1
48	34-01146-06	Washer, Lock, M6 – SST (NSI)	4
49	34-01151-06	Washer, Flat, M6 – SST (NSI)	4
50	34-01155-25	Screw, Hex Head, M12 x 1.25 x 25 mm lg	1
51	34-00368-15	Lockwasher, M12	1
52	34-01151-12	Washer, Plain, M12 (NSI)	1
53	34-01151-08	Washer, Plain, M8 (NSI)	2
54	34-01220-08	Locknut, M8 (NSI)	1
55	25-38735-00	Cover, Thermostat (On Engine)	1
56	25-37558	Gasket, Thermostat Cover (On Engine)	1
57	40-00343-05	Connector, Male, 3/8 npt x 1/2 tube – Brass (Engine Oil Outlet)	1
58	34-00944-06	Washer, Flat, M6 – SST (NSI)	4
59	34-00945-06	Washer, Lock, M6 – SST (NSI)	4

2.3 CONTROL BOX -- 69GC15-104, -104-1 & -114




ITEM	PART NO.	DESCRIPTION	QTY
2.3 CONTROL BOX – 69GC15-104, -104-1 & -114			
1	10-00222	Switch, Toggle (GPS)	1
2	66U1-9752	Seal, Bushing	2
3	10-00223	Switch, Toggle (IGN)	1
4	22-00049	Bulb	1
5	22-00518-01	Base, Pilot Light	1
6	22-00519-01	Jewel Assembly (Red)	1
7	22-00538-02	Meter, Amp	1
8	42-00045-01	O-Ring	3
9	22-00462	Voltmeter	1
10	69GS4-1582	Gasket	2
11	PL	Screw, Pan Head, #4-40 x 3/4 lg – SST	9
12	PL	Locknut, #4 – SST	9
13	66U1-2823	Gauge, Oil Pressure	1
14	66U1-7802	Meter, Total Time	1
15	69GS4-1582-1	Gasket (NSI)	1
16	12-00097-03	Gauge, Water Temperature	1
NS	12-00098-04	Sender, Water Temperature Gauge	1
17	10-01116-00	Meter, Frequency (Optional)	1
18	66U1-7842-1	Circuit Breaker (CB-1) 25 amp – 480 vac	1
19	66U2-1391	Boot – Includes:	1
20	NSS	Frame, Boot	1
21	PL	Screw, Hex Head, #10-24 x 3/4 lg – SST	A/R
22	PL	Washer, Lock, #10 – SST	17
23	PL	Washer, Plain, #10 – SST	10
24	PL	Locknut, #10-24 – SST	3
25	10-01160-00	Filter Reactor (Optional)	1
26	PL	Screw, Pan Head, #8-32 x 1/2 lg – SST	A/R
27	PL	Washer, Lock, #8 – SST	A/R
28	10-00171-03	Circuit Breaker (CB-2) 20 amp	1
29	PL	Nut, Hex, #10-32 – SST	2
30	PL	Screw, Hex Head, 1/4-20 x 1 lg – SST	3
31	PL	Washer, Flat, 1/4 – SST	3
32	PL	Washer, Lock, 1/4 External Tooth – SST	2
33	PL	Nut, Hex Head, 1/4-20 – SST	2
34	66U2-1541	Terminal Block	
35	PL	Screw, Hex Head, #8-32 x 1" lg – SST	4
36	PL	Washer, Flat, #8 – SST	2
37	22-01137-00	Junction Block (NSI)	1
38	PL	Washer, Lock, 1/4 – SST	2
39	10-00270-00	Relay (RCR)	1
40	58-00857-00	Cover, Relay	1
41	10-01155-00	Circuit Breaker (CB-3) 45 amp	1
42	66U1-8065-F25	Gasket, Adhesive Back, Pressure Sensitive, 1 wide x 1/8 thick (25 ft, to be cut to size)	A/R
43	69GC15-1163	Label, Voltage (NSI)	1
NS	66U1-8772	Diode (D2 and D3)	2
NS	22-01107-00F25	Tubing, Spiral (25 ft., Cut to length)	A/R
44	69GC15-323	Cover, Control Box (NSI)	1

2.4 CONTROL BOX – 69GC15-114-1, -134, -144, -154, -174, -184, -184-1, -184-2, -194



ITEM	PART NO.	DESCRIPTION	QTY
2.4 CONTROL BOX – 69GC15-114-1, -134, -144, -154, -174, -184, -184-1, -184-2, -194			
1	10-00222	Switch, Toggle (GPS)	1
2	66U1-9752	Seal, Bushing	2
3	10-00223	Switch, Toggle (IGN)	1
4	66U1-7842-1	Circuit Breaker (CB-1), 25 amp – 480 vac – 69GC15-114-1	1
4	66U1-7842-3	Circuit Breaker (CB-1), 26 amp – 460 vac	1
5	66U2-1391	Boot – Includes:	1
6	NSS	Frame, Boot	1
7	22-00049	Bulb	1
8	22-00518-01	Base, Pilot Light	1
9	22-00519-01	Jewel Assembly (Red)	1
10	10-01116-00	Meter, Frequency (Optional)	1
11	69GS4-1582	Gasket	2
12	PL	Screw, Pan Head, #4-40 x 3/4 lg – SST	9
13	PL	Locknut, #4 – SST	9
14	12-00097-03	Gauge, Water Temperature	1
15	42-00045-01	O-Ring	3
NS	12-00098-04	Sender, Water Temperature Gauge	1
16	66U1-7802	Meter, Total Time	1
17	69GS4-1582-1	Gasket (NSI)	1
18	66U1-2823	Gauge, Oil Pressure	1
19	22-00462	Voltmeter	1
20	22-00538-02	Meter, Amp	1
21	10-01160-00	Filter Reactor (Optional)	1
22	PL	Screw, Pan Head, #8-32 x 1/2 lg – SST	A/R
23	PL	Washer, Lock, #8 – SST	A/R
24	10-01155-00	Circuit Breaker (CB-3) 45 amp	1
25	PL	Screw, Hex Head, #10-24 x 3/4 lg – SST	10
26	PL	Washer, Plain, #10 – SST	10
27	PL	Washer, Lock, #10 – SST	A/R
28	PL	Locknut, #10-24 – SST	3
29	10-00270-00	Relay (RCR)	1
30	58-00857-00	Cover, Relay	1
31	PL	Nut, Hex, #10-32 – SST	2
32	PL	Screw, Hex Head, 1/4-20 x 1 lg – SST	3
33	PL	Washer, Flat, 1/4 - SST	3
34	PL	Washer, Lock, 1/4 External Tooth – SST	2
35	PL	Nut, Hex Head, 1/4-20 – SST	2
36	PL	Screw, Hex Head, #8-32 x 1" lg – SST	8
37	PL	Washer, Flat, #8 – SST	2
38	22-01137-00	Junction Block (NSI)	1
39	PL	Washer, Lock, 1/4 – SST	2
40	10-00171-03	Circuit Breaker (CB-2) 20 amp	1
41	66U2-1541	Terminal Block	2
42	66U1-8065-F25	Gasket, Adhesive Back, Pressure Sensitive, 1 wide x 1/8 thick (25 ft, to be cut to size)	A/R
43	69GC15-1413	Label, Voltage (NSI)	1
43	69GC15-1353	Label, Voltage (NSI) (69GC15-114-1)	1
44	69GC15-483	Cover, Control Box (NSI)	1
44	69GC15-453	Cover, Control Box (NSI) (69GC15-114-1)	1
45	69GC15-182	Cover, Circuit Breaker Box (NSI)	1
46	69GC15-1383	Label, I, CB, O (NSI)	1
NS	66U1-8772	Diode (D2 and D3)	2
NS	22-01107-00F25	Tubing, Spiral (25 ft., Cut to length)	A/R
NS	22-02002-01	Jumper, Terminal, 20 Amp	3

2.5 FUEL OIL LINES




ITEM	PART NO.	DESCRIPTION	QTY
2.5 FUEL OIL LINES			
1	40-00437-00	Vent, Fuel	1
2	PL	Elbow, 1/8 mpt x 1/4 Male Flare	1
3	66U2-2031	Valve, Relief	1
4	58-00412-00F20	Hose, 1/4 ID (20 ft lg to be cut to length)	A/R
5	69GS4-1732	Tube, Vent	1
6	40-00343-03	Connector, Male	1
7	69GC15-172	Connector Assembly (Includes supply tube) (NSI) (69GC15-104, -1, -114, -1)	1
7	69GC15-172-1	Connector Assembly (Includes supply tube) (NSI) (69GC15-134, -144, -154, -174, -184, -1, -2, -194)	1
8	58-00580-00F50	Tubing, 3/8 OD (50 ft lg to be cut to length)	A/R
9	69GC15-262	Banjo Assembly – Pump Inlet	1
10	–	Mechanical Fuel Pump – Refer to Form 62-03459	1
11	25-38666-16	Filter, Fuel Pump	1
12	69GC15-272	Banjo Assembly – Pump Outlet	1
13	30-00344-03	Fuel Warmer	1
14	40-00353-03	Elbow, Male, 45_ 3/8 Tube x 1/4 npt – Brass (NSI)	1
15	40-00060-02	Elbow, Street, 1/4 mpt x 1/4 fpt – Brass (NSI)	1
16	40-00249-01	Tee, Male, 1/4 fpt x 1/4 fpt x 1/4 mpt – Brass	1
17	40-00213-07	Fitting, Hose, 90_, 5/16 ID x 1/4 mpt – Brass (NSI)	1
18	58-01251-00F25	Hose, Fuel, 5/16 ID (25 ft lg to be cut to length)	A/R
19	40-00372-01	Adapter, 1/4 mpt x 1/8 fpt – Brass	1
20	40-00249	Tee, Male, 1/8 fpt x 1/8 fpt x 1/8 fpt – Brass	1
21	58-00659-00F25	Hose, 3/16 ID (25 ft lg to be cut to length)	A/R
22	40-00342-02	Elbow, Male, 3/8 Tube x 1/8 npt	1
23	79-01037-05	Head Assembly – Fuel Filtration – Includes:	1
24	PL	Plug, Pipe (1/4 square head)	1
NS	40-00338	Nipple, 13/16	1
NS	40-00337	Nipple, 1" Extension	1
25	30-00302	Filters, Secondary (Case of 12)	A/R
26	30-00301	Filters, Primary (Case of 12)	A/R
26	30-50301	Filters – Water Separator (Case of 12) (Optional)	A/R
27	58-01241-00	Hose, Formed (Fuel warmer to water pump)	1
28	58-01240-00	Hose, Formed (Fuel warmer from thermostat housing)	1
29	40-00420-00	Fitting, Hose, Barbed, 3/16 ID x 1/8 mpt – Brass	1
30	40-00349-01	Union, 3/8 Tube	2

ITEM	PART NO.	DESCRIPTION	QTY
2.6 GENERATOR (MAIN ALTERNATOR) AND SHOCKMOUNTS			
1	54-00133-12	Generator 15 KW – Includes:	1
2	PL	Nut, Hex, 1/4-20	1
3	54-00133-06	Screen (NSI)	1
4	PL	Screw, Round Head, 1/4-20 x 1-3/4 Lg SAE Grade 5	1
5	66U1-6445	Screen, Intake (NSI)	1
6	NLO	Rectifier Assembly – Old Style – Includes:	1
7	22-50005	Diode, Forward (Red)	3
8	22-50006	Diode, Reverse (Black)	3
6	22-50082-00	Rectifier Assembly – New Style – Includes:	1
7	22-50084-00	Diode, Forward	3
8	22-50083-00	Diode, Reverse (R)	3
9	04-50012-00	Bearing (1.548 Bore)	1
10	54-50034-00	Cap, Bearing (3.50 ID) – Includes:	1
NS	54-50034-01	O-Ring (3.54 OD)	1
11	54-50034-02	Dust Cap	1
12	PL	Capscrew, Hex Head, 5/16-18 x 3/4 Lg – SST	4
13	66U1-6505	Disc Drive (.125 Thick Total)	2
14	PL	Capscrew, Hex Head, 5/8-11 x 1-3/4 Lg – SST	4
15	PL	Locknut, 5/8	4
16	69GC15-344	Generator Mounting Channel Assembly	1
17	34-00667-15	Locknut, 1/2-13 – SST (NSI)	2
18	34-00890-02	Washer, Special	4
19	34-00890	Washer, Special	4
20	73-00096	Shockmount	4
21	PL	Capscrew, Hex Head, 1/2-13 x 3-1/2 Lg – SST	2
22	PL	Washer, Lock, 3/8 – SST	5
23	PL	Screw, Hex Head, 3/8-24 x 3/4 Lg – SST	5
24	68-04086	Tab, Locking	6
25	PL	Screw, Hex Head, 5/16-18 x 1-1/4 Lg – SST	6
26	PL	Eyebolt, 1/2-13	1
27	66U1-5321-11	Washer, Plain 1/2 – SST (NSI)	2

ITEM	PART NO.	DESCRIPTION	QTY
------	----------	-------------	-----


2.7 FUEL SOLENOID



1	10-01095	Solenoid, Linear – Includes:	1
2	58-50006	Boot, Solenoid	1
NS	34-50009-01	Plunger – Includes:	1
3	34-50009	Bolt, Eye (Solenoid)	1
4	22-50041	Terminal, Spade (Adapter)	2
NS	07-00245-00	Grease, Dow 33 Lithium Base(used on solenoid plunger)	1
5	66U1-5361-25	Capscrew, Hex Head, 1/4-20 x 3/4 lg – SST (NSI)	4
6	PL	Washer, Lock, 1/4 – SST	4
7	66U1-5321-7	Washer, Flat, 1/4 – SST	4
8	44-01049-01	Clip, Rod Linkage	1
9	56-03335-00	Rod, Linkage (CT4-114 engine)	1
9	56-03340-00	Rod, Linkage (CT4-133-DI & CT4-134-DI engine)	1
10	73-00093	Spring	1
11	69GU15-232	Nut Plate, Double	2
12	69GC15-434	Bracket	1
13	34-01155-25	Capscrew, Hex Head, M12 x 1.25 x 25 mm lg – SST	1
14	34-00368-15	Washer, Lock, M12 – SST	1
15	34-01151-12	Washer, Flat, M12 – SST (NSI)	1
16	44-00016-09	Chain – Single Link (Cut to length as required)	1
17	34-00944-10	Washer, Flat, M10 – SST (NSI)	6
NS	34-01152-45	Screw, Hex Head, M6 x 45 mm lg (Low idle adjustment screw) (NSI)	1

ITEM	PART NO.	DESCRIPTION	QTY
------	----------	-------------	-----


2.8 LUBE OIL FILTER



1	30-00325-03	Head, Filter	1
2	40-00342-08	Elbow, 1/4 mpt x 1/2 Tube	2
3	PL	Capscrew, Hex Head, 1/4-20 x 1 lg	3
4	PL	Washer, Flat, 1/4	3
5	PL	Locknut, 1/4-20	3
6	30-00323-00P12	Filter, Lube Oil – Full Flow (Case of 12)	A/R
7	58-00509-00F05	Tubing, 1/2 OD (5 ft, to be cut to length)	A/R
8	40-00342-06	Elbow, (Brass) 3/8 mpt x 1/2 Tube	2
9	40-00243-02	Tee, 3/8 mpt x 3/8 fpt x 3/8 fpt	1
10	40-00121-02	Bushing, 3/8 mpt x 1/8 fpt	1
11	40-00243	Tee, 1/8 mpt x 1/8 fpt x 1/8 fpt (NSI)	1
12	66U1-2543-2	Sender, Oil Pressure	1
13	10-00316-01	Switch, Oil Pressure Safety	1

ITEM	PART NO.	DESCRIPTION	QTY
------	----------	-------------	-----

2.9 ENGINE MOUNTING BRACKET AND SHOCKMOUNTS



1	34-00890	Washer, Special	4
2	73-00096	Shockmount	8
3	34-00890-02	Washer, Special	8
4	PL	Bolt, Hex Head, 1/2-13 x 3.25 lg – SAE Grade 5	4
5	PL	Bolt, Hex Head, 3/8-16 x 1.25 lg – SAE Grade 5	6
6	PL	Locknut, 3/8-16	4
7	69GC2-723	Mounting, Engine	1
8	48-00219-01	Bracket, Right Hand (CT4-114)	1
8	48-01036-01	Bracket, Right Hand (CT4-133-DI & CT4-134-DI)	1
9	48-00219	Bracket, Left Hand (CT4-114)	1
9	48-01036-00	Bracket, Left Hand (CT4-133-DI & CT4-134-DI)	1
10	PL	Washer, Flat, 3/8 – SAE	A/R
11	34-00962-25	Bolt, Hex Head, M12 x 25 mm lg	5
12	34-00945-12	Washer, Lock, M12	7
13	34-06009	Washer, Flat, M12	7
14	34-00961-20	Bolt, Hex Head, M10 x 20 mm lg	1
15	25-37690	Washer, Lock, M10	1
16	34-00944-10	Washer, Flat, M10 (NSI)	7
17	69GC15-573	Bracket	1
18	69GC15-854	Bracket (NSI)	1
19	PL	Bolt, Hex Head, 1/2-13 x 3 1/2 lg.	1
20	73-00305-00	Shockmounts	1
21	66U1-5321-11	Washer, FLAT 1/2 – SST (NSI)	1
22	34-00667-15	Locknut, 1/2-13 – SST (NSI)	4
23	34-00962-35	Bolt, Hex Head, M12 x 35 mm lg (NSI)	2
24	PL	Washer, Lock 3/8	2

ITEM	PART NO.	DESCRIPTION	QTY
------	----------	-------------	-----

2.10 ALTERNATOR AND REGULATOR – 37 AMP MOTOROLA



1	30-01037	Alternator (NLO) – Includes:	1
2	30-00171-13	Nut, Pulley Mounting	1
3	PL	Washer, Lock, Split, 5/8	1
4	30-00306-14	Fan	1
5	PL	Nut, Square, #10-32	4
6	30-01037-16	Housing, Front (NSI)	1
7	66U1-2233-15	Spacer, Fan and Pulley	1
8	30-00171-17	Bearing (Sealed)	2
9	30-00171-18	Retainer, Front Bearing	1
10	30-00171-31	Key, Woodruff, #5	1
11	66U1-2233-19	Rotor assembly (NSI)	1
12	30-00363-02	Regulator	1
13	30-00171-21	Stator Assembly	1
14	30-01037-22	Diode Assembly, Rectifier, Negative	1
15	30-00355-23	Diode Assembly, Rectifier, Positive	1
16	30-00171-29	Washer, Insulating	4
17	30-00171-24	Sleeve, Insulator	2
18	30-01037-25	Retainer, Rear Bearing (NSI)	1
19	30-01037-26	Housing, Rear (NSI)	1
20	30-50001-01	Brush Assembly and Cover	1
21	PL	Screw, Self-Tapping, #8 x 3/4 lg	2
22	PL	Locknut, #10-24	6
23	30-00351-28	Diode Assembly, Trio	1
24	PL	Screw, Machine, #10-32 x 2-7/8 lg	4
NS	30-01037-10	Capacitor (.5 mfd) (NSI)	1
25	30-01037-20	Slip Ring Assembly (NSI)	1
26	50-01127-01	Pulley, 1/2 V-Belt	1
NS	66U1-8772	Diode, Isolation (D1) (Wire Harness at Alternator)	1

ITEM	PART NO.	DESCRIPTION	QTY
2.11 ALTERNATOR AND REGULATOR – 37 AMP PRESTOLITE			
1	30-50009-00	Alternator – Includes:	1
2	30-00171-13	Nut, Pulley Mounting	1
3	PL	Washer, Lock, Split, 5/8	1
4	30-00306-14	Fan	1
5	30-00363-15	Spacer, Fan	1
6	30-00363-16	Housing, Front	1
7	30-00171-17	Bearing, Front and Rear	2
8	PL	Screw, Conical Washer, #8-32 x 3/8 Lg	3
9	30-00171-31	Key, Woodruff, #5	1
10	30-50009-01	Rotor Assembly	1
11	30-00363-19	Ring, Slip	1
12	30-50009-02	Stator Assembly	1
13	30-00363-23	Retainer, Rear Bearing (NSI)	1
14	30-00363-24	Housing, Rear	1
15	PL	Bolt, Through, #10-32 x 2-5/16 Lg	4
16	30-00363-34	Diode, Bridge Rectifier	1
17	30-00363-21	Diode, Field	1
18	PL	Screw, Self-Tapping, #8-32 x 5/16 Lg	3
19	PL	Nut, Cone Lock, 1/4-20 x 7/16 Lg	2
20	30-00363-30	Strap, A.C. Tap (NSI)	1
21	PL	Nut, Lock, #10-24 x 3/8 Lg	4
22	30-00363-32	Cover Assembly	1
23	PL	Washer, Flat, #10 (Iridite)	3
24	PL	Screw, Self-Tapping, #8-32 x 3/4 Lg	8
25	30-00363-33	Gasket, Felt	1
26	30-00363-28	Strap D + (NSI)	1
27	30-00363-25	Brush Assembly	1
28	PL	Washer, Flat, #10 (Timmerman)	1
29	30-00363-02	Regulator	1
30	PL	Screw, Machine, #10-24 x 3/4 lg	1
31	PL	Screw, Machine, #8-32 x 7/8 lg	4
32	PL	Screw, Self-Tapping, #10-24 x 3/8 lg	4
33	30-00363-29	Washer, Insulating	4
34	50-01127-04	Pulley, 1/2 V-Belt	1
NS	66U1-8772	Diode, Voltage Regulator	1


ITEM	PART NO.	DESCRIPTION	QTY
2.12 ALTERNATOR AND REGULATOR -- 65 AMP			
1	30-00363-03	Alternator -- Includes:	1
2	30-00171-13	Nut, Pulley Mounting	1
3	PL	Washer, Lock, Split, 5/8	1
4	30-00306-14	Fan	1
5	30-00363-15	Spacer, Fan	1
6	30-00363-16	Housing, Front	1
7	30-00171-17	Bearing, Front and Rear	2
8	PL	Screw, Conical Washer, #8-32 x 3/8 Lg	3
9	30-00171-31	Key, Woodruff, #5	1
10	30-00363-18	Rotor Assembly	1
11	30-00363-19	Ring, Slip	1
12	30-00363-20	Stator Assembly	1
13	30-00363-23	Retainer, Rear Bearing (NSI)	1
14	30-00363-24	Housing, Rear	1
15	PL	Bolt, Through, #10-32 x 2-5/16 Lg	4
16	30-00363-34	Diode, Bridge Rectifier	1
17	30-00363-21	Diode, Field	1
18	PL	Screw, Self-Tapping, #8-32 x 5/16 Lg	3
19	PL	Nut, Cone Lock, 1/4-20 x 7/16 Lg	2
20	30-00363-30	Strap, A.C. Tap (NSI)	1
21	PL	Nut, Lock, #10-24 x 3/8 Lg	4
22	30-00363-32	Cover Assembly	1
23	PL	Washer, Flat, #10 (Iridite)	3
24	PL	Screw, Self-Tapping, #8-32 x 3/4 Lg	8
25	30-00363-33	Gasket, Felt	1
26	30-00363-28	Strap D + (NSI)	1
27	30-00363-25	Brush Assembly	1
28	PL	Washer, Flat, #10 (Timmerman)	1
29	30-00363-02	Regulator	1

ITEM	PART NO.	DESCRIPTION	QTY
2.12 ALTERNATOR AND REGULATOR -- 65 AMP (CONTINUED)			
30	PL	Screw, Machine, #10-24 x 3/4 Lg	1
31	PL	Screw, Machine, #8-32 x 7/8 Lg	2
32	PL	Screw, Self-Tapping, #10-24 x 3/8 Lg	1
33	30-00363-29	Washer, Insulating	4
34	50-01127-04	Pulley, 1/2 V-Belt	1
NS	66U1-8772	Diode,Voltage Regulator	1

2.13 ALTERNATOR BRACKET ASSEMBLY



69GC15-104,-104-1,-114




69GC15-114-1,-134,-144,-154,-174,-184,-184-1, -184-2, -194


1	50-00162	V-Belt, Alternator (69GC15-104,-104-1 & -114)	1
1	50-01001-16	V-Belt, Alternator (69GC15-114-1,-134,-144,-154,-174,-184, - 184-1, - 184-2,-194)	1
2	PL	Bolt, Hex Head, 1/2-13 x 2-1/4 lg	1
3	PL	Washer, Flat, 1/2	1
4	PL	Washer, Lock, 1/2	1
5	69GC2-103-2	Bracket Assembly	1
6	PL	Bolt, Hex Head, 5/16-18 x 1-1/4 lg	3
7	PL	Bolt, Hex Head, 5/16-18 x 1" lg	2
8	PL	Washer, Flat, 5/16	2
9	PL	Washer, Lock, 5/16	5
10	69GC15-1232	Bracket, Adjusting	1
11	50-00175-11	Pulley	1
12	PL	Key,1/4 square x 1-5/8 lg. (69GC15-104,-104-1 & -114)	1
12	PL	Key,1/4 square x 1-7/16 lg. (69GC15-114-1,-134,-144,-154, -174,-184, -184-1, -184-2,-194)	1
13	04-00043-05	Bushing,Plated	1
14	58-01254-00	V-Ring	1
15	69GC15-1403	Shaft Extension (alternator drive assembly) (69GC15-104,-104-1, -114)	1

ITEM	PART NO.	DESCRIPTION	QTY
------	----------	-------------	-----


2.14 ENGINE V-BELT AND IDLER PULLEY



1	50-00162-04	V-Belt, Water Pump	1
2	48-00058-29	Pulley Assembly – Includes:	1
3	48-00058-04	Eccentric	1
4	48-00058-05	Spacer	1
5	48-00058-01	Pulley Assembly – Includes:	1
6	04-00018	Bearing	1
7	NSS	Retaining Ring	1
8	48-00058-02	Bolt, Shoulder	1
9	48-00217-04	Bracket, Idler Mounting	1
10	PL	Capscrew, Hex Head, 5/16-18 x 3-1/2 lg – SAE Grade 5	1
11	PL	Washer, Lock, 5/16	1
12	PL	Washer, Flat, 5/16	1


ITEM	PART NO.	DESCRIPTION	QTY
2.15 HOOD BRACKET ASSEMBLY			
			
1	34-01214-01	Bolt, Shoulder, Hex Head, 5/16-20 x 3/4" lg.	1
2	66U1-5321-5	Washer, Flat, 3/8 – SST (NSI)	1
3	34-01215-01	Nut, Lock, 5/16-20 (NSI)	2
4	PL	Nut, Lock, #10-24	2
5	PL	Bolt, Hex Head, #10-24 x 3/4" lg.	2
6	PL	Washer, Flat, #10	6
7	73-00307-00	Spring	1
8	69GC15-1582	Bracket (NSI)	1
9	66U1-5321-7	Washer, Flat, 1/4 – SST	4
10	PL	Bolt, Hex Head, 1/4-20 x 1"	2
11	PL	Nut, 1/4 -20	1
12	AT14JA201	Nut, Jam, 5/16-18 – SST (NSI)	1
13	69GC15-212-2	Bracket (NSI)	1
14	69GC15-222	Bolt Assembly (NSI) – Includes:	1
15	66U1-5361-4	Bolt, Hex Head, 5/16-18 x 2" lg. (NSI)	1
16	PL	Washer, Flat, 5/16 – SST	1
17	69GC15-1562	Latch Release	1
18	69GC15-1552	Latch – Includes:	1
19	69GC15-1363	Label, Hood Release (NSI)	1

2.16 LABELS AND DECALS



ITEM	PART NO.	DESCRIPTION	QTY
2.16 LABELS AND DECALS			
1	62-03646-00	Label, Disconnect Power Cable (NSI)	1
2	69GC15-1134	Label, Operating Instructions (NSI)	1
3	–	Label, Legend – Refer to table below	1
4	–	Label, Electrical Wiring Schematic and Diagram – Refer to table below	1
5	69GC15-1322	Label, Connect Safety Chains Here (NSI)	2
6	69GU15-1373	Label, Start – Stop (NSI)	
7	69GC15-1424-1	Label, Weight (NSI)	1
8	69GC15-1474	Label, Attention Hood Release (NSI)	1
9	69GC15-1572	Label, Hood Release Arrow (NSI)	1
10	69GC15-2173	Label, Clamp Unit Installation (NSI) – Clamp mounted units	1
10	69GC15-1243	Label, Pin Unit Installation (NSI) – Pin mounted units	1
11	69GC15-1373	Label, Hood Release (NSI)	1
12	69GC15-3752	Label, Warning, Bolt Torque (NSI)	2
NS	62-03642-02	Label, Carrier Transicold (6-13/16 inches wide) (NSI)	1
NS	62-03642-00	Label, Carrier Transicold (15 inches wide)	1
NS	62-03647-00	Label, Fan Warning (NSI)	2
NS	62-03669-00	Label, Belt Warning (NSI)	1
NS	62-02176-00	Decal, Lube Oil (NSI)	1
NS	62-03547-00	Label, Service (NSI)	1
NS	69GC15-1532	Label, Danger High Voltage (NSI)	1
NS	69GC15-1592	Label, Arrow (NSI)	1
NS	69GS4-1702	Label, Anti-Freeze (NSI)	1


MODEL NUMBER	LABEL, LEGEND (NSI)	LABEL, ELECTRICAL WIRING SCHEMATIC AND DIAGRAM (NSI)
69GC15-104	69GC15-1174	69GC15-1144
69GC15-104-1	69GC15-1174	69GC15-1144
69GC15-114	69GC15-1174	69GC15-1144
69GC15-114-1	69GC15-1174	69GC15-1784
69GC15-134	69GC15-1174	69GC15-1284
69GC15-144	69GC15-1174	69GC15-1284
69GC15-154	69GC15-1174	69GC15-1284
69GC15-174	69GC15-1174	69GC15-1284
69GC15-184	69GC15-1974	69GC15-1984
69GC15-184-1	69GC15-1974	69GC15-2044
69GC15-184-2	69GC15-1974	69GC15-1984
69GC15-194	69GC15-1174	69GC15-1284

ITEM	PART NO.	DESCRIPTION	QTY
2.17 MOUNTING ASSEMBLY			
69GC15-104, -104-1, -114, -114-1, -134, -144, -154, -174			
			
1	69GC15-664	Hood Assembly (69GC15-104, -104-1 & -114)	1
1	69GC15-654	Hood Assembly (69GC15-114-1)	1
1	69GC15-694	Hood Assembly (69GC15-134, -144, -154, -174)	1
2	69GC2-1732	Pin	2
3	69GC2-212-2	Screw Assembly – Includes:	2
4	NSS	Screw, Modified	2
5	69GC15-1252	Washer, Retaining	2
6	44-50005-00	Lanyard Assembly	2
7	66U1-9962-1	Pin, Grooved	4
8	66U1-7942-1	Screw, Drive, #10 – Type U (NSI) – SST	2
9	44-01122-00	Latch, Draw	3
10	69GC15-1452-1	Latch, Keeper	2
11	34-01219-00	Spacer	2
12	22-01679-00	Receptacle, Power	8
13	–	Clamping Device Assembly – Refer to section NO TAG	1
14	44-01094	Hinge	–
15	PL	Screw, Hex Head, 1/4-20 x 3/4 lg. – SST	2
16	PL	Washer, Flat, 1/4 – SST	24
17	PL	Locknut, 1/4-20 – SST	12
18	PL	Screw, Hex Head, #10-24 x 5/8 lg.	24
19	PL	Washer, Plain #10	2
20	PL	Washer, Plain 3/8	2
21	PL	Rivet, Blind	4

ITEM	PART NO.	DESCRIPTION	QTY
2.18 MOUNTING ASSEMBLY – 69GC15-184, -184-1, -184-2, -194			
LEFT SIDE			
1	66U1-5371-3	Screw, Hex Head, #10-24 x 5/8 lg – SST	2
2	34-01219-00	Spacer	2
3	69GC15-1452-1	Bracket	2
4	66U1-5321-5	Washer, Plain, 3/8 – SST (NSI)	2
5	66U1-5321-8	Washer, Plain, #10 – SST (NSI)	2
6	44-01094	Hinge	3
7	PL	Screw, Hex Head, 1/4-20 x 3/4 lg. – SST	24
8	PL	Washer, Flat, 1/4 – SST	36
9	34-00667-11	Locknut, 1/4-20 – SST (NSI)	30
10	–	Clamping Device Assembly – Refer to section NO TAG	–
11	22-01679-00	Receptacle, 32 amp, 380/440 vac	1
12	69GC15-694	Hood Assembly	1
13	34-01219-02	Spacer	2
14	69GC15-3022	Bracket – SST	2
15	34-00667-12	Locknut, 5/16-18 SST (NSI)	2
16	34-00662-12	Washer, Plain, 5/16 – SST (NSI)	2
17	34-01219-01	Spacer	2
18	66U1-5321-2	Washer, Plain, #8 – SST (NSI)	4
19	34-00667-08	Locknut, #8-32 – SST (NSI)	2
20	69GC15-492	Screw Assembly – Includes:	2
21	34-00662-18	Washer, Plain, 3/4 – SST (NSI)	2
22	69GC15-3572	Washer, Retaining – SST (NSI)	1
23	44-50005-00	Lanyard Assembly	2
24	66U1-1571-20	Grommet (NSI)	2
25	69GC15-3602	Plate (Left Side)	1
NS	69GC15-3602-1	Plate (Right Side)	1

ITEM	PART NO.	DESCRIPTION	QTY
2.18 MOUNTING ASSEMBLY – 69GC15-184, -184-1, -184-2, -194 (CONTINUED)			
26	34-00829-11	Washer, Plain, 1/4 – SST (NSI)	4
27	34-00667-61	Locknut, 1/4-20 – UNC 2B (NSI)	8
28	69GC15-1212	Plate	2
29	66U1-9132-1	Washer, Special	4
30	PL	Rivet, .187 Dia, Grip Range .251-.375 – SST	8
31	44-01122-00	Latch, Draw	2

2.19 CLAMPING DEVICE ASSEMBLY (OPTIONAL)



1	66U1-1274	Clamping Device Assembly (Curbside) – Includes:	1
1	66U1-1274-1	Clamping Device Assembly (Roadside) – Includes:	1
2	66U1-2555	Washers, Pressure	10
3	66U1-6775	Cylinder Assembly (NSI)	1
4	66U1-2545	Set Screw (NSI)	1
5	66U1-2575	Piston	1
6	66U1-2535	Cylinder Rod	1
7	66U1-2525	Cylinder Rod Pin	1
8	66U1-2675	Front Pin	1
9	66U1-2665	Snap Ring	6
10	66U1-2645	Cylinder Rod Bushing	1
11	66U1-2655	Base Bushing	1
12	66U1-2705-1	Handle – Includes: (NSI)	1
13	66U1-2685	Flush Pin	1
14	66U1-2695	Link	1
15	69NK20-1541	Pin, Index (Drive Type)	1
16	PL	Fitting, Grease	1
17	66U1-2605	“ L ” Hook Shaft	1
18	PL	Screw, Socket Head, 1/4-20 x 3/8 lg	2
19	66U1-2635	Bushing, Handle	1
20	66U1-2505	Pin, Latch	1
21	66U1-2495	Spring, Latch	1
NS	PL	Grease, Cartridge Type, 1 lb. for standard grease gun (NEVER-SEEZ)	1
22	69NP20-382	Pin Assembly	2