

Portable Water Cooled **Air Conditioners**

PWC 1211



Cooling Capacity	@ARI 80°F-67°F at 52% Relative Humidity	1 Ton - 12,000
Dimensions	Width (Inches) Depth (Inches) Height (Inches) Weight (Pounds) Shipping Weight Shipping Volume (Cubic Feet)	20.125 13.125 33.75 125 145 9
Electrical Characteristics	Power Supply (Volts) Current Consumption Cooling Watts In rush current (Amps) NEMA Plug Configuration EER Min-max Voltage Power Cord Gauge Power Cord Length (Feet)	115/1 8.1 930 56 5 - 15p 12.9 105-125 14/3
Compressor Characteristics	Compressor HP Compressor RLA Compressor LRA	1 9.5 50
Evaporator	Evap (CFM) Evap Motor HP Evap Motor Watts	400 1/8 130
Water Connection Characteristics	Cond Water Flow (GPM) at 60°F inlet Cond Water Flow (GPM) at 85°F inlet Cond Coil Pressure Drop PSI Water Valve Pressure Drop PSI Water Valve Connection Drain (Return) Connection	0.75 3.0 0.4 2.0 3/8 MF 3/8 MF

Condensate Pump Lift

R-410A Charge Oz.

Sound Level

Power Supply

Miscellaneous Features

115 volts

60 hertz 1 phase 8.1 amperes

Width

20.125 inches

Depth


13.125 inches

Height

33.75 inches

Weight

125 LBS



20 ft.

52

14